

A7/S7/A7 TDI/RS 7 Audi Technician Report

Stock No.	ealer Number		R.O. No.
VIN R	oad test mileage out		Road test mileage in
All items must be completed prior to customer delivery by an Audi technician		Trunk Inspection	wer removed tool from PDI kit into trunk lid
**Refer to the Special functions tab of ODIS Diagnosis using GFF for the PDI function tests **Audi recommends using an Audi approved battery charger to prevent excessive battery discharge during inspection		Install wheel bolt cover removal tool from PDI kit into trunk lid toolkit	
		☐ Place the lug cap removal tool, located in the bypack, into the toolkit (where applicable)	
		Set spare tire pressure	
Open Campaigns/Updates		Under the Hood Fluid Check and Inspection	
☐ Check Elsa for open campaigns and updates. Perform campaigns not requiring SVM if applicable. Campaigns requiring SVM should only be performed after the vehicle has been taken out of transport mode		☐ Check all fluid levels and top off if necessary	
		Exterior	
		☐ Test windshield wash	ners for aim and function
Battery Inspection		☐ Test exterior lighting functions	
☐ Check battery clamps for proper torque. Re-t	orque if required	Check tailgate openi	ng and closing with remote (if applicable)
Perform the A-battery test for new batteries using GFF in ODIS Diagnosis -> Special functions -> Service work. Select option 2, the battery test for new batteries as part of the pre-delivery inspection and act according to the test result (ok, recharge, replace). Ensure diagnosis log is uploaded to the GFF paperless server by selecting "ok" when tester wants to send the current generated diagnosis protocol online. (Note: Do not use Guided Function. The diagnosis log will not be uploaded to GFF paperless)		the ground to the clo	opening height to 75 inches (190 cm) from ose button in the rear lid. Press and hold he rear lid for at least four seconds to g height
		position memory (if with the start/stop b	ity: Including seat and steering wheel applicable); verify vehicle starts and runs button; verify all doors lock/unlock with d key, including all door handle sensors by (if equipped)
Transport Mode Deactivation, DTC check, set s	ervice reminder	Interior	
*It is advised to start ODIS with the engine running to enable all 5F Test Plans in GFF and also to ensure SVM sees all control units during the SVM check vehicle configuration Deactivate vehicle transport mode (via Special functions -> Service work -> 19-Transport mode activating/deactivating)		Check operation of all switches: Locks, windows, seat adjustment, seat ventilation/heating (front and rear where applicable) and child safety features. Check rear lid opening and closing with switch in door (ignition must be on) Rear view mirror: Check self-dimming function/lighting (if	
			Deactivate air suspension loading mode (via
-> Service Work -> 34-Loading mode activa	☐ Verify operation of al	ll interior lights, including ambient lighting	
(S7/RS 7only) Warning! Car body may lower!	☐ Mirrors: Inspect fold memory	ing, adjustments, RH tilt in reverse, and	
Set service reminder (via Special functions -> Service work -> 17-PDI-resetting SRI at PDI, counter reset, etc.)		☐ Inspect operation of lighter, aux. outlet under armrest, under	
For MMI3G+ vehicles, set adaptation channel (via Special functions -> Service work -> : 5F-Activating/deactivating storage of music). Also referred to as CD Ripping. Perform hard		rear vent outlets, and in luggage compartment on passenger side	
		☐ Verify operation of a	ll front and rear seat belts and latches
reset of the MMI to complete the activation		Check horn operation	ı
Perform any campaign update requiring SVM at this time		☐ Check sunroof opera	tion (open/close/vent/deflector at edge)
(follow instructions listed in campaign docur	ientation)	☐ Turn on the night vis equipped)	ion camera and verify operation (if
		☐ Check rear spoiler on	peration using control in console





Interior (continued)	Audi connect (if equipped) (USA ONLY)	
Rear Climate Controls: Verify heating and cooling functions and open all rear panel vents (center and b-pillar)	 □ Verify Audi connect Information Packet is present, including Audi brochure, T-Mobile brochure, customer SIM card, T-Mobile Terms & Conditions (T&C) (if applicable) □ Connect the dealer demo SIM card to the vehicle and make sure the system fully connects to 2G or 3G (2G or 3G symbol with Box surrounding it) (only applies if in a T-Mobile service area) 	
Passenger side airbag: Verify operation of Passenger Occupant Detection System		
☐ Start-Stop-System info (if applicable): Verify the velum sticker is on the start/stop button. Remove the start/stop		
information card from the car kit and place it in the glove box with the owner's manuals. Additional supply can be ordered via	☐ Enable Google Earth in the navigation settings and verify the white Google Logo appears next to the 2G or 3G symbol	
the Brand Store on AccessAudi Radio	☐ Ensure the wireless network is turned on (TEL function button > Settings Ctrl button > Wi-Fi settings > Wi-Fi active > select	
☐ Verify operation of CD changer (if equipped)	"Visible")	
Verify operation of DVD player	Check Wi-Fi hotspot functionality is enabled and verify the SSID is set to "AUDIXXXXX," where XXXXX = the last five digits	
☐ Verify operation of AMI	of VIN that are automatically preset in the system.	
SD card slot: Insert SD card and test function (Test all SD card slots as equipped)	On-Hoist Inspection	
☐ Verify HD Radio is turned "off" in Radio/Settings Menu	Remove Hoist Access Point Trim Covers if equipped (Prestige/S-Line only)	
Audi MMI/Navigation	☐ Inspect wheel bolts for proper torque using torque wrench	
Verify and set Language and Measurement Units in Setup Menu	Check underside of vehicle for fluid leaks and loose components	
Set Time source setting to "GPS" and set Auto daylight savings time to "on"Change time zone appropriate to the dealer location	Check steering, boots, brake system, hoses, tires and wheels for damage	
Program the presets to local stations	☐ Install wheel bolt covers from PDI kit on all wheels	
Navigation: Set dealership location (for following back to	Remove Transport Blocks from shocks	
dealership during road test) Voice Activation: Press the "Talk" button and verify several	After removing transport blocks, secure Additional Springs (a.k.a. bump stops) by pressing into tube of upper shock mount	
commands	☐ If a known "sold" unit, set to appropriate Normal Load Condi-	
Set the "Music volume while parking" to 6 lines (accessed via MMI rear view camera display, Settings > Music volume while Parking)(applies to vehicles with park assist or rear view camera)	tion. See separate "2015 Normal Load Condition Tire Pressur Table" posted on ServiceNet. If going to stock, set to maximu recommended tire pressures listed on the B-pillar doorjamb, and store tire pressure values in Car/System menu	
Onboard Video Tutorials	D 17	
Load Onboard Video Tutorials	Road Test	
☐ Turn ignition on	Check for squeaks, rattles and wind noise	
☐ Insert the Onboard DVD into the DVD Drive	Verify operation of Audi parking system plus with rear view camera and top or corner view cameras (if equipped)	
Select the CAR function button. System will initialize	Verify Vehicle Head-up Display functionality. Verify the image	
Select the Owner's Man. function by selecting the upper right control button	can be adjusted properly in the viewing area of the windshield (if equipped)	
Select "Yes"	☐ Verify engine performance and acceleration	
Select "CD/DVD"	\square Verify transmission operation, including shift paddles	
Select "Start update"	☐ Verify engine Start-Stop-System functionality (if equipped)	
Turn off ignition to start update (the update will take approx. 5	☐ Check steering/tire alignment	
minutes)	☐ Check heated steering wheel operation (if equipped)	
Once completed, remove the disk and place back into the case for the next vehicle	☐ Test drive vehicle applying brakes at least 4 times at 20 mph (35 km/h) to clean brake rotors. Check for abnormal noise/vibration	



2015 A7/S7/A7 TDI/RS 7 \mid Audi Technician Report

Road Test (continued)		Post-Road Test Inspection	
☐ Verify quality of radio reception in AM/FN	M/SAT bands	☐ Interrogate fault memory using the VAS tester and print Diagnostic Log	
☐ Verify cruise control/ACC with Stop & Go	o functionality (if		
equipped)		Record final mileage on checklist and sign checklist	
$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	uipped)	☐ Ensure the yellow tire pressure tag is installed on steering	
☐ Verify Audi active lane assist functionality	y (if equipped)	wheel	
Climate Control: Check heating and cooling functions and open			
all panel vents		If Vehicle is for Showroom Display/Inventory Storage or Demo	
☐ Seat heating and cooling (if equipped):	Check for proper	Use	
operation		Install showroom charger to ensure battery remains charged at	
Navigation function: Activate NAV and find dealership. Verify NAV directions are visible (if equipped)		all times	
		Apply Inventory Maintenance Sticker	
		☐ Install standard wiper blades (if not already installed)	
Technician			
I certify that all operations have been cor Quality Standards, and has met the stand	•	has been prepared in accordance with Audi Procedures and .	
Last 8 of VIN	Fechnician Signature	Completion Date	