

2015 **Q3**

Audi Technician Report

Stock No.	Dealer Number		R.O. No.		
VIN	Road test mileage out		Road test mileage in		
All items must be completed prior to customer delivery by an Audi technician		Under the Hood Fluid Check and Inspection (continued) ☐ Check engine oil level using Special Tool T40178 on a flat and level surface			
*Refer to the Special functions tab of ODIS Diagnosis using GFF for the PDI function tests					
**Audi recommends using an Audi approved battery charger to prevent excessive battery discharge during inspection Open Campaigns/Updates Check Elsa for open campaigns and updates. Perform campaigns not requiring SVM if applicable. Campaigns requiring SVM should only be performed after the vehicle has been taken out of transport mode		Trunk Inspection			
		☐ Install wheel bolt cover removal tool from PDI kit and wheel lock key (if applicable) into trunk tool kit to the right of the spare tire. Exterior			
				Test windshield washers (front and rear) for aim and function	
				Battery Inspection Check battery clamps for proper torque. Re-torque if required Perform the A-battery test for new batteries using GFF in ODIS Diagnosis -> Special functions -> Service work. Select option 2, the battery test for new batteries as part of the pre-delivery inspection and act according to the test result (ok, recharge, replace). Ensure diagnosis log is uploaded to the GFF paperless server by selecting "ok" when tester wants to send the current generated diagnosis protocol online. (Note: Do not use Guided Function. The diagnosis log will not be uploaded to GFF paperless)	
		 ☐ Check key functionality, including seat memory (if equipped); verify vehicle starts and runs with the start/stop button; verify all doors lock/unlock with remote and advanced key, including all door handle sensors with the advanced key (if equipped) ☐ Adjust the trunk lid opening height to 75 inches (190 cm) from the ground to the close button in the rear lid. Press and hold the close button in the rear lid for at least four seconds to program the opening height 			
*It is advised to start ODIS with the engine running to enable all 5F Test Plans in GFF and also to ensure SVM sees all control units during the SVM check vehicle configuration		 ☐ Check operation of all switches: Locks, windows, seat adjustment, seat heating (if equipped) and child safety features ☐ Calibrate rear view mirror compass to proper zone and check self-dimming function/lighting (if equipped) 			
				 □ Deactivate vehicle transport mode (via Special functions -> Service work -> 19-Transport mode activating/deactivating) □ Set service reminder (via Special functions -> Service work -> 	
☐ Mirrors: Inspect folding, adjustments, RH tilt in reverse, and memory (if equipped)					
17-PDI-resetting SRI at PDI, counter reset, etc.) For MMI3G+ vehicles, set adaptation channel (via Special		☐ Inspect operation of outlet in front of center console and behind center console			
functions -> Service work -> : 5F-Activatin	pping. Perform hard	☐ Verify operation of	all front and rear seat belts and latches		
storage of music). Also referred to as CD Ri reset of the MMI to complete the activation		Check horn operation	on		
Perform an SVM specified /actual comparis functions ->Software Version Management	on (via Special	☐ Check sunroof and deflector at edge)	sunshade operation (open/close/vent/		
Perform any campaign update requiring SV (follow instructions listed in campaign docu	M at this time	Passenger side airb Detection System	ag: Verify operation of Passenger Occupant		
Under the Hood Fluid Check and Inspection		Radio			
☐ Check all fluid levels and top off if necessary		☐ Verify operation of	DVD player		
		☐ Verify operation of	AMI		

2015 Q3 | Audi Technician Report



Radio (continued)	Audi connect (if equipped) (USA ONLY) (continued)	
SD card slot: Insert SD card and test function (Test all SD card slots as equipped)	☐ Check Wi-Fi hotspot functionality is enabled and verify the SSID is set to "AUDIXXXXX," where XXXXX = the last five digits of VIN that are automatically preset in the system.	
☐ Verify HD Radio is turned "off" in Radio/Settings Menu		
	On-Hoist Inspection	
Audi MMI/Navigation	Check underside of vehicle for fluid leaks and loose components	
☐ Verify and set Language and Measurement Units in Setup Menu	Check steering, boots, brake system, hoses, tires and wheels	
Set Time source setting to "GPS" and set Auto daylight savings time to "on." Change time zone appropriate to the dealer	for damage	
location	Remove transport suspension blocks (if installed)	
☐ Navigation (if equipped): Set dealership location (for following	Inspect wheel bolts for proper torque using torque wrench	
back to dealership during road test)	☐ Install wheel bolt covers and center caps as supplied	
☐ Set the "Music volume while parking" to 6 lines (accessed via MMI rear view camera display: Settings > Music volume while parking) (applies to vehicles with park assist or rear view camera)	☐ If a known "sold" unit, set to appropriate Normal Load Condition. See separate "2015 Normal Load Condition Tire Pressure Table" posted on ServiceNet. If going to stock, set to maximum recommended tire pressures listed on the B-pillar doorjamb, and store tire pressure values in Car/System menu	
☐ Voice Activation (if equipped): Press the "Talk" button and verify several Commands		
	Road Test	
Onboard Video Tutorials	☐ Check for squeaks, rattles and wind noise	
Load Onboard Video Tutorials	☐ Verify operation of Audi parking system plus with rear view	
☐ Turn ignition on	camera (if equipped)	
☐ Insert the Onboard DVD into the DVD Drive	Verify engine performance and acceleration	
\square Select the CAR function button. System will initialize	Verify transmission operation, including shift paddles (if equipped)	
Select the Owner's Man. function by selecting the upper right control button	☐ Check steering/tire alignment	
Select "Yes"	☐ Test drive vehicle applying brakes several times (at least 4	
Select "CD/DVD"	times) at 20 mph (32 km/h) to clean brake rotors. Check for abnormal noise/vibration/pulsation	
Select "Start update"	Parking brake: Apply and verify hold and release	
Turn off ignition to start update (the update will take approx. 5		
minutes)	Verify quality of radio reception in Sirius bands	
Once completed, remove the disk and place back into the case	Verify cruise control function	
for the next vehicle	Verify Audi side assist functionality (if equipped)	
	☐ Climate control: Check all functions and ensure proper A/C cooling	
Audi connect (if equipped) (USA ONLY)	Seat heating-(if equipped): Inspect for proper operation	
☐ Verify Audi connect Information Packet is present, including Audi brochure, T-Mobile brochure, customer SIM card, T-Mobile Terms & Conditions (T&C) (if applicable)	☐ Navigation function (if equipped): Activate NAV and follow directions back to dealership	
Connect the <u>dealer demo</u> SIM card to the vehicle and make		
sure the system fully connects to 2G or 3G (2G or 3G symbol with Box surrounding it)(only applies if in a T-Mobile service	Post-Road Test Inspection	
area)	☐ Interrogate fault memory using the Scan Tool and print Diagnostic Log	
☐ Enable Google Earth in the navigation settings and verify the white Google Logo appears next to the 2G or 3G symbol	Record final mileage on checklist and sign checklist	
Ensure the wireless network is turned on (TEL function button > Settings Ctrl button > Wi-Fi settings > Wi-Fi active > select "Visible")	☐ Ensure the yellow tire pressure tag is installed on steering wheel	

Audi

2015 Q3 | Audi Technician Report

Showroom Display/Inventory Storage/	Demo Vehicle	
☐ Install showroom charger to ensure ball times	pattery remains charged at	
Apply Inventory Maintenance Sticker		
☐ Install standard wiper blades (if not a	already installed)	
Technician I certify that all operations have been Quality Standards, and has met the st	·	repared in accordance with Audi Procedures and
Last 8 of VIN	Technician Signature	Completion Date