

| | |
|---------------------|----------------------|
| REFERENCE: | Nova Bus Manuals |
| SECTION: | 15: Paint and decals |
| RS N°: | MQR 7621-734 |
| EFFECTIVE IN PROD.: | L773 (2013NO) |

APPLICATION DEADLINE: 2015MR15
CLAIM REFERENCE NUMBER: WB-3108

| | |
|----------------|--|
| SUBJECT: | Driver's legend decal. |
| JUSTIFICATION: | Missing informations on driver's legend decal. |

| LEVEL | DESCRIPTION | DIRECT CHARGES | | TIME |
|-------|--------------------|----------------|----------|--------|
| | | LABOUR | MATERIAL | |
| 1 | Replace the decal. | Nova Bus | Nova Bus | 10 min |
| 2 | – | – | – | – |

MATERIAL

| QTY | PART N° | REV. | DESCRIPTION | REPLACES PART N° |
|----------------|---------|------|-----------------------|------------------|
| LEVEL 1 | | | | |
| 1 | N76442 | – | Driver's legend decal | – |
| LEVEL 2 | | | | |
| – | – | – | – | – |

Materials will be available within 14 days. To order, please contact Prevost Parts by phone at 1-800-771-6682, by fax at 1-888-668-2555 or by email at prevostparts.commandes@volvo.com. Specify document number, quantity of parts required and shipping address.

DISPOSAL OF PARTS

| | | | |
|--------------------|-------------|----------|---|
| REMOVED PARTS ARE: | DISCARDED * | RETAINED | * Dispose of the unused parts and the defective parts in accordance with local environmental standards in effect. |
| | Yes | – | |

REVISION HISTORY

| REV. | DATE | CHANGE DESCRIPTION | WRITTEN BY |
|------|----------|--------------------|------------------|
| NR | 2014FE24 | Initial release | Bertrand Plouffe |

| CLIENT | ORDER | ROAD NUMBER | | VIN (2NVY/4RKY...) | | QTY |
|---------------------------------------|-------|-------------|-------|--------------------|---------------|-----|
| | | FROM | TO | FROM | TO | |
| Brantford - Ontario | L775 | 10131 | 10132 | L82U1D3000999 | L82U2D3001000 | 2 |
| Clemson Area Transit - South Carolina | L769 | — | — | S92U1D4500418 | S92U1D4500418 | 1 |
| Fredericton - New Brunswick | L774 | 8131 | 8131 | L82U7D3000960 | L82U7D3000960 | 1 |
| Guelph - Ontario | L767 | 237 | 239 | L82UXD3000967 | L82U3D3000969 | 3 |
| Marketing Sales Demo | L705 | — | — | L82U1D3000906 | L82U1D3000906 | 1 |
| Niagara Falls - Ontario | L771 | 1396 | 1397 | L82U9D3000958 | L82U0D3000959 | 2 |
| Peterborough - Ontario | L770 | 55 | 60 | L82U0D3000993 | L82UXD3000998 | 6 |
| Red Deer - Alberta | L766 | 1104 | 1105 | L82U7D3001025 | L82U9D3001026 | 2 |
| Regina - Saskatchewan | L776 | 663 | 669 | L82U4D3001001 | L82U5D3001007 | 7 |
| Timmins - Ontario | L783 | — | — | L82U8D3001017 | L82UXD3001018 | 2 |
| Walt Disney World - Florida | L763 | — | — | S92U0D3001019 | S92U4D3001024 | 6 |
| Whitehorse - Yukon | L784 | 43 | 43 | L82U9D3001057 | L82U9D3001057 | 1 |
| Woodstock - Ontario | L778 | — | — | L82U2D3001014 | L82U2D3001014 | 1 |

**WARNING**

Follow your internal safety procedures.

PROCEDURE

- 1.1. Locate the driver's legend decal on the partition, behind the driver's seat. See Figure 1.



Figure 1 - Driver's Legend Decal Location

- 1.2. Remove completely the decal.
- 1.3. Clean the surface with a degreasing cleaner which leaves no residues. (Make sure that the product used contains no ammonia.)
- 1.4. Dry the surface with a lint-free cloth, before the cleaner evaporates.
- 1.5. Install the new N76442 decal.
- 1.6. The vehicle may returned to service. ❖