



Countries:	CANADA, COLOMBIA, UNITED STATES, MEXICO, PUERTO RICO	Document ID:	IK1200869
Availability:	ISIS	Revision:	2
Major System:	ENGINES	Created:	1/9/2013
Current Language:	English	Last Modified:	6/20/2014
Other Languages:	NONE	Author:	Mario Tafoya
Viewed:	680		

[Less Info](#)

Hide Details

Coding Information

Copy Link	Copy Relative Link	Bookmark	Add to Favorites	Print	Provide Feedback	Helpful	Not Helpful
		 View My Bookmarks				 14	 3

Title: Adapter for connecting ZTSE4409 to diagnostic port on the oil pan

Applies To: EPA 10 MaxxForce 7 Engine

PURPOSE

The purpose of this article is to expedite the technician's work, when they need to obtain an adapter for connecting Pressure Test Kit ZTSE4409 air gauge to diagnostic port on the oil pan.

DETAILS

In [EPA10 MaxxForce 7 Diagnostic Manual](#) , page 85 in the PDF (section 4 ENGINE SYMPTOMS DIAGNOSTICS \ Lubrication System \ Low Oil Pressure Diagnostics), Step 2 writes:

Connect Pressure Test Kit ZTSE4409 air gauge to diagnostic port on the oil pan, using adapter (obtain locally).

The adapter that works is 1841403C1 "Fitting and o-ring quick connect (10mm)," and it is available through the Product Distribution Center (PDC).

Hide Details

Feedback Information

Viewed: 679
Helpful: 14
Not Helpful: 3

No Feedback Found

Copyright © 2014 Navistar, Inc.