

| Service Category | Vehicle Exterior | | | Lexus Supports |
|---------------------|------------------|--------|-----|-------------------------------------|
| Section | Lighting (ext) | Market | USA | Lexus Supports ASE Certification |

Applicability

| YEAR(S) | MODEL(S) | ADDITIONAL INFORMATION | |
|-------------|----------|------------------------|--|
| 2004 – 2006 | RX330 | WMI(s): 2T2, JTJ | |
| 2007 – 2009 | RX350 | WMI(s): 2T2, JTJ | |
| 2006 – 2008 | RX400H | WMI(s): JTJ | |

REVISION NOTICE

May 27, 2014 Rev1:

• The Parts Information section has been updated.

Any previous printed versions of this bulletin should be discarded.

SUPERSESSION NOTICE

The information contained in this bulletin supersedes SB No. L-SB-0008-10.

• The entire bulletin has been updated.

Service Bulletin No. L-SB-0008-10 is Obsolete and any printed versions should be discarded. Be sure to review the entire content of this bulletin before proceeding.

Introduction

While some condensation in the headlamp is normal and should be expected, certain 2004 – 2009 RX vehicles may exhibit a condition where excess moisture forms on the interior of the headlamp housing.

Examples of excess moisture are:

- Pooling of water at the bottom of the headlamp that do not clear with normal use of the vehicle in dry weather conditions.
- Noticeable streaks of water that run down the interior of the headlamp lenses that do not clear with normal use of the vehicle in dry weather conditions.

To address the excess moisture condition of the headlamp, an improved headlamp housing has been developed. Use the following repair information to replace the headlamp housing as necessary.

Production Change Information

This bulletin applies to all 2004 – 2006 RX 330, 2007 – 2009 RX 350, and 2006 – 2008 RX 400h vehicles produced **BEFORE** the Production Change Effective VINs shown below.

| MODEL | DRIVETRAIN | PLANT PRODUCTION CHANGE EFFECTIVE | |
|---------|------------|-----------------------------------|-------------------|
| | | ТМК | JTJGA31U#60065897 |
| DV 000 | 2WD | TMMC | 2T2GA31U#6C053399 |
| RX 330 | | ТМК | JTJHA31U#60106215 |
| | AWD | TMMC | 2T2HA31U#6C109798 |
| | 2WD | ТМК | JTJGK####99853261 |
| RX 350 | 2000 | TMMC | 2T2GK####9C082087 |
| KA 330 | AWD | ТМК | JTJHK####92859500 |
| | AVVD | TMMC | 2T2HK####9C135374 |
| BX 400h | 2WD | ТМК | JTJGW####82851829 |
| RX 400h | AWD | | JTJHW####82867597 |

Warranty Information

| OP CODE | DESCRIPTION | | OFP | T1 | T2 |
|---------|---|-----|----------------------------|----|----|
| BD1409 | R & R Headlamp Housing (One Side) (Used when old parts are transferred to a new housing) | 1.3 | | | |
| Combo A | | | 811##-48### 811#0-0E0## | | |
| BD1410 | R & R Headlamp (One Side) | 1.3 | | 66 | |
| Combo A | R & R Headlamp (Other Side) | 1.1 | | | 48 |
| BD1411 | R & R Headlamp & Computer (One Side) | 1.3 | 811##-48### | | |
| BD1412 | R & R Headlamp (Both Sides) & Computer (One Side) 2.4 811#0-0E0## | | | | |
| BD1413 | R & R Headlamp (Both Sides) & Computer (Both Sides) | 2.4 | 85967-51020 | | |

APPLICABLE WARRANTY

- This repair is covered under the Lexus Basic Warranty. This warranty is in effect for 48 months or 50,000 miles, whichever occurs first, from the vehicle's in-service date.
- Warranty application is limited to occurrence of the specified condition described in this bulletin.

Rev1

Excess Headlamp Moisture

Parts Information

The "Unit, Headlamp" part name in the following tables refers to a housing only and is not a complete assembly.

For vehicles equipped with HID AFS headlights, ensure that you order the correct part number for the specific production date range for the vehicle being repaired.

| MODEL | GRADE | DESCRIPTION | PRODUCTION DATE | PART NUMBER | QTY |
|-----------------|-------------------------------|--------------------|--------------------|-------------|-----|
| RX 330 | | | 02/2003 - 01/2006 | 81170-48200 | 1 |
| RX 350 | w/o HID | | 01/2006 - 12/2008 | 81170-48200 | 1 |
| | HID | | 02/2003 - 08/2004 | 81185-48210 | 1 |
| RX 330 | HID (w/ AFS, cut line) | Unit, Headlamp, LH | 02/2003 – 08/2005* | 81185-48260 | 1 |
| RX 330 / 350 | HID (w/ AFS, non-cut line) | - | 08/2005 – 12/2008* | 81185-48261 | 1 |
| RX 330 | w/o HID | | 02/2003 - 01/2006 | 81130-48200 | 1 |
| RX 350 | W/O FILD | | 01/2006 - 12/2008 | 81130-48200 | 1 |
| | HID | | 02/2003 - 08/2004 | 81145-48210 | 1 |
| RX 330 | HID (w/ AFS, cut line) | Unit, Headlamp, RH | 02/2003 – 08/2005* | 81145-48260 | 1 |
| RX 330 / 350 | HID (w/ AFS, non-cut line) | - | 08/2005 – 12/2008* | 81145-48261 | 1 |

For Japan Built Vehicles (VINs starting with WMI "JTJ")

* For Japan built vehicles produced through 08/2005 – 08/2007, it is necessary to remove the original headlamp, locate the original part number on the housing, and compare the original part number with the new part number (for parts ordering accuracy).



Rev1

Excess Headlamp Moisture

Parts Information (Continued)

| MODEL | GRADE | DESCRIPTION | PRODUCTION DATE | PART NUMBER | QTY |
|---------|-------------------------------|--------------------|--------------------|-------------|-----|
| | | - | 03/2005 - 08/2007* | 81170-48200 | 1 |
| | w/o HID | | 08/2007 – 12/2008* | 81170-48600 | 1 |
| | HID | | 03/2005 - 08/2005 | 81185-48210 | 1 |
| | HID (w/ AFS, cut line) | Unit, Headlamp, LH | 03/2005 - 08/2005* | 81185-48260 | 1 |
| | HID (w/ AFS, non-cut line) | | 08/2005 - 08/2007* | 81185-48261 | 1 |
| RX 400h | HID (w/ AFS, blue tint) | | 08/2007 – 12/2008* | 81185-48640 | 1 |
| | w/o HID | Unit, Headlamp, RH | 03/2005 - 08/2007* | 81130-48200 | 1 |
| | WO DID | | 08/2007 - 12/2008* | 81130-48600 | 1 |
| | HID | | 03/2005 - 08/2005 | 81145-48210 | 1 |
| | HID (w/ AFS, cut line) | | 03/2005 – 08/2005* | 81145-48260 | 1 |
| | HID (w/ AFS, non-cut line) | | 08/2005 - 08/2007* | 81145-48261 | 1 |
| | HID (w/ AFS, blue tint) | | 08/2007 – 12/2008* | 81145-48640 | 1 |

* For Japan built vehicles produced through 08/2005 – 08/2007, it is necessary to remove the original headlamp, locate the original part number on the housing, and compare the original part number with the new part number (for parts ordering accuracy).

Parts Information (Continued)

For North American Built Vehicles (VINs Starting with WMI "2T2")

Rev1

| MODEL | GRADE | DESCRIPTION | PRODUCTION DATE | PART NUMBER | QTY |
|-----------------|----------------------------|--------------------|--------------------|-------------|-----|
| RX 330 / 350 | w/o HID | Unit, Headlamp, LH | 09/2003 – 01/2009 | 81170-48200 | 1 |
| RX 330 | HID | | 09/2003 – 09/2004 | 81185-48210 | 1 |
| KA 330 | HID (w/ AFS, cut line) | | 09/2003 – 09/2005* | 81185-48260 | 1 |
| RX 330 / | HID (w/ AFS, non-cut line) | | 09/2005 - 01/2009* | 81185-48261 | 1 |
| 350 | w/o HID | | 09/2003 - 01/2009 | 81130-48200 | 1 |
| | HID | | 09/2003 - 09/2004 | 81145-48210 | 1 |
| RX 330 | HID (w/ AFS, cut line) | Unit, Headlamp, RH | 09/2003 – 09/2005* | 81145-48260 | 1 |
| RX 330 / 350 | HID (w/ AFS, non-cut line) | | 09/2005 - 01/2009* | 81145-48261 | 1 |

* For North American built vehicles produced through 09/2005, it is necessary to remove the original headlamp, locate the original part number on the housing, and compare the original part number with the new part number (for parts ordering accuracy).

For ALL Vehicles with an Inoperative ECU

NOTE

ONLY replace the headlamp ECU listed below if the new headlamp does not function when reassembled.

| MODEL | GRADE | DESCRIPTION | PRODUCTION DATE | PART NUMBER | QTY |
|-------|---------|----------------------------|-----------------|-------------|-----|
| All | aii hid | Computer, Light Control | All | 85967-51020 | 1 |



Parts Information (Continued)

NOTE

- AFS (Adaptive Front Lighting System) refers to an automatic lamp orientation control system that takes into account both steering angle and vehicle speed to orient the headlamps to an angle that provides better nighttime visibility.
- HID (High Intensity Discharge) headlamp refers to a specific type of headlamp bulb that is generally brighter than conventional headlamp bulbs.
- Certain vehicles equipped with HID AFS headlights have a distinct beam pattern or "cut line." It is important that you order the correct part number for the specific production date of the vehicle being repaired.
- Production date can be verified by inspecting the Manufacturing Label located on the driver's side "B" pillar.





Repair Procedure

1. Confirm that there is a condition where excess moisture forms on the interior of the headlamp(s) as shown below.

Figure 1 shows pooling of water at the bottom of the headlamp.

Rev1

Figure 1. Examples of Excess Moisture: Pooling



Figure 2 shows noticeable streaks that run down the interior of the headlamp lenses that do not clear with normal use of the vehicle in dry weather conditions.

Figure 2. Examples of Excess Moisture: Streaks

Repair Procedure (Continued)

Figure 3 shows normal moisture on the interior of the headlamp lens.

Figure 3. Examples of Normal Moisture



- 2. Is there excess moisture on the interior of the headlamp(s)?
 - YES Continue to step 3 for the headlamp housing.
 - NO This bulletin does NOT apply.
- 3. Remove and replace the headlamp housing.

NOTICE

To prevent contamination, handle bulb ONLY at the base.

Refer to the Technical Information System (TIS), applicable model and model year Repair Manual:

- 2004 RX 330: Vehicle Exterior – Lighting (ext) – "LH Headlamp Assy: <u>Overhaul</u>"
- 2005 RX 330: Vehicle Exterior – Lighting (ext) – "LH Headlamp Assy: Overhaul"
- 2006 RX 330: Vehicle Exterior – Lighting (ext) – "Lighting: Headlight Assembly: <u>Removal</u> / <u>Disassembly</u> / <u>Resassembly</u> / <u>Installation</u>"
- 2007 RX 350: Vehicle Exterior – Lighting (ext) – "Lighting: Headlight Assembly: <u>Removal</u> / <u>Disassembly</u> / <u>Resassembly</u> / <u>Installation</u>"



Rev1

Excess Headlamp Moisture

Repair Procedure (Continued)

- 2008 RX 350: Vehicle Exterior – Lighting (ext) – "Lighting: Headlight Assembly: <u>Removal</u> / <u>Disassembly</u> / <u>Resassembly</u> / <u>Installation</u>"
- 2009 RX 350: Vehicle Exterior – Lighting (ext) – "Lighting: Headlight Assembly: <u>Removal</u> / <u>Disassembly</u> / <u>Resassembly</u> / <u>Installation</u>"
- 2006 RX 400h: Vehicle Exterior – Lighting (ext) – "Lighting: Headlight Assembly: <u>Removal</u> / <u>Disassembly</u> / <u>Resassembly</u> / <u>Installation</u>"
- 2007 RX 400h: Vehicle Exterior – Lighting (ext) – "Lighting: Headlight Assembly: <u>Removal</u> / <u>Disassembly</u> / <u>Resassembly</u> / <u>Installation</u>"
- 2008 RX 400h: Vehicle Exterior – Lighting (ext) – "Lighting: Headlight Assembly: <u>Removal</u> / <u>Disassembly</u> / <u>Resassembly</u> / <u>Installation</u>"
- 4. Confirm proper operation of the headlight(s).

If headlight(s) do not illuminate, refer to TIS, applicable model and model year Repair Manual for troubleshooting procedures:

- 2004 RX 330: Vehicle Exterior – Lighting (ext) – "Lighting: Lighting System: <u>Problem Symptoms Table</u>"
- 2005 RX 330: Vehicle Exterior – Lighting (ext) – "Lighting: Lighting System: <u>Problem Symptoms Table</u>"
- 2006 RX 330: Vehicle Exterior – Lighting (ext) – "Lighting: Lighting System: <u>Problem Symptoms Table</u>"
- 2007 RX 350: Vehicle Exterior – Lighting (ext) – "Lighting: Lighting System: <u>Problem Symptoms Table</u>"
- 2008 RX 350: Vehicle Exterior – Lighting (ext) – "Lighting: Lighting System: <u>Problem Symptoms Table</u>"
- 2009 RX 350: Vehicle Exterior – Lighting (ext) – "Lighting: Lighting System: <u>Problem Symptoms Table</u>"
- 2006 RX 400h: Vehicle Exterior – Lighting (ext) – "Lighting: Lighting System: <u>Problem Symptoms Table</u>"
- 2007 RX 400h: Vehicle Exterior – Lighting (ext) – "Lighting: Lighting System: Problem Symptoms Table"
- 2008 RX 400h: Vehicle Exterior – Lighting (ext) – "Lighting: Lighting System: Problem Symptoms Table"