



Das Auto.



Das Auto.

# Jetta (A6) - 2015 FLUID CAPACITY CHART 8/21/14

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield Fluid
<b>Jetta</b> FWD-Manual	<b>1.8L 170 hp</b> <b>(CPKA/CPRA)</b>  5.5 L (5.7 qt.)  <b><u>VW Oil Spec:</u></b> VW 502 00**	<b>5-Spd</b> <b>(0A4)</b> 1.9 L (2.0 qt.)  <b><u>Oil PN</u></b> G 052 512 A2*	<b>N/A</b>	<b>N/A</b>	8.0L (8.5 qt)***	1.0L (1.1 qt.)  <b><u>Fluid P/N</u></b> G 002 000* Or G 004 000*	1.2 L (1.3qt) (approximately)  <b><u>VW Brake Fluid</u></b> <b><u>Specification:</u></b>  Use new fluid only. VW 501 14 or FMVSS 116 DOT 4  <b><u>Fluid PN</u></b> B 000 750*	<b><u>Refrigerant</u></b> Use only R134a  <b><u>Refrig. Capacity</u></b> 525 ± 25 grams (18.5 ± 0.9 oz.)  <b><u>Refrigerant Oil</u></b> Use a PAG oil with R134a  <b><u>Oil PN &amp; Capacity</u></b> <b><u>Sanden Cmpr:</u></b>  G 052 200 A2* 110 cc ± 10 cc	3.0-4.0 L (3.1-4.2qt)  <b><u>Fluid PN</u></b> G 052 164*
<b>Jetta</b> FWD – Auto	Use synthetic oil SAE 5W-40, SAE 5W-30	<b>N/A</b>	<b>6-Spd (09G)</b>  <b>Gen. 1</b> <b><u>New Fill:</u></b> 7.0 L (7.4 qt) <b><u>Change:</u></b> 3.0L (3.1 qt.)  <b><u>Oil PN</u></b> G 055 025 A2*  <b>Gen. 2</b> <b><u>New Fill:</u></b> 6.1L (6.4 qt)  <b><u>Oil PN</u></b> G 055 540 A2*	Capacity included with transmission.					

For proper fluid level and filling information, see the Repair Manual and/or Maintenance Manual in ElsaWeb.

\* Oil and fluid part numbers are for reference only. Always check with your Parts Department for the latest part information.

\*\*Refer to Technical Bulletin 2012855 for engine oils that meet this VW oil specification.

\*\*\* VW Coolant Additive Specification and Part Number: (color is pink) **G 13** (TL-VW 774 J) G 013A8J. **Dilute with Distilled Water.**

© 2014 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.



Das Auto.



Das Auto.

# Jetta (A6) - 2015 FLUID CAPACITY CHART

8/21/14

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Rear Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield Fluid
<b>Jetta</b> FWD-Manual	<b>2.0L MPI 115 hp (CBPA)</b>  3.6 L (3.8 qt.)  <b><u>VW Oil Spec:</u></b> VW 502 00** Use synthetic oil SAE 5W-40, SAE 5W-30	<b>5-Spd (0AF)</b>  2.0L (2.1 qt.)  <b><u>Oil PN</u></b> G 070 726 A2*	<b>N/A</b>	<b>N/A</b>	<b>5.0L (5.3 qt)**</b>	1.0L (1.1 qt.)  <b><u>Fluid P/N</u></b> G 002 000* Or G 004 000*	1.2 L (1.3qt) (approximately)  <b><u>VW Brake Fluid Specification:</u></b>  Use new fluid only. VW 501 14 or FMVSS 116 DOT 4  <b><u>Fluid PN</u></b> B 000 750*	<b><u>Refrigerant</u></b> Use only R134a  <b><u>Refrig. Capacity</u></b> 525 ± 25 grams (18.5 ± 0.9 oz.)  <b><u>Refrigerant Oil</u></b> Use a PAG oil with R134a  <b><u>Oil PN &amp; Capacity</u></b> <b><u>Sanden Cmpr:</u></b>  G 052 200 A2* 110 cc ± 10 cc	3.0-4.0 L (3.1-4.2qt)  <b><u>Fluid PN</u></b> G 052 164*
<b>Jetta</b> FWD – Auto		<b>N/A</b>	<b>6-Spd (09G)</b>  <b>Gen. 1</b> <b><u>New Fill:</u></b> 7.0L (7.4 qt)  <b><u>Change:</u></b> 3.0L (3.1 qt.)  <b><u>Oil PN</u></b> G 055 025 A2*  <b>Gen. 2</b> <b><u>New Fill:</u></b> 6.1L (6.4 qt)  <b><u>Oil PN</u></b> G 055 540 A2*	Capacity included with transmission.					

For proper fluid level and filling information, see the Repair Manual and/or Maintenance Manual in ElsaWeb.

\* Oil and fluid part numbers are for reference only. Always check with your Parts Department for the latest part information.

\*\*Refer to Technical Bulletin 2012855 for engine oils that meet this VW oil specification.

\*\*\* VW Coolant Additive Specification and Part Number: (color is pink) **G 13** (TL-VW 774 J) G 013A8J. **Dilute with Distilled Water.**

© 2014 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.



Das Auto.



Das Auto.

# Jetta (A6) - 2015 FLUID CAPACITY CHART 8/21/14

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield Fluid
<b>Jetta TDI</b>	<b>2.0T 150 hp Diesel (CVCA)</b>  5.5 L (5.8 qt)  <b><u>VW Oil Spec:</u></b> VW 507 00** Use synthetic oil SAE 5W-30	<b>6-Spd (02Q)</b>  2.3L (2.4 qt.)  <b><u>Oil PN</u></b> G 052 171 A2*	<b>N/A</b>	<b>N/A</b>	<b>8.0L (8.5 qt)***</b>	<b>Electro- Mechanical</b>	1.2 L (1.3qt) (approximately)  <b><u>VW Brake Fluid Specification:</u></b>  Use new fluid only. VW 501 14 or FMVSS 116 DOT 4  <b><u>Fluid PN</u></b> B 000 750*	<b><u>Refrigerant</u></b> Use only R134a  <b><u>Refrig. Capacity</u></b> 600 ± 25 grams (19.2 ± 0.9 oz.)  <b><u>Oil PN &amp; Capacity</u></b> <b><u>Sanden Cmpr:</u></b>  G 052 200 A2* 110 cc ± 10 cc (3.7 ± 0.3 fl. oz.)	3.0 - 4.0 L (3.1-4.2qt)  <b><u>Fluid PN</u></b> G 052 164*
<b>Jetta TDI</b>		<b>N/A</b>	<b>6-Spd DSG (02E)</b>  <b><u>New Fill:</u></b> 7.2L (7.6 qt)  <b><u>Change:</u></b> 5.2L (5.5 qt)  <b><u>Mechatronic Only</u></b> 3-4L (3.1-4.2 qt.)	Capacity included with transmission.  <b><u>Oil PN</u></b> G 052 182 A2*	<b>AdBlue® Tank</b>  14.4 L - (3.8 gal.)****  <b><u>ISO Standard</u></b> 22241-1				
<p><b>For proper fluid level and filling information, see the Repair Manual and/or Maintenance Manual in ElsaWeb.</b></p> <p>* Oil and fluid part numbers are for reference only. Always check with your Parts Department for the latest part information.</p> <p>** Refer to Technical Bulletin 2012855 for engine oils that meet this VW oil specification.</p> <p>*** VW Coolant Additive Specification and Part Number: (color is pink) G 13 (TL-VW 774 J) G 013A8J. <b>Dilute with Distilled Water.</b></p> <p>**** Part Numbers for AdBlue® Reducing Agent: 0.5 gal (1.89 L) G 052 910 A2 for warranty repairs, 2.5 gal (10.0L) GUS 052 910 A3 for Carefree maintenance services.</p>									

© 2014 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.