

2015

## A5, S5, and RS5 Cabriolet | Audi Technician Report

Stock No.	No. Dealer Number		R.O. No.	
VIN	Road test mileage out		Road test mileage in	
All items must be completed prior to customer delivery by an Audi technician		Trunk Inspection		
**Refer to the Special functions tab of ODIS Diagnosis using GFF for the PDI function tests **Audi recommends using an Audi approved battery charger to prevent excessive battery discharge during inspection		<ul> <li>☐ Install wheel bolt cover removal tool from PDI kit and wheel lock key (if applicable) into trunk tool kit behind right side cover</li> <li>☐ Set spare tire pressure</li> </ul>		
				☐ Verify trunk operation, including emergency release handle
		Open Campaigns/Updates		Exterior
Check Elsa for open campaigns and updates. Perform		☐ Test windshield washers for aim and function		
campaigns not requiring SVM if applicable. Or requiring SVM should only be performed after		☐ Turn on headlights and test headlamp washers (if equipped)		
been taken out of transport mode		☐ Test exterior lighting functions		
B		☐ Check key functionality including seat memory (if applicable);		
Battery Inspection  Check battery clamps for proper torque. Re-t	ck battery clamps for proper torque. Re-torque if required		verify vehicle starts and runs with the start/stop button; verify all doors lock/unlock with remote and Advanced Key, including door handle sensors (if equipped)	
Perform the A-battery test for new batteries using GFF in ODIS Diagnosis -> Special functions -> Service work. Select option 2, the battery test for new batteries as part of the pre-delivery inspection and act according to the test result (ok, recharge, replace). Ensure diagnosis log is uploaded to the GFF paperless server by selecting "ok" when tester wants to send the current generated diagnosis protocol online. (Note: Do not use Guided Function. The diagnosis log will not be uploaded to GFF paperless)		Interior		
			all switches: Locks, windows, seat adjust- ety features	
		Calibrate rear view mirror compass to proper zone and check self-dimming function/lighting (if equipped)		
		☐ Verify operation of all interior lights		
Transport Mode Deactivation, DTC check, set service reminder		Mirrors: Inspect folding, adjustments, RH tilt in reverse, and		
*It is advised to start ODIS with the engine running to enable all 5F Test Plans in GFF and also to ensure SVM sees all control units during the SVM check vehicle configuration		memory (if equipped)		
		Inspect operation of lighter, aux. outlet under armrest and rear outlet		
Deactivate vehicle transport mode (via Special functions -> Service work -> 19-Transport mode activating/deactivating)		Verify operation of all front and rear seat belts and latches		
		Check horn operation		
☐ Set service reminder (via Special functions → Service work → 17-PDI-resetting SRI at PDI, counter reset, etc.)		Passenger side airbag: Verify operation of Passenger Occupant Detection System		
For MMI3G+ vehicles, set adaptation channe		☐ Verify convertible to	op manual closing tools are present	
functions -> Service work ->: 5F-Activatin storage of music). Also referred to as CD Ri reset of the MMI to complete the activation	Ripping. Perform hard	Radio		
		☐ Verify operation of	CD player	
<ul> <li>□ Perform an SVM specified /actual comparison (via Special functions -&gt;Software Version Management (SVM))</li> <li>□ Perform any campaign update requiring SVM at this time (follow instructions listed in campaign documentation)</li> <li>Under the Hood Fluid Check and Inspection</li> <li>□ Check all fluid levels and top off if necessary</li> </ul>		☐ Verify operation of A	AMI or aux. input (if equipped)	
		SD card slot: Insert SD card and test function (Test all SD card slots as equipped)		
				☐ Verify HD Radio is turned "off" in Radio/Settings Menu
		Audi MMI/Navigation		
		☐ Check engine oil level using Special Tool T40	10178 on a flat and	_ ,
level surface		ting to " <b>GPS</b> " and set Auto daylight savings ge time zone to the appropriate dealer		





Audi MMI/Navigation (continued)	On-Hoist Inspection (continued)	
☐ Navigation mode (if equipped): Set dealership location (for following back to dealership during road test)	☐ If a known "sold" unit, set to appropriate Normal Load Condition. See separate "2015 Normal Load Condition Tire Pressure Table" posted on ServiceNet. If going to stock, set to maximum recommended tire pressures listed on the B-pillar doorjamb, and store tire pressure values in Car/System menu  Road Test	
Onboard Video Tutorials		
☐ Load Onboard Video Tutorials		
☐ Turn ignition on		
☐ Insert the Onboard DVD into the DVD Drive	Check for squeaks, rattles and wind noise	
$\square$ Select the CAR function button. System will initialize	☐ With engine running to conserve battery power, test folding power top	
Select the Owner's Man. function by selecting the upper right control button		
Select "Yes"	☐ Test operation of folding power top (Cabriolet)	
Select "CD/DVD"	☐ Verify operation of rear view camera and rear parking sensors (if equipped)	
Select "Start update"		
Turn off ignition to start update (the update will take approx. 5	☐ Verify Audi side assist functionality (if equipped)	
minutes)	☐ Verify Audi active lane assist functionality (if equipped)	
Once completed, remove the disk and place back into the case	☐ Verify transmission operation including shift paddles	
for the next vehicle	☐ Check steering/tire alignment	
Audi connect (USA ONLY) (if equipped)	Test drive vehicle applying brakes at least 4 times at 20 mph (35 km/h) to clean brake rotors. Check for abnormal noise/	
Verify Audi connect Information Packet is present, including Audi brochure, T-Mobile brochure, customer SIM card, T-Mobile	vibration/pulsation	
Terms & Conditions (T&C) (if applicable)	Parking brake: Apply and verify hold and release	
Connect the <u>dealer demo</u> SIM card to the vehicle and make	☐ Verify quality of radio reception in AM/FM/SAT bands	
sure the system fully connects to 2G or 3G (2G or 3G symbol	☐ Verify cruise control/ACC functionality (if equipped)	
with arrows)(only applies if in a T-Mobile service area)	Verify functionality of heated/ventilated seats and neck-level heating system (if equipped)	
☐ Enable Google Earth in the navigation settings and verify the white Google Logo appears next to the 2G or 3G symbol	Climate control: Verify all functions and ensure proper A/C cooling	
☐ Ensure the wireless network is turned on (TEL function button > Settings Ctrl button > Wi-Fi settings > Wi-Fi active > select "Visible")	Navigation function (if equipped): Activate NAV and follow directions back to dealership	
Check Wi-Fi hotspot functionality is enabled and verify the	Post-Road Test Inspection	
SSID is set to "AUDIXXXXX," where XXXXX = the last five digits of VIN that are automatically preset in the system	☐ Interrogate fault memory using using Scan Tool and print Diagnostic Log	
On Heist Inspection	Record final mileage on checklist and sign checklist	
On-Hoist Inspection  Check vehicle underside for fluid leaks and loose components	Ensure the yellow tire pressure tag is installed on steering	
<del>_</del>	wheel	
☐ Check steering, boots, brake system, hoses, tires and wheels for damage	If Vehicle is for Showroom Display/Inventory Storage or Demo Use	
Remove transport suspension blocks (if installed)	Install showroom charger to ensure battery remains charged at	
☐ Inspect wheel bolts for proper torque using torque wrench	all times	
☐ Install wheel bolt covers and center caps as supplied	Apply Inventory Maintenance Sticker	
	☐ Install standard wiper blades (if not already installed)	
Technician		
I certify that all operations have been completed and this vehicle Quality Standards, and has met the standards for Perfect Delivery	·	
Last 8 of VIN Technician Signature	Completion Date	