


## A6/S6/A6 TDI Audi Technician Report

Stock No.	Dealer Number	R.O. No.	
VIN	Road test mileage out	Road test mileage in	
All items must be completed prior to customer delivery by an Audi technician  **Refer to the Special functions tab of ODIS Diagnosis using GFF for the PDI function tests  **Audi recommends using an Audi approved battery charger to prevent excessive battery discharge during inspection		Under the Hood Fluid Check and Inspection	
		<ul> <li>☐ Check all fluid levels and top off if necessary</li> <li>☐ Check engine oil level via the MMI – fill oil to the max level when the vehicle is at operating temperature</li> </ul>	
		Trunk Inspection	
Open Campaigns/Updates  ☐ Check Elsa for open campaigns and updates. Perform		☐ Install wheel bolt cover removal tool from PDI kit into trunk lid toolkit	
campaigns not requiring SVM if applicable requiring SVM should only be performed a been taken out of transport mode	e. Campaigns	☐ Place the lug cap removal tool, located in the bypack, into the toolkit (where applicable)	
		☐ Set spare tire pressure	
		☐ Verify operation of trunk emergency release handle	
Battery Inspection			
Check battery clamps for proper torque. R	e-torque if required	Exterior	
Perform the A-battery test for new batteries using ( Diagnosis -> Special functions -> Service work. Sele the battery test for new batteries as part of the pre inspection and act according to the test result (ok, r replace). Ensure diagnosis log is uploaded to the GF	rk. Select option 2,	☐ Test windshield washers for aim and function	
		☐ Turn on headlights and test headlamp washers	
		Test exterior lighting functions	
		Check tailgate opening and closing with remote (if applicable)	
server by selecting "ok" when tester wants t generated diagnosis protocol online. (Note: Function. The diagnosis log will not be uploa	Do not use Guided	Check key functionality: Including seat and steering wheel position memory (if applicable); verify vehicle starts and runs with the start/stop button; verify all doors lock/unlock with remote and advanced key, including all door handle sensors with the	
Transport Mode Deactivation, DTC check, se	t service reminder	advanced key, if equipped)	
*It is advised to start ODIS with the engine r 5F Test Plans in GFF and also to ensure SVM during the SVM check vehicle configuration		Start-Stop-System info (if applicable): Verify the velum sticker is on the start/stop button. Remove the Start-Stop-System information card from the car kit and place it in the glove box	
□ Deactivate vehicle transport mode (via Spe Service work -> 19-Transport mode activa		with the owner's manuals. Additional supply can be ordered with Brand Store on AccessAudi	
<ul> <li>Deactivate air suspension loading mode (v</li> <li>Service Work -&gt; 34-Loading mode active (S6 only)</li> <li>Warning! Car body may lower!</li> </ul>	-	Interior	
		☐ Check operation of all switches: locks, windows, seat adjust-	
Set service reminder (via Special functions	t service reminder (via Special functions -> Service work -> 7-PDI-resetting SRI at PDI, counter reset, etc.)  r MMI3G+ vehicles, set adaptation channel (via Special nctions -> Service work -> : 5F-Activating/deactivating orage of music). Also referred to as CD Ripping. Perform hard	ment, seat ventilation/heating (front and rear where applicable) and child safety features	
For MMI3G+ vehicles, set adaptation chan		Rear view mirror: Check self-dimming function/lighting (if equipped)	
		☐ Verify operation of all interior lights, including ambient lighting	
reset of the MMI to complete the activation		☐ Mirrors: Inspect folding, adjustments, RH tilt in reverse, and memory	
		☐ Inspect operation of lighter, aux. outlet under armrest, under rear vent outlets, and in luggage compartment on passenger side	

Effective 7-7-2014-US Version 1.1





Interior (continued)	Onboard Video Tutorials (continued)
☐ Verify operation of all front and rear seat belts and latches	☐ Turn off ignition to start update (The update will take approx. 5 minutes)
Check horn operation	
Check sunroof operation (open/close/vent/deflector at edge)	Once completed, remove the disk and place back into the case for the next vehicle
☐ Verify operation of rear side manual sunshades (if equipped)	
☐ Verify operation of power rear sunshade (if equipped)	Audi connect (if equipped) (USA ONLY)
☐ Turn on the night vision camera and verify operation (if equipped)	<ul> <li>□ Verify Audi connect Information Packet is present, including Audi brochure, T-Mobile brochure, customer SIM card, T-Mobile Terms &amp; Conditions (T&amp;C)(if applicable)</li> <li>□ Connect the dealer demo SIM card to the vehicle and make</li> </ul>
Rear Climate Controls: Verify heating and cooling functions and open all rear panel vents (center & b-pillar)	
Passenger side airbag: Verify operation of Passenger Occupant Detection System	sure the system fully connects to 2G or 3G (2G or 3G symbol with Box surrounding it)(only applies if in a T-Mobile service area)
Radio	☐ Enable Google Earth in the navigation settings and verify the white Google Logo appears next to the 2G or 3G symbol
Verify operation of CD changer (if equipped)	☐ Ensure the wireless network is turned on (TEL function button > Settings Ctrl button > Wi-Fi settings > Wi-Fi active > select
☐ Verify operation of DVD player	
Verify operation of AMI	"Visible")
SD card slot: Insert SD card and test function (Test all SD card slots as equipped)	Check Wi-Fi hotspot functionality is enabled and verify the SSID is set to "AUDIXXXXX," where XXXXX = the last five digits of VIN that are automatically preset in the system.
☐ Verify HD Radio is turned "off" in Radio/Settings Menu	
Audi MMI/Navigation	On-Hoist Inspection
☐ Verify and set Language and Measurement Units in Setup Menu	☐ Inspect wheel bolts for proper torque using torque wrench
☐ Set Time source setting to "GPS" and set Auto daylight savings time to "on." Change time zone appropriate to the dealer	☐ Check underside of vehicle for fluid leaks and loose components
location	Check steering, boots, brake system, hoses, tires and wheels for damage
Program the presets to local stations	☐ Install wheel bolt covers from PDI kit on all wheels
Navigation: Set dealership location (for following back to dealership during road test)	Remove Transport Blocks from shocks
Voice Activation: Press the "Talk" button and verify several commands	☐ After removing transport blocks, secure Additional Springs (a.k.a. bump stops) by pressing into tube of upper shock mount
Set the "Music volume while parking" to 6 lines (accessed via MMI rear view camera display, Settings > Music volume while parking) (applies to vehicles with park assist or rear view camera).	☐ If a known "sold" unit, set to appropriate Normal Load Condition. See separate "2015 Normal Load Condition Tire Pressure Table" posted on ServiceNet. If going to stock, set to maximum recommended tire pressures listed on the B-pillar doorjamb, and store tire pressure values in Car/System menu
Onboard Video Tutorials	and store the pressure values in carr system menu
☐ Load Onboard Video Tutorials	Road Test
☐ Turn ignition on	Check for squeaks, rattles and wind noise
☐ Insert the Onboard DVD into the DVD Drive	
$\square$ Select the CAR function button. System will initialize	☐ Verify operation of Audi parking system plus with rear view camera and top or corner view cameras (if equipped)
Select the Owner's Man. function by selecting the upper right control button	☐ Verify Vehicle Head-up Display functionality. Verify the image
	can be adjusted properly in the viewing area of the windshield
Select "Yes"	(if equipped)
	(if equipped)  ☐ Verify engine performance and acceleration
Select "Yes"	(if equipped)

## Audi

## 2015 A6/S6/A6 TDI $\mid$ Audi Technician Report

Road Test (continued)		Post-Road Test Inspection		
☐ Check steering/tire alignment		$\ \square$ Interrogate fault memory using the VAS tester and print		
Check heated steering wheel operation (if equipped)		Diagnostic Log		
☐ Test drive vehicle applying brakes at le	•	Record final mileage on checklist and sign checklist		
(35 km/h) to clean brake rotors. Check vibration (refer to TSB 2035669)		☐ Ensure the yellow tire pressure tag is installed on steering wheel		
$\square$ Verify quality of radio reception in AM/	FM/SAT bands			
☐ Verify cruise control/ACC with Stop & Coequipped)	Go functionality (if	If Vehicle is for Showroom Display/Inventory Storage or Demo Use		
$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	equipped)	$\ \ \square$ Install showroom charger to ensure battery remains charged at		
☐ Verify Audi active lane assist (if equippe	ed)	all times		
☐ Climate Control: Check heating and coo	oling functions and open	Apply Inventory Maintenance Sticker		
all panel vents		☐ Install standard wiper blades (if not already installed)		
Seat heating and cooling (if equipped): C	heck for proper operation			
Navigation function: Activate NAV and dealership	follow directions back to			
Verify NAV directions are visible in Head equipped)	d-Up Display (if			
Technician				
I certify that all operations have been completed and this vehicle has been prepared in accordance with Audi Procedures and Quality Standards, and has met the standards for Perfect Delivery.				
Last 8 of VIN	Technician Signature	Completion Date		