

2015

## A8/A8 L/A8 W12/S8/A8 L TDI

## Audi Technician Report

Stock No.	Dealer Number	R.O. No.
VIN	Road test mileage out	Road test mileage in
All items must be completed prior to customer delivery by an Audi technician  **Refer to the Special functions tab of ODIS Diagnosis using GFF		Under the Hood Fluid Check and Inspection  ☐ Check all fluid levels and top off if necessary
for the PDI function tests  **Audi recommends using an Audi approved battery charger to prevent excessive battery discharge during inspection		Trunk Inspection  ☐ Install wheel bolt cover removal tool from PDI kit into trunk lid toolkit
Open Campaigns/Updates  Check Elsa for open campaigns and updates. Perform campaigns not requiring SVM if applicable. Campaigns requiring SVM should only be performed after the vehicle has been taken out of transport mode		<ul> <li>□ Place the lug cap removal tool, located in the bypack, into the toolkit (where applicable)</li> <li>□ Set spare tire pressure</li> <li>□ Verify operation of Hands-free trunk release (if equipped)</li> <li>□ Verify operation of trunk emergency release handle</li> </ul>
Battery Inspection		
☐ Check battery clamps for proper torque. R	le-torque if required	Exterior
Perform the A-battery test for new batteries usi Diagnosis -> Special functions -> Service work. Somethie battery test for new batteries as part of the		☐ Test windshield washers for aim and function
		☐ Turn on headlights and test headlamp washers
inspection and act according to the test rest replace). Ensure diagnosis log is uploaded to server by selecting "ok" when tester wants t generated diagnosis protocol online. (Note: Function. The diagnosis log will not be uploaded.	cok, recharge, the GFF paperless send the current o not use Guided	☐ Test exterior lighting functions ☐ Check key functionality including seat and steering wheel position memory; verify vehicle starts and runs with all keys and the start/stop button; verify all doors manually and remotely lock/unlock with all keys, including all door handle sensors with the Advanced Key (if equipped)
Transport Mode Deactivation, DTC check, set service reminder		Power door closing feature: Check all doors for proper closing
*It is advised to start ODIS with the engine r 5F Test Plans in GFF and also to ensure SVM during the SVM check vehicle configuration	running to enable all	(if equipped)  Interior
Deactivate vehicle transport mode (via Sposervice work -> 19-Transport mode activa		<ul> <li>☐ Check operation of all switches: Locks, windows, seat adjustment, seat ventilation and massage (if equipped), heated seats and child safety features</li> <li>☐ Rear view mirror: Check self-dimming function/lighting</li> <li>☐ Verify operation of all interior lights, including ambient lighting</li> </ul>
	Set service reminder (via Special functions -> Service work ->	
		Verify operation of all front and rear seatbelts and latches
17-PDI-resetting SRI at PDI, counter reset, etc.) For MMI3G+ vehicles, set adaptation channel (via Special functions -> Service work -> : 5F-Activating/deactivating storage of music). Also referred to as CD Ripping. Perform hard	<ul><li>☐ Mirrors: Inspect folding, adjustments, RH tilt in reverse, and memory</li><li>☐ Inspect operation of lighter, aux. outlet under armrest and rear</li></ul>	
reset of the MMI to complete the activation		outlet
Perform an SVM specified /actual compari functions ->Software Version Managemen		<ul><li>☐ Check horn operation</li><li>☐ Check sunroof operation (open/close/vent/deflector at edge) (if</li></ul>
Perform any campaign update requiring SVM at this time (follow instructions listed in campaign documentation)		equipped)  Check power rear and rear side sunshade operation (if equipped)





Interior (continued)	Onboard Video Tutorials (continued)	
☐ Verify operation of rear side manual sunshades (if equipped)	Select "Yes"	
☐ Verify operation of Head-up Display (if equipped)	Select "CD/DVD"	
☐ Turn on the night vision camera and verify operation (if	Select "Start update"	
equipped)  Rear Climate Controls: Verify heating and cooling functions (if	☐ Turn off ignition to start update (the update will take approx. 5 minutes)	
equipped)  Passenger side airbag: Verify operation of Passenger Occupant Detection System	Once completed, remove the disk and place back into the case for the next vehicle	
Start-Stop-System info (if applicable): Verify the velum sticker	Audi connect (USA ONLY)	
is on the start/stop button. Remove the Start-Stop-System information card from the car kit and place it in the glove box with the owner's manuals. Additional supply can be ordered via the Brand Store on AccessAudi	☐ Verify Audi connect Information Packet is present, including: Audi brochure, T-Mobile brochure, customer SIM card, T-Mobile Terms & Conditions (T&C)	
	Connect the <u>dealer demo</u> SIM card to the vehicle and make	
Radio  Verify operation of DVD changer (if equipped)	sure the system fully connects to 2G or 3G (2G or 3G symbol with Box surrounding it) (only applies if in a T-Mobile service area)	
☐ Verify operation of DVD player	☐ Enable Google Earth in the navigation settings and verify the	
☐ Verify operation of AMI	white Google Logo appears next to the 2G or 3G symbol	
SD card slot: Insert SD card and test function (Test all SD card slots as equipped)	☐ Ensure the wireless network is turned on (TEL function button > Settings Ctrl button > Wi-Fi settings > Wi-Fi active > select	
☐ Verify HD Radio is turned "off" in Radio/Settings Menu	"Visible")	
Audi MMI/Navigation	☐ Check Wi-Fi hotspot functionality is enabled and verify the SSID is set to "AUDIXXXXX," where XXXXX = the last five digits of VIN that are automatically preset in the system.	
Verify and set Language and Measurement Units in Setup Menu		
Set Time source setting to "GPS" and set Auto daylight savings time to "on." Change time zone to the appropriate dealer location	On-Hoist Inspection	
Program the radio presets to local stations	Inspect wheel bolts for proper torque using torque wrench	
Navigation: Set dealership location (for following back to	☐ Check underside of vehicle for fluid leaks and loose components	
dealership during road test)	Check steering, boots, brake system, hoses, tires and wheels	
Set the "Music volume while parking" to 6 lines (accessed via MMI rear view camera display: Settings > Music volume while	for damage  Install wheel bolt covers from PDI kit on all wheels	
parking)(applies to vehicles with park assist or rear view camera)  Voice Activation: Press the "Talk" button and verify several	☐ If a known "sold" unit, set to appropriate Normal Load Condition. See separate "2015 Normal Load Condition Tire Pressure Table" posted on ServiceNet. If going to stock, set to maximum	
commands		
Rear Seat Entertainment/Rear MMI (if applicable): Verify operation. Verify the wireless headphones are present and pair them to the RSE system (refer to RSE manual). When pairing the headphones, press and hold the on/off button for 4–5	recommended tire pressures listed on the B-pillar doorjamb, and store tire pressure values in Car/System menu	
seconds until the light starts flashing quickly	Road Test Inspection	
	☐ Check for squeaks, rattles and wind noise	
Onboard Video Tutorials  Load Onboard Video Tutorials	Verify operation of Audi parking system plus with rear view camera and top or corner view cameras (if equipped)	
☐ Turn ignition on	☐ Verify engine performance and acceleration	
☐ Insert the Onboard DVD into the DVD Drive	Verify transmission operation, including shift paddles	
Select the CAR function button. System will initialize	Check Adaptive air suspension in all positions	
Select the Owner's Man. function by selecting the upper right	☐ Verify engine Start-Stop-System functionality (if equipped)	
control button	☐ Check steering/tire alignment	



## 2015 A8/A8 L/A8 W12/S8/A8 L TDI | Audi Technician Report

Road Test Inspection (continued)	Post-Road Test Inspection
☐ Check heated steering wheel operation (if equip	_ , , , , , , , , , , , , , , , , , , ,
Test drive vehicle applying brakes at least 4 tim (35 km/h) to clean brake rotors. Check for abnovibration	mal noise/ Record final mileage on checklist and sign checklist
Verify quality of radio reception in AM/FM/SAT I	☐ Ensure the yellow tire pressure tag is installed on steering ands wheel
<ul><li>Verify cruise control/ACC with Stop &amp; Go function equipped)</li><li>Verify Audi side assist functionality (if equipped)</li></ul>	If Vehicle is for Showroom Display/Inventory Storage or Demo
Verify Audi lane assist functionality (if equipped)	☐ Install showroom charger to ensure battery remains charged at
☐ Climate Control: Check heating and cooling fun ☐ Seat heating: Inspect for proper operation	Apply Inventory Maintenance Sticker
☐ Navigation function: Activate NAV and follow di dealership	ections back to Install standard wiper blades (if not already installed)
Technician	
I certify that all operations have been complete Quality Standards, and has met the standards for	and this vehicle has been prepared in accordance with Audi Procedures and Perfect Delivery.
Last 8 of VIN Technician	ignature Completion Date