

FINAL VAS PC Software Versions**Updated: 09-16-2014**Recent updates indicated by **bold/red** text.

Recovery DVD Versions*			
Tester*	Version	DVD Ordering Numbers	DVD Color
VAS 5051B	V2.0	K02.5001.32.21	Red
VAS 5052A	V15.00.00	K01.5001.42.21	Red

* Each Recovery DVDs is specific to VAS 505X devices only. Confirm VAS 505X application from DVD label and only install on the applicable tester.

Base CD Version:		CD Ordering Number	CD Color
V19.01.01		K0511.5001.21.21	Blue
Audi Brand DVD Version:		CD Ordering Number	CD Color
V19.49.00		A49.5001.21.21	Clear
Commander CD Version:		CD Ordering Number	CD Color
VAS 505X & 6150: V03.00.00		Version 03.00.00 CD	Clear
Utility CD Version:	Version	CD Ordering Number	CD Color
VAS 505X & 6150:	V03.00.00	KU3.5001.21.21	Green
Utility CD Version:	Version	CD Ordering Number	CD Color
VAS 505X & 6150:	V03.00.00	KU3.5001.21.21	Green

Notes:

- If you experience problems with the VAS-PC application, i.e.: will not launch or hangs up etc., it is **not** necessary to perform a complete reload. Instead, uninstall, reinstall and configure the VAS-PC application using the current Base CD, as well as install the latest Brand DVD.
- Should a tester fail to boot or boot to a blue screen, display Windows Operating System error messages or cease to function, confirm tester battery condition and proceed as follows: Perform a complete reload by running the current Recovery DVD where applicable, reinstall and configure the current Base CD as well as install the latest Brand DVD. Recovery DVDs are tester specific. The VAS 6150/A DOES NOT have a Recovery DVD. For complete recovery procedures, please refer to the device specific instructions located in Service Net.
- Base and Brand DVDs are **not tester-specific**. These DVDs can be loaded on any **Windows XP** VAS diagnostic device. New Brand versions overwrite the previous version.
- Brand DVDs must only be loaded on a VAS device with a compatible core Base version number. E.g.: **Brand V19.xx.xx** must only be installed on a device running **Base V19.01.01**.
- **VAS 5051A and 5052** devices are **no longer supported** with updated software. VAS 5052 devices should not be updated beyond Base/Brand version 17.