



# Service Bulletin

File in Section: -

Bulletin No.: PIP5125

Date: July, 2013

## PRELIMINARY INFORMATION

**Subject:** 2014 Chevrolet Cruze Diesel Intake Manifold and Intake Manifold Runner Control Valve Actuator Part Restriction

**Models:** 2014 Chevrolet Cruze  
Equipped with the 2.0L (RPO-LUZ) 4-cyl Diesel Engine

The following diagnosis might be helpful if the vehicle exhibits the symptom(s) described in this PI.

### Condition/Concern

As part of our ongoing quality improvement efforts the 2014 Chevrolet Cruze equipped with the 2.0L Diesel engine (RPO LUZ) Intake Manifold part number 12654607 and Intake Manifold Runner Control Valve Actuator part number 12645665 will be placed on a parts restriction through the Product Quality Center (PQC). This parts restriction will assist Engineering with product feedback.

### Recommendation/Instructions

If you require an Intake Manifold or Intake Manifold Runner Control Valve Actuator for a 2014 Chevrolet Cruze equipped with the 2.0L Diesel engine (RPO LUZ), please complete the diagnostic questionnaire before you contact the PQC at 1-866-654-7654.

Technician's Name/Direct Phone:

Customer's concern:

Is the restricted part being requested for customer pay?

List all DTCs:

Are the current (active) DTCs repeatable?

Is the condition temperature related?

If yes, under what conditions?

Is the condition drive cycle related?

If yes, under what conditions?

Have you completed the appropriate SI documents for the DTCs listed? Yes/No

What SI documents were used for diagnosis?

Using the SI document listed above, list all answers to all steps that were followed in the Circuit/System Testing section.

What step in the SI document led to replacement of the Intake Manifold or Intake Manifold Runner Control Valve Actuator?

Was there a previous repair that was perhaps related to this dealer visit? Yes/No

Is the vehicle modified/non-production accessories? Yes/No

Was TAC contacted? Yes/No

If Yes, TAC Case#:

If applicable, what was TAC agent's recommendation?

Please follow this diagnostic or repair process thoroughly and complete each step. If the condition exhibited is resolved without completing every step, the remaining steps do not need to be performed.