

# **Technical Bulletin**

Model(s)	Year	Eng. Code	Trans. Code	VIN Range From	VIN Range To
Beetle	2013 - 2014	All	All	AT1DM649629	AT0EM645977
Beetle Convertible	2013 - 2014	All	All	AT4DM808849	AT3EM813132
Jetta	2013 - 2014	All	All	AJ3DM251824	AJ8EM273347
Jetta	2013 - 2014	All	All	AJ3DM410000	AJ4EM420943

#### **Condition**

46 14 08 September 19, 2014 2038230

Rear Disc Brakes, Replacing Rear Brake Pads and Rotors for Squeal



Read this bulletin in its entirety before performing any repairs.

For any vehicles that have already had this technical bulletin applied and the rear brake noise persists, call the helpline for further assistance. Please be as specific as possible regarding the customer complaint and the steps used when calling the helpline.

Customer concerns for rear brake squeal can be serviced up to 12,000 miles or 1 year from the in service date (whichever comes first) by installing improved rear brake pads and new brake rotors.

### **Technical Background**

Rear brake pad composition may result in a squeal from the rear braking system. Condition as described <u>DOES</u> NOT affect brake performance.

#### **Production Solution**

Improved rear brake pads.

# Das Auto

# **Technical Bulletin**

#### **Service**

#### **Procedure:**

Install new rear brake pad kit, part number 5Q0698451E and rear brake rotors, part number 5C0615601. See Repair Manual Group 46 Brakes Mechanical in ELSA for the proper repair procedure.

## **Warranty**

To determine if this procedure is covered under Warranty, always refer to the Warranty Policies and Procedures Manual <sup>1)</sup>							
Model(s)	Year(s)		Eng. Code(s)	Trans. Code(s)	VIN Range From		VIN Range To
Beetle	2013 - 2014		All	All	AT1DM649629		AT0EM645977
Beetle Convertible	2013 - 2014		All	All	AT4DM	808849	AT3EM813132
Jetta	2013 - 2014		All	All	AJ3DM	251824	AJ8EM273347
Jetta	2013	- 2014	All	All	AJ3DM410000		AJ4EM420943
SAGA Coding							
Claim Type: Use applicable Claim Ty		licable Claim Type	) <sup>1)</sup>				
Service Number:		Damage Code		нѕт		Damage Location (Depends on Service No.)	
4638		0020			Use applicable when indicated in ElsaWeb (L/R)		
Parts Manufacturer Beetle, Beetle C			onvertible, Jetta 3ME <sup>2)</sup>		E <sup>2)</sup>		
Labor Operation 3):			44052000 = 30 TU				
Remove and Install Rear Wheels							
Labor Operation <sup>3)</sup> :			46532050 = 70 TU				
Remove and Install Rear Rotors							
(includes rear pad replacement)							



## **Technical Bulletin**

Causal Part:	5Q0698451E	5Q0698451E		
Diagnostic Time <sup>4)</sup>				
GFF Time expenditure	01500000 = 00 TU max.	NO		
Road Test	01210002 = 10 TU 01210004 = 10 TU	YES		
Technical Diagnosis	01320000 = 00 TU max.	NO		

Claim Comment: Input "As per Technical Bulletin 2038230" in comment section of Warranty Claim.

## **Required Parts and Tools**

Part No:	Part Description	Quantity	
5Q0 698 451 E	Rear Brake Pad Kit	1	
5C0 615 601	Rear Brake Rotor	2	

No Special Tools are required.

#### **Additional Information**

All part and service references provided in this Technical Bulletin are subject to change and/or removal. Always check with your Parts Dept. and Repair Manuals for the latest information.

<sup>1)</sup> Vehicle may be outside any Warranty in which case this Technical Bulletin is informational only

<sup>2)</sup> Code per warranty vendor code policy.

<sup>3)</sup> Labor Time Units (TUs) are subject to change with ELSA updates.

<sup>4)</sup> Documentation required per Warranty Policies and Procedures Manual.