

Model	Year	Eng. Code	Trans. Code	VIN Range From	VIN Range To
Jetta Sedan	2014	All	All	AJ_EM000001	AJ_EM224725
Jetta Sedan	2014	All	All	AJ_EM300001	AJ_EM378162

Condition

55 14 01 January 29, 2014 2036334

Fuel Door Sticks or is Difficult to Open

Technical Background

Fuel door binding or sticking due to excess material inside of the fuel door housing.

Production Solution

Improved production procedures at the part supplier.

Service



Figure 1

Open the fuel door.

Das Auto

Technical Bulletin



 If the fuel door will not open, insert a plastic card between the body and the door to release it.

Figure 2



Figure 3

• Note the area with excess material (burrs) that need to be modified.






Figure 4 Figure 5

- Use a file to remove the excess material (figure 4)
- When the rework is completed, close the fuel door and verify normal operation with the vehicle locked and unlock.



Warranty

Model(s)	Year(s)	Eng. Code(s)	Trans. Code(s)	VIN Range From		VIN Range To
Jetta Sedan	2014	AII	All	AJ_EM000001		AJ_EM224725
Jetta Sedan	2014	All	All	AJ_EM300001		AJ_EM378162
		SAC	GA Coding			
Claim Type:	Use applicab	le Claim Type	e ¹⁾			
Service Number:	Damage Code		HST		Damage Location (Depends on Service No.)	
5537	0017				Use applicable when indicated in ElsaWeb (L/R)	
555.		Jetta				
Labor Operation 3): Modify Fuel Door			55374999 = 20 TU			
		Diagn	ostic Time 4)			
GFF Time expenditure	ıax.	NO				
Road Test		01210002 = 00 TU 01210004 = 00 TU				
Technical Diagnosis	01320	000 = 00 TU m	NO			

Claim Comment: Input "As per Technical Bulletin 2036334" in comment section of Warranty Claim.

¹⁾ Vehicle may be outside any Warranty in which case this Technical Bulletin is informational only

²⁾ Code per warranty vendor code policy.

³⁾ Labor Time Units (TUs) are subject to change with ELSA updates.

⁴⁾ Documentation required per Warranty Policy Procedures Manual.



Required Parts and Tools

No Special Parts required.

No Special Tools required.

Additional Information

All part and service references provided in this Technical Bulletin are subject to change and/or removal. Always check with your Parts Dept. and Repair Manuals for the latest information.