DISTRIBUTE TO: ☑ Service Manager ☑ Warranty Administrator

1



Warranty Policy Bulletin

No.: POL14-12 Date: 12/16/14 Page: 1 of 10 REVISED 10/05/15

SUBJECT: WARRANTY ENHANCEMENT PROGRAM (ZE7) PHASE 2: WARRANTY EXTENSION FOR EXCESSIVE ENGINE OIL CONSUMPTION FOR THE FOLLOWING VEHICLES:

- CERTAIN 2007-2009 MY CAMRY
- CERTAIN 2007-2011 MY CAMRY HYBRID
- CERTAIN 2007-2008 MY CAMRY SOLARA
- CERTAIN 2009-2011 MY COROLLA
- CERTAIN 2009-2013 MY COROLLA MATRIX
- CERTAIN 2006-2008 MY RAV4
- CERTAIN 2007-2010 MY SCION TC
- CERTAIN 2008-2015 MY SCION XB

Background

Toyota has received some reports where vehicles may exhibit excessive engine oil consumption.

Toyota is now announcing the part replacement phase of Warranty Enhancement Program ZE7 for vehicles exhibiting excessive engine oil consumption.

Applicability

The engine is covered under the Toyota New Vehicle Limited Warranty for 5 years from the date of first use or 60,000 miles (whichever occurs first). However, Toyota is announcing a Warranty Enhancement Program to cover warranty work for parts replacement to address excessive engine oil consumption*.

*NOTE: Eligibility for parts replacement under this Warranty Enhancement

Program is dependent on the results of a dealer performed engine oil

consumption test.

This Warranty Enhancement Program provides a Primary and Secondary coverage extension to the vehicle's "New Vehicle Limited Warranty" for replacement of parts related to Excessive Engine Oil Consumption. If the condition is verified, warranty work will be performed in accordance with applicable Technical Service Bulletin under the terms of this Warranty Enhancement Program.

Applicability (Continued)

Primary Coverage offers the warranty enhancement <u>until October 31, 2016</u> regardless of mileage.

After the Primary Coverage expires, the **Secondary Coverage** is applicable for ten (10) years from the date of first use or 150,000 miles, whichever occurs first.


Verify VIN applicability for this warranty enhancement by checking TIS before completing any repairs.

Direct marketing of this warranty enhancement is strictly prohibited pursuant to the Toyota Warranty Policy 5.21, "Warranty Solicitation." Non-compliance with this policy may result in a claim debit.

This Warranty Enhancement Program is subject to all the terms and conditions set forth in the Toyota New Vehicle Limited Warranty, as detailed in Toyota Warranty Policies 4.1 and 4.17. For example, improper maintenance, lack of required maintenance, the use of fluids other than those specified in the Warranty and Maintenance Guide, or repairs to vehicles which are currently or were previously titled as "scrap," "salvage," or "dismantled" is not covered by the New Vehicle Limited Warranty or this Warranty Enhancement pursuant to Warranty Policy 4.17, "What Is Not Covered by the Toyota New Vehicle Limited Warranty".

This warranty enhancement provides coverage for the originally equipped engine. Prior to performing any repairs, verify the serial number on the engine matches the original engine serial number for that VIN. The original engine serial number can be found under Additional Vehicle Details in National Service History (NSH).

Serial Number Location:



Applicability (Continued)

Vehicles that received a genuine Toyota short block replacement that is pre counter measure on a prior repair are still eligible for this program. The Short Block part section of this warranty policy bulletin contains counter measured short block part numbers, please reference this information to determine if the previous replacement was counter measured.

Covered Vehicles

Not all vehicles within the specified model years are covered by this warranty enhancement. Verify VIN applicability for this warranty enhancement by checking TIS before completing any repairs.

Oil Consumption Testing and Documentation

Dealers will need to perform an engine oil consumption test to determine eligibility for part replacement.

Procedures for the oil consumption test can be found in T-SB-0158-14 (Toyota) and S-SB-0031-14 (Scion).

<u>IMPORTANT:</u> All warranty claims submitted will require oil consumption test documentation. The completed technician sign off sheet, provided in the TSB, must be attached to the claim.

If the vehicle does not qualify for warranty work based upon the oil consumption test performed, one (1) additional oil consumption test can be performed (free of charge under the Program) after 6 months or 5,000 miles has lapsed if the vehicle is still within the terms and conditions of the Warranty Enhancement Program. A maximum of two (2) engine oil consumption tests will be performed free of charge under this Warranty Enhancement Program.

Claim Submission

| Claim Type | Opcode | Model | Description | Labor Time | OFP | |
|---------------|---------|------------|--|------------------|-----------------|--|
| | ZE7INS* | ALL | Initiate Oil Consumption Test at Customer Request | 0.0 hr./vehicle | N/A | |
| | AHGC3B | ALL | Performed Oil Consumption Test – PASS – NOT ELIGIBLE | 0.0 | 13211- ##### | |
| | AHGC3A† | ALL | Performed Oil Consumption Test – FAIL – Perform TSB Repair at a later date | 0.6 hr./vehicle | | |
| | AHGC3C | Camry | | 15.4 hr./vehicle | | |
| | AHGC3D | Camry HV | | 16.1 hr./vehicle | | |
| Repair | AHGC3E | Corolla | Perform Oil Consumption Test - Result Fail - Perform TSB Repair | 14.8 hr./vehicle | | |
| | AHGC3F | Matrix 2WD | | 14.8 hr./vehicle | | |
| | AHGC3G | Matrix 4WD | | 15.3 hr./vehicle | | |
| | AHGC3H | RAV4 2WD | | 16.2 hr./vehicle | | |
| Program | AHGC3J | RAV4 4WD | | 16.9 hr./vehicle | | |
| | AHGC3K | Solara | | 16.9 hr./vehicle | | |
| | AHGC3L | Scion tC | | 17.2 hr./vehicle | | |
| | AHGC3M | Scion xB | | 16.5 hr./vehicle | | |
| | AHGC3P | Camry | | 14.8 hr./vehicle | | |
| | AHGC3Q | Camry HV | | 15.5 hr./vehicle | | |
| | AHGC3R | Corolla | Previously Performed Oil Consumption Test – Result Fail – | 14.2 hr./vehicle | | |
| | AHGC3S | Matrix 2WD | | 14.2 hr./vehicle | | |
| | AHGC3T | Matrix 4WD | | 14.7 hr./vehicle | | |
| | AHGC3U | RAV4 2WD | | 15.6 hr./vehicle | | |
| | AHGC3V | RAV4 4WD | Perform TSB Repair | 16.3 hr./vehicle | | |
| | AHGC3W | Solara | | 16.3 hr./vehicle | | |
| | AHGC3X | Scion tC | | 16.6 hr./vehicle | | |
| | AHGC3Y | Scion xB | | 15.9 hr./vehicle | | |

- Dealers must attach the technician sign off sheet, provided in the TSB, to the warranty claim.
- * Opcode "ZE7INS" is provided for claim submission to close out the R.O. when initiating the Oil Consumption Test. After the customer returns, the cost for completion of the Oil Consumption Test will be submitted with Opcode "AHGC3#" depending on the test results.
- † Opcode "AHGC3A" may be used if the remedy cannot be performed due to a part back order. Opcodes AHGC3P- AHGC3Y should be used when the vehicle returns for repair.

<u>Note</u>: If the vehicle is still under the New Vehicle Limited Warranty, submit the repair as a **Regular** warranty claim.

Sublet Submission

The Total cost for Engine Oil, Super Long Life Coolant, FIPG, Three bond 1324, Brake Cleaner and Plastigage should be claimed as sublet type "OF" per the following:

| Model | ALL | Camry, Camry HV, RAV4, Solara, Scion xB | Corolla, Matrix, Scion tC | Camry, Camry HV, RAV4, Scion xB | Corolla, Matrix, Scion tC |
|---|---------|--|---------------------------------|--|---------------------------------|
| Op Code | AHGC3B | AHGC3C/ D/H/J/K/M | AHGC3E/F/ G/L | AHGC3 P/Q/U/V /W/Y | AHGC3 R/S/T/X |
| Actual Cost of Engine Oil Consumption Testing with 0W-20 Engine Oil (PN: 00279-0WQTE- 01) up to 3 Quarts (Dealers must use quart bottles for testing. Bulk oil is not authorized for this operation.) | \$23.00 | | | N/A | N/A |
| Actual Cost of Engine Oil Consumption Testing with 5W-20 Engine Oil (PN: 00279-1QT20- 01) up to 3 Quarts (Dealers must use quart bottles for testing. Bulk oil is not authorized for this operation.) | \$14.00 | | | N/A | N/A |
| Qty. of Oil Required for Replenishment After Repair | N/A | 4.5 QT | 4.0 QT | 4.5 QT | 4.0 QT |
| Actual Cost of Engine Oil Per Vehicle for Refill After Repair 0W-20 (Bulk Oil) | N/A | \$19.25 | \$17.15 | \$19.25 | \$17.15 |
| Actual Cost of Engine Oil Per Vehicle for Refill After Repair 5W-20 (Bulk Oil) | N/A | \$13.25 | \$11.75 | \$13.25 | \$11.75 |
| Actual Cost of Replenishment Super Long Life Coolant (SLLC) After Repair | N/A | \$34.30 | \$34.30 | \$34.30 | \$34.30 |
| FIPG (Seal Packing 103) PN: 00295-00103 | N/A | \$11.75 | \$11.75 | \$11.75 | \$11.75 |
| Three Bond 1324 or Equivalent | N/A | \$6.00 | \$6.00 | \$6.00 | \$6.00 |
| Plastigage – Green (As Needed) | N/A | \$3.00 | \$3.00 | \$3.00 | \$3.00 |
| Brake Cleaner | N/A | \$12.50 | \$12.50 | \$12.50 | \$12.50 |
| Total Sublet Cost with 0W-20 Or | \$23.00 | \$109.80 | \$107.70 | \$86.80 | \$84.70 |
| Total Sublet Cost with 5W-20 | \$14.00 | \$94.80 | \$93.30 | \$80.80 | \$79.30 |

Rental

A customer rental vehicle is available for 3 days through the Toyota Rent-A-Car (TRAC) program while the dealer performs the repair. Claim sublet type "RT" under Op Code AHGC3C through AHGC3Y at a maximum cost of \$35.00 per day.

In the rare case a Rental Car was provided to a customer during Phase 1 (the Reimbursement phase) the dealer can claim the actual used rental days as sublet type "RT" under Op Codes AHGC3C to AHGC3Y. Rental submission for these cases will require District Service Parts Manager (DSPM) Authorization.

Short Block Claim Filing

Vehicles requiring a short block replacement will utilize the appropriate op code from the table above, AHGC3#.

All warranty claim submissions utilizing a short block will **require** an authorized case documented through the TAS hotline. Dealer must include the TAS case number on the claim when processing, any warranty claims for short block that do not include a TAS case authorizing short block replacement will be **denied**.

Important Note: For vehicles that experienced engine failure and require additional parts beyond the short block and TSB parts the TAS case will need to be updated with further information describing the extent of damage. Please include additional necessary replacement parts and pictures that justify the part replacement. This information will be used by the warranty department for warranty claim review.

Replacement Parts

All parts replaced for this repair are subject to warranty parts recovery.

| Model | Part Number | Part Name | Qty. | Applicable TSB |
|--------------------------|-----------------------------|---|------|----------------|
| Camry | 04004-11228 | | | |
| Camry HV | 04004-11428 | 628 | | |
| Corolla | 04004-11628 | | | |
| Matrix | 04004-11728 | | | |
| RAV4 | 04004-11828 | REPAIR KIT, PISTON RING | 1 | |
| Solara | 04004-12228 | | | |
| Scion tC | 04004-11928 | | | |
| Scion xB | 04004-12128 | | | T-SB-0094- |
| ALL | ALL 90915-YZZF1 FILTER, OIL | | 1 | 11 (Toyota) |
| All /Event | 04004-79128-A0 | | * | |
| ALL (Except Camry HV) | 04004-79128-B0 | | | S-SB-0024- |
| | 04004-79128-C0 | DISTON | * | 11 |
| | 13211-28150-A0 | PISTON | * | (Scion) |
| Camry HV | 13211-28150-B0 | 1 | | |
| | 13211-28150-C0 | | * | |
| Comp. (DZE)/ | 17177-28040 | GASKET, INTAKE MANIFOLD TO HEAD | 1 | |
| Camry (PZEV Only) | 17171-28020 | GASKET, INTAKE MANIFOLD TO EXHAUST MANIFOLD INTAKE RUNNER | 1 | |

^{*}Refer to Repair Procedure in the TSB prior to ordering pistons to ensure the correct size is ordered.

Additional Parts (As Needed)

| Model | Part Number | Part Name | Qty | Applicable TSB |
|-------|----------------------------------|----------------------------|-----------------|--------------------------|
| ALL | 13251-0H030-A0 13251-0H030-B0 | PIN, PISTON | ** (AS Needed) | |
| | 13251-0H030-C0 13201-09790-A0 | | | T CD 0004 11 |
| | 13201-09790-B0 13201-09790-C0 | ROD SUB-ASSY, | ** (AS Needed) | T-SB-0094-11 (Toyota) |
| | 13201-29686-A0 13201-29686-B0 | CONNECTING | | S-SB-0024-11 |
| | 13201-29686-C0 13281-0H031-01 | | | (Scion) |
| | 13281-0H031-02 13281-0H031-03 | BEARING, CONNECTING ROD | **(8 As Needed) | |

^{**} If Needed, Refer to Repair Procedure in TSB prior to ordering to ensure the correct size is ordered.


Short Block Parts (Special Authorization Required)

All replacement short block assemblies have been placed on Manual Allocation Control (MAC). If the dealer determines a short block is required, authorization through the TAS hotline will be required. Please refer to the Short Block Release Authorization flow chart for additional procedure information. If determined appropriate one of the following parts should be ordered:

| Model | Part Number | Description | Qty |
|----------------|-------------|-------------|---------------------------------------|
| Camry | | | |
| Solara | | | |
| Corolla | 44400 00540 | BLOCK ASSY, | |
| Corolla Matrix | 11400-28510 | SHORT | 1 (As Needed) |
| RAV4 | | | , , , , , , , , , , , , , , , , , , , |
| Scion tC | | | |
| Camry HV | 11400-28471 | | |

For Scion xB models there are two different short block assembly part numbers depending on the Engine Manufacturing Plant location. Please reference the 3rd digit of the engine serial number to determine the appropriate short block part to order.

Engine Serial Location:



| Model | 3 rd Engine Serial Digit | Part Number | Description | Qty |
|----------|--|-------------|-------------|---------|
| Scion xB | H or J or L | 11400-28510 | BLOCK ASSY, | 1 (As |
| SCION XD | C or D or F | 11400-0H151 | SHORT | Needed) |

Customer-Paid Repairs or Replacement of Components

If a customer has previously paid for repair to address excessive engine oil consumption, please have them mail a copy of the repair order, proof-of-payment, and proof-of-ownership* to the following address for reimbursement consideration:

Toyota Motor Sales, U.S.A., Inc.
Customer Experience Center, WC10
19001 South Western Avenue
Torrance, CA 90509

The customer name, address, and telephone number(s) should be included in the request. The customer should allow 6-8 weeks for processing.

*Please refer to the Reimbursement Checklist attached to the sample owner letter for required documentation details.



Short Block Release Authorization Flow Chart



TAS Case Documentation Requirements:



- Include a good call back number
- Include this statement in the Condition Log "Warranty Enhancement Program ZE7 Request for Short Block"
- Brief explanation of concern/reason for short block replacement (examples below)
 - Loss of Cross Hatch Pattern
- Vertical Scoring of Cylinder Walls

0

- Rod through block, etc
- Attach clear pictures illustrating concern with the block
 - Attach a picture of the vehicle VIN plate.
 - **Engine Serial Number**
- Leave the TAS cases status as open

Submit the completed case in TAS; allow 2 hours for TAS to review the case. After 2 hours of time, check the TAS case for status. If a decision has been made to replace the short block the case will be marked closed.

If the request for short block is denied or additional information is required the case will be left open. Please refer to the condition log for further instructions.

Important Note: For vehicles that experienced engine failure and require additional parts beyond the short block and TSB parts the TAS case will need to be updated with further information describing the extent of damage. Please include additional necessary replacement parts and pictures that justify the part replacement. This information will be used by the warranty department for warranty claim authorization.

NOTE: TAS hours of operation are 5:00 A.M to 5:00 P.M. PST Monday through Friday. Contact number: 1-855-716-7676

