

[Next Unread Message](#)**View Message**

<b>Sent on</b>	10	09	2015	<b>Expires on</b>	01	06	2016
<b>From</b>	Campaign Administration						
<b>Subject</b>	Stop Sale/Safety Recall: 2003 MDX SRS Unit Malfunction UPDATE						

DATE: October 9, 2015

TO: All Acura Sales, Service &amp; Parts Managers and Personnel

FROM: Campaign Administration

RE: Stop Sale/Safety Recall: 2003 MDX SRS Unit Malfunction UPDATE

On September 18, 2013, Acura notified NHTSA of a **Safety Recall** for some 2003 MDX vehicles for the issue covered in service bulletin 13-038, *Safety Recall: Electrical Noise May Cause Inadvertent Airbag Deployment*. On January 27, 2015, Acura notified NHTSA of a revised repair for that recall.

**Note: Affected vehicles should not be sold until the repair outlined in the current service bulletin has been performed. Should an unrepaired vehicle cause any injury or damage because of the required recall repair, the dealership will be solely responsible to the damaged party, and will be required to defend and indemnify Acura for any resulting claims.**

The original repair consisted of the installation of an electronic noise filter to counter inadvertent airbag deployments due to electronic interference. After further testing, Acura has observed a small number of inadvertent deployments in vehicles that already received the recall repair. Due to this, Acura has determined that the SRS unit should be replaced in all affected units.

Updated SRS are now available for open order, and service bulletin 15-011, *Safety Recall: SRS Unit* has been revised with parts, warranty and repair procedure information.

Note that vehicles that received any service under service bulletin 13-038 will still require the 15-011 procedure completed as well. Bulletin 13-038 have been expired as of today, October 9, 2015. Please make sure all repair orders opened October 9, 2015 or later reference the warranty parameters listed in bulletin 15-011.

Acura expects to begin re-notifying customers of parts availability in late November.