

REFERENCE:	Nova Bus Manuals
SECTION:	10: Transmission and Control
RS N°:	MQR 7621-n/a
EFFECTIVE IN PROD.:	L840 (2014SE)

APPLICATION DEADLINE: 2015NO20
CLAIM REFERENCE NUMBER: BG-3352

SUBJECT:	Dipstick for ZF transmission
JUSTIFICATION:	Correct oil level reading

LEVEL	DESCRIPTION	DIRECT CHARGES		TIME
		LABOUR	MATERIAL	
1	Change oil level Dipstick for ZF transmission.	Nova Bus	Nova Bus	5 min
2	-	-	-	-

MATERIAL

QTY	PART N°	REV.	DESCRIPTION	REPLACES PART N°
LEVEL 1				
1	N79899	-	ZF Transmission oil level Dipstick	-
LEVEL 2				
-	-	-	-	-

Materials will be available within 30 days. To order, please contact Prevost Parts by phone at 1-800-771-6682, by fax at 1-888-668-2555 or by email at prevostparts.commandes@volvo.com. Specify document number, quantity of parts required and shipping address.

DISPOSAL OF PARTS

REMOVED PARTS ARE:	DISCARDED *	RETAINED	* Dispose of the unused parts and the defective parts in accordance with local environmental standards in effect.
	Yes	-	

REVISION HISTORY

REV.	DATE	CHANGE DESCRIPTION	WRITTEN BY
NR	2015MR09	Initial release, replaces BS3343R2	Marc Rougeau

APPROVED BY:

CLIENT	ORDER	ROAD NUMBER		VIN (2NVY/4RKY...)		QTY
		FROM	TO	FROM	TO	
Marketing Sales Demo	L705	—	—	L82U1D3000906	L82U1D3000906	1
Fredericton - New Brunswick	L774	8131	8131	L82U7D3000960	L82U7D3000960	1
Brantford - Ontario	L775	10131	10132	L82U1D3000999	L82U2D3001000	2
Regina - Saskatchewan	L776	663	669	L82U4D3001001	L82U5D3001007	7
Timmins - Ontario	L783	—	—	L82U8D3001017	L82UXD3001018	2
Red Deer - Alberta	L766	1104	1105	L82U7D3001025	L82U9D3001026	2
Whitehorse - Yukon	L784	43	43	L82U9D3001057	L82U9D3001057	1
Clemson Area Transit - South Carolina	L769	—	—	S92U1D4500418	S92U1D4500418	1
Chicago Transit Authority - CTA - Illinois	L773	—	—	L82JXD4500429	L82J6D4500430	2
Red Deer - Alberta	L772	1106	1108	L82J2E3001120	L82J6E3001122	3
Regina - Saskatchewan	L807	671	685	L82J8E3001137	L82J2E3001151	15
Chicago Transit Authority - CTA - Illinois	L811	7902	7919	L82J6E4500509	L82J6E4500526	48
Fredericton - New Brunswick	L812	—	—	L82J4E3001202	L82J4E3001202	1
University of Alabama - Alabama	L787	—	—	L82J2E4500507	L82J4E4500508	2
Chicago Transit Authority - CTA - Illinois	L837			L82J6E4500655	L82J1E4500708	50
Saskatoon - Saskatchewan	L831			L82J7E3001307	L82J9E3001311	5

**WARNING**

Follow your internal safety procedures.

PROCEDURE

- 1.1. Open rear engine access door. See Figure 1.
- 1.2. Remove oil level Dipstick N72881 and discard. See Figure 1.
- 1.3. Install new oil level Dipstick N79899. See Figure 1.




Figure 1 - ZF Transmission Dipstick

- 1.4. Close rear engine access door.❖