



IMPORTANT SAFETY MESSAGE

June **X**, 2015

BY REGISTERED MAIL
RETURN RECEIPT REQUESTED

{NOTE TO DRAFT: To be replaced via mail-merge with addresses of customer}

FINAL NOTICE: ACTION REQUIRED: Potential fire hazard associated with Vector Battery Cables, Generator Wires, and Fuel Hoses

Dear Valued Customer:

This is Carrier Transicold's second and final notice to address an important safety issue concerning your Vector trailer refrigeration unit. This notice follows a prior communication sent to your company in August 2013.

According to Carrier Transicold warranty registration records, there are Carrier Transicold Vector units in your fleet that contain certain components that require retrofitting to prevent a potential fire hazard. The Vector models and related components requiring upgrades are:

Battery Cable	Generator Wires	Generator Wires	Fuel Hose
6500/6600MT	1800MT	6500/6600MT	6500/6600MT
R897PTR	R901PTR	R902PTR	R903
Parts/kit 76-00831-00	Parts/kit 02-00137-00	Parts/kit 02-00137-00	Parts/kit 58-00848-21 (qty: 1 ft)
Instruction 98-02573	Instruction 98-50309	Instruction 98-50309	Instruction 98-50310
S/N prior to NAN9125393	all S/N	S/N prior to NAN91275258	S/N MAU91175644--NAN91274679
Labor SRT up to 0.9h	Labor SRT 0.5h	Labor SRT 0.5h	Labor SRT 0.2h

A list of unit serial numbers identified as being in your fleet is attached to this correspondence. You should have your units with these serial numbers inspected and, if necessary, upgraded as soon as possible. The inspection and kit upgrade can be performed by any authorized Carrier Transicold dealer at no cost to you. You are urged to have this upgrade completed as soon as possible. When scheduling your appointment, please reference Vector Upgrades 897, 901/902 and/or 903.

If your dealer already inspected and provided kit upgrades to your units you do not need to take further action. If you are unsure whether this occurred, please confirm with your dealer as soon as possible. Should you need help in locating a dealer in your area or have any questions, please call 1-800-448-1661.

THIS IS AN IMPORTANT SAFETY MESSAGE. FAILURE TO UPGRADE AFFECTED UNITS MAY POSE A FIRE HAZARD THAT COULD POTENTIALLY RESULT IN PERSONAL INJURY OR PROPERTY DAMAGE.

If Carrier Transicold does not receive warranty claim information from your dealer by October 31, 2015 indicating Vector units in your fleet received these important safety upgrades, we will conclude that you have decided not to perform this important safety-related work. Please be advised that you are assuming any and all liability for any personal injury and/or property damage that may result from the failure to perform these upgrades and will indemnify Carrier Transicold for any and all liability for said occurrences.

At Carrier Transicold, safety is of paramount importance. Your cooperation is critical to complete this safety-related work.

Thank you,

Tom Ondo
Vice President & General Manager
Truck Trailer Americas

Enc. SN List

SERIAL NUMBER LIST