

Technical Service Bulletin



20W2 UPDATE – NVLD Switch (NVLW) – U.S. ONLY

January 13, 2015

Model(s)	Year	VIN Range	Vehicle-Specific Equipment
A3	2015	See Campaign/Action screen in Elsa	None

Condition

This Update has been proactively released to prevent the following condition from occurring in the vehicle:

The NVLD pressure switch may erroneously detect a very small leak.

This Update is in effect until removed.

Vehicle must meet all of the following criteria:


- Procedure is valid only for vehicles that show the **20W2** code in the Elsa Campaign/Action Information screen on the day of repair.
- Vehicle must be within the New Vehicle Limited Warranty.
- Procedure must be performed within the allotted time frame stated in this Technical Service Bulletin.
- Procedure must be performed on applicable vehicles in dealer inventory prior to sale.

Technical Background

The NVLD pressure switch may erroneously detect a very small leak.

Service

1. Replace the NVLD pressure sensor <1>, G400, following the instructions in the repair manual.
Engine >> 20 Fuel Supply >> EVAP System >> EVAP Canister, Removing and Installing >> Fuel Tank Pressure Sensor G400 Removing and Installing.



Technical Service Bulletin



Warranty

Update Time Requirements/ Reimbursement	To ensure prompt and proper payment, be sure to immediately enter the applicable reimbursement code listed below upon completion of the repair work. Claims will be paid only for vehicles that show the 20W2 code in the Elsa Campaign/Action Information screen on the day of repair.		
20W2 Saga Claim Entry Procedure Check Elsa to determine whether Update 20W2 is open. Service No.: 20W2 Damage Code: 0099 Parts Manufacturer - Removed part: 002 Claim Type Sold vehicle = 7 10 Unsold vehicle = 7 90 Saga Accounting Instructions			
Criteria ID	Repair operation	Labor Operation Number	TU
8V	Remove rear wheel liner and replace NVLD sensor	2041 1999	60
Criteria ID	Part Number	Part Description	Quantity
8V	5Q0906253B	Pressure switch	1.00
There is no reimbursement for vehicle wash or loaner vehicle. <u>If the vehicle is outside of the specified warranty period OR if customer refused repairs.</u> <u>U.S. dealers:</u> Submit the request through Audi Warranty Online under the <u>Campaigns/Update</u> option. <u>Canadian dealers:</u> Fax the Repair Order to Warranty at (905) 428-4811 and provide VIN, applicable Service Number, Customer Information, Dealer Number and Date.			

Technical Service Bulletin



Additional Actions	Some of the affected vehicles may be involved in additional Actions. Please check your Elsa Campaign/Action Information screen so that any <i>additional required work can be done simultaneously.</i>
Verifying Vehicle Eligibility	To verify vehicle eligibility for this Update, <i>always</i> check the Elsa Campaign/Action Information screen. The Elsa system is the <i>only</i> binding inquiry and verification system; other systems are not valid and <i>may result in non-payment</i> of a claim.
Help for Claim Entry	For questions regarding claim entry, contact Audi Warranty.
Required Customer Notification	Inform your customer in writing by recording on the Repair Order any and all work that was conducted on the vehicle, including any and all updates completed under this Update.

Required Parts and Tools

Part Number	Part Description	Quantity
5Q0906253B	Pressure Switch	1.00

- Properly destroy and dispose of removed parts in accordance with all state and local requirements, unless otherwise indicated and/or requested through SAGA.
- If you have exhausted your allocated parts and you require additional parts for vehicles affected by this Update but have exceeded your Upper Order Limit, please submit your requests for additional parts via email to upperorderlimits@audi.com. Be sure to include the affected VINs with your order. Prior to submitting your request, ensure that each vehicle has the **20W2** code open in Elsa. Your order will be reviewed and processed accordingly.

Additional Information

All parts and service references provided in this Update are subject to change and/or removal. Always check Elsa for the most current version of this document.