

Engine	Part	Part Number	Quantity
2.0L TFSI: CAEB	Oil Filter	06J115403Q	1
	VW 502 00 Use synthetic oil SAE 5W-40, SAE-5W-30, or SAE-0W-40	N/A	4.5L (4.8qt)
	Drain Plug Gasket	N 0138157	1
	Air Filter	8R0133843K	1

Engine	Part	Part Number	Quantity
3.2L V6 TFSI: CALA	Oil Filter	06E115562A	1
	VW 502 00 Use synthetic oil SAE 5W-40, SAE-5W-30, or SAE-0W-40	N/A	6.5L (6.9qt)
	Drain Plug Gasket	N 0138157	1
	Air Filter Also use o-ring:	8K0133843 N 90964301	1

Miscellaneous	Part	Part Number	Quantity
Miscellaneous	Pollen Filter (20K Only) PR-9AK	8K0819439	1
	Pollen Filter (20K Only) PR-9AQ	8K0819439B	1
	Driver's Wiper Blade (Left)	8K1955425A	1
	Passenger's Wiper Blade (Right)	8K1955426A	1
	Battery	000915105CDDSP	1
	Battery	000915105CEDSP	1
	Battery	000915105CFDSP	1
	Battery	000915105DHDSP	1
	Battery	000915105DKDSP	1
	Battery	000915105DLDSP	1



A4, A4 Avant and A4, S4 Cabriolet 2009 FLUID CAPACITY CHART

updated 5 Oct 2012

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Rear Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield & Headlight Fluid
A4 FWD Sedan (8K256H)	2.0L TFSI 211 hp (CAEB) 4.5L (4.8qt) <u>Audi Oil Spec**</u>	N/A	CVT (0AW) New Fill: 8.0L (8.5qt) Change: 5.5 – 7.0L (5.8 – 7.4) Oil PN G 052 516 A2*	Front F/Drive New Fill: 1.1L (1.2qt) Oil PN G 055 190 A2*	9.0L (9.5 qt)***	Capacity information not available Fluid PN G 002 000* or G 004 000*	1.0 L (1.1qt) (approximately) VW Brake Fluid Specification: Use new fluid only. FMVSS 116 DOT 4 or SAE J 1703 Fluid PN B 000 750*	Refrigerant Use only R134a Refrig. Capacity 500 ± 20 g (17.6 ± 0.7 oz.) Refrigerant Oil Use a PAG oil with R134a Oil PN & Capacity 120 cc +/- 10 cc (4.0 ± 0.3 fl. oz.) G 052 300 A2*	4.5 - 4.8 L (4.8- 5.1 qt) Fluid PN G 052 164*
A4 quattro Sedan-Manual (8K2569)		6-Spd (0B2) 4.8L (5.1qt) Oil PN G 055 532 A2*	N/A	Rear F/Drive (0BC / 0BD) New Fill: 0.9L (1.0qt) Oil PN G 052 145 S2*					
A4 quattro Sedan-Auto (8K256L) Avant-Auto (8K556L)		N/A	6-Spd Tiptronic (0B6) New Fill: 10.4L (11.0qt) Transfer Case 1.0 L (1.1 qt.) Oil PN G 060 162 A2*	Front F/Drive New Fill: 1.0L (1.1qt) Oil PN G 052 145 S2*					
A4 quattro Sedan (8K25FL)	3.2L V6 265 hp (CALA) 6.5L (6.9qt) <u>Audi Oil Spec**</u>								

For proper fluid level and filling information, see the Repair Manual and/or Maintenance Manual in ElsaWeb.

*** Oil and fluid part numbers are for reference only. Always check with your Parts Department for the latest part information.**

****Audi Oil Specification: VW 502 00. Use synthetic oil SAE 5W-40, 5W-30 or 0W-40. Refer to Technical Bulletin 2010043 for engine oils that meet this Audi standard.**

***** Audi Coolant Additive Specification and Part Number: (color is purple) G 12 plus-plus PN- G 012 A8G.**



A4, A4 Avant and A4, S4 Cabriolet 2009 FLUID CAPACITY CHART

updated 5 Oct 2012

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Rear Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield & Headlight Fluid
A4 Cabriolet FWD (8HE5EH) (8HEXEH)	2.0L TFSI 200 hp (BWT) 4.5L (4.8qt) <u>Audi Oil Spec**</u>	N/A	CVT (01J) <u>New Fill:</u> 7.7L (8.1qt) <u>Change:</u> 4.5 – 5.0L (4.8 – 5.3qt) Oil PN G 052 180 A2*	Front F/Drive <u>New Fill:</u> 1.3L (1.4qt) Oil PN G 055 190 A2*	9.0L (9.5qt)***	1.0 L (1.1qt) (approximately) Fluid PN G 002 000* or G 004 000*	1.0 L (1.1qt) (approximately) VW Brake Fluid Specification: Use new fluid only. FMVSS 116 DOT 4 or SAE J 1703 Fluid PN B 000 750*	Refrigerant Use only R134a Refrig. Capacity 500 ± 20 g (17.6 ± 0.7 oz.) Refrigerant Oil Use a PAG oil with R134a Oil PN & Capacity 120 cc +/- 10 cc (4.0 ± 0.3 fl. oz.) G 052 300 A2*	4.5 - 4.8 L (4.8- 5.1 qt) Fluid PN G 052 164*
A4 Cabriolet quattro (8HE5EL) (8HEXEL)			6-Spd Tiptronic (09L) <u>New Fill:</u> 9.0L (9.5qt) <u>Change:</u> 8.0L (8.5qt) approx. Oil PN G 060 162 A2*	Front F/Drive <u>New Fill:</u> 1.1L (1.2qt) Oil PN G 052 145 S2*					
A4 Cabriolet quattro (8HE5PL) (8HEXPL)	3.2L V6 255 hp (BKH) 6.5L (6.9qt) <u>Audi Oil Spec**</u>		Transfer Case 0.6 L (0.6 qt) Oil PN G 055 145 A2*	Rear F/Drive (0AR) <u>New Fill:</u> 0.9L (1.0qt) Oil PN G 052 145 S2*	12.2L (12.9qt)***			G 052 300 A2*	4.8 L (5.1 qt) Fluid PN G 052 164*
S4 Cabriolet quattro (8HE54L) Auto (8HE549) Manual	4.2L V8 344 hp (BHF) 8.8L (9.3qt) <u>Audi Oil Spec**</u>	6-Spd (0A3) 3.2L (3.5qt) Oil PN G 052 911 A2*		Rear F/Drive (01R) <u>New Fill:</u> 1.5L (1.6qt) Oil PN G 052 145 S2*					

For proper fluid level and filling information, see the Repair Manual and/or Maintenance Manual in ElsaWeb.

*** Oil and fluid part numbers are for reference only. Always check with your Parts Department for the latest part information.**

****Audi Oil Specification: VW 502 00. Use synthetic oil SAE 5W-40, 5W-30 or 0W-40. Refer to Technical Bulletin 2010043 for engine oils that meet this Audi standard.**

***** Audi Coolant Additive Specification and Part Number: (color is purple) G 12 plus-plus PN- G 012 A8G.**