

# Combination Meter MID Blank Compass and Audio Tabs

**Service Category** Vehicle Interior

**Section** Meter/Gauge/Display

**Market** USA

Toyota Supports ASE Certification

## Applicability

YEAR(S)	MODEL(S)	ADDITIONAL INFORMATION
2015	Camry, Camry HV	

## Introduction

Some 2015 model year LE and SE grade Camry and Camry HV vehicles equipped with the base Entune™ display audio system may exhibit a condition in which blank compass and audio tabs appear in the combination meter multi-information display, as shown in Figure 1. Follow the Repair Procedure in this bulletin to address this condition.

**Figure 1.**



## Production Change Information

This bulletin applies to vehicles produced **BEFORE** the Production Change Effective VINs shown below.

MODEL	PLANT	LINE	PRODUCTION CHANGE EFFECTIVE VIN
Camry	TMMK	1	4T1BF1FK#FU488266
		2	4T1BF1FK#FU885798
Camry HV			

## Combination Meter MID Blank Compass and Audio Tabs

---

### Warranty Information

OP CODE	DESCRIPTION	TIME	OPF	T1	T2
EL1501	Reprogram Combination Meter	0.5	83800-0X810 83800-0XB30 83800-0XB50	87	74

#### APPLICABLE WARRANTY

- This repair is covered under the Toyota Basic Warranty. This warranty is in effect for 36 months or 36,000 miles, whichever occurs first, from the vehicle's in-service date.
- Warranty application is limited to occurrence of the specified condition described in this bulletin.

### Parts Information

PART NUMBER	PART NAME	QTY
83800-0X810	Meter Assy, Combination	–
83800-0XB30		–
83800-0XB50		–

#### NOTE

The Combination Meter Assembly should NOT be replaced as part of the Repair Procedure.

## Combination Meter MID Blank Compass and Audio Tabs

### Required Tools & Equipment

REQUIRED EQUIPMENT	SUPPLIER	PART NUMBER	QTY
Techstream 2.0*	ADE	TS2UNIT	1
Techstream Lite		TSLITEPDLR01	

\* Essential SST.

**NOTE**

- Only ONE of the Techstream units listed above is required.
- Software version 10.00.029 or later is required.
- Additional Techstream units may be ordered by calling Approved Dealer Equipment (ADE) at 1-800-368-6787.

SPECIAL SERVICE TOOLS (SST)	PART NUMBER	QTY
GR8 Battery Diagnostic Station*	<a href="#">00002-MCGR8</a>	1

**NOTE**

Additional SSTs may be ordered by calling 1-800-933-8335.

\* Essential SST.

### Calibration Information

MODEL	ECM (CPU)	CALIBRATION ID		VDS
		PREVIOUS	NEW	
Camry	Combination Meter	838000X81002	<a href="#">838000X81003</a>	BF1FK BD1FK
Camry HV				

### Repair Procedure

1. Confirm that blank compass and audio tabs appear in the combination meter multi-information display.
2. Confirm that the vehicle is equipped with one of the combination meter part numbers listed in the Parts Information section of this bulletin.

## Combination Meter MID Blank Compass and Audio Tabs

---

### Repair Procedure (Continued)

3. Flash reprogram the Combination Meter Assembly.

Follow the procedures outlined in Service Bulletin [T-SB-0012-13](#), “*Techstream ECU Flash Reprogramming Procedure*”, and flash the Combination Meter with the NEW calibration file update.

**NOTE**

The GR8 Battery Diagnostic Station **MUST** be used in Power Supply Mode to maintain battery voltage above 11.4 volts while flash reprogramming the Combination Meter.

**NOTICE**

- Damage to the Combination Meter may occur if the correct battery charger mode setting is NOT used.
- Power Supply Mode is used to maintain battery voltage at 13.5 volts while flash reprogramming the vehicle.
- For details on how to use the GR8 Battery Diagnostic Station, refer to the [GR8 Instruction Manual](#) located on TIS, *Diagnostics – Tools & Equipment – Battery Diagnostics*.

4. Confirm that the combination meter operates normally and that the compass and audio tabs no longer appear on the combination meter multi-information display.