

Supplier:

Webb Severe Duty

Supplier Information	Marmon Highway Technologies is the sector supporting the heavy-duty highway transportation industry. Webb Wheel Products, Inc is a business leader within this sector that focuses on serving its customers with world-class brake solutions. Webb's four business units are sharply focused, fully empowered companies aligned by customer: Aftermarket, OEM, OES Aftermarket and Severe Duty. This business focus results in superior products and exceptional customer support.
Customer Service & Technical Support	Hino Parts Support Phone: 866-372-4466 Hino Parts Support Email: helpdesk@hino.com Hino Parts Support Fax: 662-342-3939 Webb Severe Duty Phone: 256-735-2270 Webb Severe Duty Email: wsdsales@webbwheel.com Webb Severe Duty Web: http://www.webbwheel.com/severeduty/ Webb Severe Duty Fax: 866-844-6954
Order Procedures:	All orders are to be placed through the Hino Dealer Connect System (DCS). For special orders or for customer support contact Supplier directly via phone number.
Stock Orders	Enter orders in DCS Screen DC202 under Sales Type "S". All direct ship (DS Orders) items will be shipped from a local
Emergency Orders	Emergency orders (EM) may be entered into DCS screen DC202 as a Sales Type "E" or "V". All emergency orders will be processed with a "rush" order. Freight and Handling fees will be identified on the Hino invoice.
Minimum Order Quantity	There is no minimum order requirement on emergency or stock orders.
Freight & Free Freight Policy:	Continental United States - Webb Severe Duty will ship the following prepaid to any point in the continental United States via a Webb Wheel chosen carrier: Orders of 80 pcs (drums or rotors, mix and match, excluding components). All orders less than the above specifications will be shipped freight collect or third party bill. The customer must specify their choice of carrier. Orders will not be held or combined with other orders to meet the prepaid freight requirements. Refer to Webb SD's Freight Policy letter for their most up to date policies.
Order Fulfillment Policy:	The standard order processing time is 11 business days from date of order placement. Processing time for low volume product is 15-25 business days.
Part Number Pricing:	Pricing will be available on-line in the Hino DCS system. In addition, the prices will be forwarded to your service bureaus within two weeks of each pricing update.
Format:	Standard Part numbers are directly carried over with a prefix of "WS-".
Mega Fleet:	All-Makes parts are not included in the Hino Mega Fleet pricing file but should be sold to Mega Fleet customers and filed as Miscellaneous Items in Corcentric when submitting for reimbursement.
Warranty:	Please view Supplier warranty documents as warranty varies based on item. Contact Supplier directly.
Returns:	Contact Supplier directly to obtain a Return Goods Authorization code by phone number or email address listed above. All returned items MUST have prior approval and the Return Goods Authorization (RGA) marked on the outside of the box. RGAs have an expiration date of sixty (60) days; after sixty (60) days the return will become null and void. All returns are subject to a 25% or greater restocking fee. Will not authorize any returns that are not properly packaged or in the original packaging. No credit will be issued for product that has been damaged, altered, or installed on equipment. The customer is responsible for all freight charges on the returned merchandise. Special order items or non stock items are not returnable.
Shipping Inspection and Damaged Product: Supplier Cross Reference Web Site:	All merchandise should be inspected upon arrival and carrier damage claims should be filed with the carrier immediately. We are not responsible for, nor are we in a position to make a claim after the freight carrier accepts the shipment from us. For excess stock returns, contact the Supplier directly. http://www.webbwheel.com/severeduty/
Trailer Load Discounts Available!!	Trailer Load discounts are available! Provide part numbers, quantity of each part number & location(s) being shipped to for an accurate quote.
&	Multiple drop shipments are available in trailer load order quantities. Drop ship cost varies based on drop locations. Inquire with Hino DPM. Provide part numbers, quantity of each part number & locations being shipped to for an accurate quote.
Multiple Drop Shipments?	There are a wide variety of standard wheel end products available in the commercial vehicle market today. Standard duty products are typically designed to fit a wide variety of end user applications; however, these products are not designed to optimize operating costs in more severe applications. Often, any up front acquisition cost savings gained by running standard components in severe applications are easily eclipsed by a significant increase in operating costs. What distinguishes Webb Severe Duty from the competition is a focus on severe applications and designs that maximize lifecycle costs. If you're interested in improving operating cost in tough applications, Webb Severe Duty has got you covered.
Conclusion:	



Webb Wheel Products, Inc. 2411 7th Ave SW Cullman, AL 35055
Severe Duty Business Unit

Freight Policy **Issued January 2015**

Continental United States - Webb Severe Duty will ship the following prepaid to any point in the continental United States via a Webb Wheel chosen carrier:

- Orders of 80 pcs (drums or rotors, mix and match, excluding components)

All orders less than the above specifications will be shipped freight collect or third party bill. The customer must specify their choice of carrier. Orders will not be held or combined with other orders to meet the prepaid freight requirements.

Non-Continental United States (AK, HI, PR) – For orders with a destination outside the continental US (AK, HI, PR), Webb Severe Duty will ship the following prepaid to the port of departure within the US via a Webb Wheel chosen carrier:

- Orders of 80 pcs (drums or rotors, mix and match, excluding components)

All orders less than the above specifications will be shipped freight collect or third party bill. The customer must specify their choice of carrier. Orders will not be held or combined with other orders to meet the prepaid freight requirements.

Canada – Webb Severe Duty will ship the following prepaid to any Canadian destination that can be reached via standard commercial ground transportation via a Webb Wheel chosen carrier:

- Orders of 80 pcs (drums or rotors, mix and match, excluding components)

Any order, regardless of size, that cannot be reached via standard commercial ground transportation will be shipped freight collect or third party bill. All orders less than the above specifications will be shipped freight collect or third party bill. The customer must specify their choice of carrier. Orders will not be held or combined with other orders to meet the prepaid freight requirements.

****Please note that Webb Severe Duty will not hold inventory. It is the customer's responsibility to maintain any stock required for contracts.**



Webb Wheel Products, Inc. 2411 7th Ave SW Cullman, AL 35055
Severe Duty Business Unit

Returned Goods Policy

Issued January 2015

Warranty Returns – A WRA number must be obtained prior to returning material for inspection for a suspected warranty issue. Product must be clearly marked with the WRA number. Product must be shipped to the following address freight ***prepaid***:

Webb Severe Duty
2411 7th Ave SW
Cullman, AL 35055

If product is determined to be warrantable, credit will be issued for the product as well as the freight associated with return. However, a copy of the freight bill must be submitted to receive credit for freight charges. If product is found to be defect free, credit will not be issued and the customer will be responsible for all freight charges associated with the return of the product to Webb Severe Duty. After notification that the product was not found to be warrantable, the customer will have 30 days to advise Webb Severe Duty if the product should be returned to them or scrapped. The customer will be responsible for freight charges associated with the return to their location. If Webb Severe Duty does not receive notification within the 30 day term, the product will automatically be scrapped.

Overstock Returns – An RMA number must be obtained prior to returning overstock material. Product must be clearly marked with the RMA number. Product must be shipped to the following address freight ***prepaid***:

Webb Severe Duty
2411 7th Ave SW
Cullman, AL 35055

We will only accept returns for active part numbers with revision levels that can be brought up to current standards, in saleable condition, and that have been purchased within the last 12 months. No more than 3% of the last 12 months purchases can be returned. There will be a 20% restocking charge on all returns and if any cleanup is required, there will be a cleanup charge of \$50 hr. Freight for overstock returns is the responsibility of the customer and will not be reimbursed by Webb Severe Duty. Overstock returns will only be accepted at the beginning of each quarter throughout the year (ie: January, April, July, & October).

Any material sent to Webb Severe Duty freight collect will be refused.

To obtain a WRA (Warranty Return Authorization) Number or an RMA (Return Merchandise Authorization) Number, please contact our customer service department via email at wsdsales@webbwheel.com or via phone at 800-931-DRUM.



Popular Interchanges for Webb Vortex™ Severe Duty Drums

Brake Size	Supplier	Part#	Wt (lbs)	Notes
16.5x5"	Webb	78401B	95	Webb Vortex™ Severe Duty
	Webb	65710B	96	Standard Brake Drum
	Meritor	85-123383-002	96	Standard Brake Drum
	Gunitite	3710X	96	Standard Brake Drum
16.5x6"	Webb	78400B	112	Webb Vortex™ Severe Duty
	Webb	65152B	122	Standard Brake Drum w/1.31" bolt hole
	Webb	65162B	123	Standard Brake Drum
	Gunitite	3687X	108	Standard Brake Drum
	Meritor	85-123399-002	107	Standard Brake Drum
16.5x7"	Webb	78502B	120	Webb Vortex™ Severe Duty
	Webb	66864B	112	Standard Brake Drum
	Webb	66884B	117	Heavy Duty Brake Drum
	Webb	66807B	111	Hi-Performance Design Drum
	Webb	V1B	105	Economy Drum
	Gunitite	3600AX	112	Standard Brake Drum
	Meritor	03-123207-002	112	Standard Brake Drum
	Meritor	03-123365-002	122	Heavy Duty Brake Drum
16.5x7" Steer Axle	Webb	78503B	116	Webb Vortex™ Severe Duty
	Gunitite	3796X	107	Standard Brake Drum
16.5x8"	Webb	78504B	123	Webb Vortex™ Severe Duty
	Webb	66800B	119	Standard Brake Drum
	Webb	66808B	119	Hi-Performance Design Drum
	Gunitite	3782X	123	Standard Brake Drum
	Meritor	03-123520-002	128	Standard Brake Drum
16.5x8.62"	Webb	78500B	127	Webb Vortex™ Severe Duty
	Webb	66854B	121	Standard Brake Drum
	Webb	66855B	121	Standard Brake Drum
	Webb	66809B	120	Hi-Performance Design Drum
	Gunitite	3807X	127	Standard Brake Drum
	Meritor	85-123570-002	138	Standard Brake Drum


Note: Excludes interchanges to lightweight drums

Updated: 10/22/13



NEW PRODUCT BULLETIN # SB 12-001

**PATENTED WEBB VORTEX™
SEVERE DUTY FAMILY**



Now Available

Part Number	INTERCHANGES		Wt. (lbs.)	APPLICATION		A	B	C	D	
				FMSI	Brake Size	Backface Thk.	Overall Depth	Brake Surface Flat	Bolt Holes	
	GUNITE	MERITOR							No.	Size
78401B	3710X	85-123383-002	95	4720	16.50 x 5.0"	.50"	9.15"	5.55"	10	1.31"
78400B	3687X	85-123399-002	112	4715	16.50 x 6.0"	.62"	9.75"	6.56"	10	.94"
78502B	3576X	03-123365-002	120	4707	16.50 x 7.0"	.50"	10.54"	7.54"	10	.94"
78503B	3796X		116	4709	16.50 x 7.0"	.50"	10.12"	7.38"	10	.94"
78504B	3782X	03-123520-002	123	4718	16.50 x 8.0"	.56"	11.10"	8.70"	10	.94"
78500B	3807X 3807AX	85-123570-002	127	4711 4726	16.50 x 8.625"	.56"	11.46"	9.06"	10	.94"



Made in the USA




Webb Wheel Products Inc. - Severe Duty Business Unit
 2411 7th Ave SW Cullman, AL 35055
 800-931-DRUM (3786)
www.webbsevereduty.com

 A Marmon Highway Technologies®/Berkshire Hathaway Company

SEVERE DUTY

Made in the **USA** to handle the most severe applications

TRANSIT • COACH • REFUSE



THE BEST PRODUCTS

- Products designed specifically for severe duty applications
- Patented Webb Vortex™ drum technology designed to run cooler and last longer
- Products designed to optimize lifecycle costs
- Dyno-matched friction for optimum performance and longer life
- FMVSS-121 Tested and Certified
- All products Made in the U.S.A. in ISO 9001 certified facilities

THE BEST SUPPORT

- Your trusted partner for more than 65 years
- Industry's best lead-time to assure the products you need are there when you need them
- Nationwide distribution partners
- All products carry a Lifetime Warranty for workmanship and defects
- In-house Link Dynamometer and metallurgical lab
- Brake Training Clinics help you reduce operating costs



YOUR WHEEL-END TECHNOLOGY LEADER

Webb Wheel Products Severe Duty Business Unit
2411 7th Ave SW, Cullman, AL 35055 • 256-735-2270 • www.webbsevereduty.com

SEVERE DUTY

Made to handle the most severe applications

TRANSIT • COACH • REFUSE



PART NUMBER: 54220F

SIZE: 17.08 x 1.770

WEIGHT: 80.05 lbs

INTERCHANGE: Meritor 68326014

MCI 15-02-1067




PART NUMBER: 55060F

SIZE: 17.08 x 1.770

WEIGHT: 79.04 lbs

INTERCHANGE: Meritor 23-123642-002

MCI 15-03-1012



PART NUMBER: 55070F

SIZE: 17.08 x 1.770

WEIGHT: 81.63 lbs

INTERCHANGE: Meritor 23-123647-002

NABI 6316229

- Made in the USA using SAE J431 cast gray iron material
- Excellent balance between strength and thermal conductivity
- FMVSS-121 tested and certified on Webb's internal Link dynamometer
- Lifetime warranty for workmanship and defects
- Available through Webb's nationwide distribution partners
- Solid, dependable products from a trusted wheel end supplier to the North American commercial vehicle industry for more than 65 years



SEVERE DUTY

YOUR WHEEL-END TECHNOLOGY LEADER

Webb Wheel Products Severe Duty Business Unit
2411 7th Ave SW, Cullman, AL 35055 • 256-735-2270 • www.webbsevereduty.com



NEW PRODUCT BULLETIN # SB 12-002

SEVERE DUTY WHEEL KITS



Now Available

Part Number	Weight	Description	Lining	Matching Webb Drum
WK4720QW43	32.9	Lined Shoe Kit QP 16.5 X 5 With Hardware	W43	78401B
WK4715QW43	36.2	Lined Shoe Kit QP 16.5 X 6 With Hardware		78400B
WK4707QW43	38.5	Lined Shoe Kit QP 16.5 X 7 With Hardware		78502B
WK4718QW43	40.7	Lined Shoe Kit QP 16.5 X 8 With Hardware		78504B
WK4711QW43	42.2	Lined Shoe Kit QP 16.5 X 8.625 With Hardware		78500B

WK4720QW50	32.9	Lined Shoe Kit QP 16.5 X 5 With Hardware	W50	78401B
WK4715QW50	36.2	Lined Shoe Kit QP 16.5 X 6 With Hardware		78400B
WK4707QW50	38.5	Lined Shoe Kit QP 16.5 X 7 With Hardware		78502B
WK4709ESW50	39.2	Lined Shoe Kit Eaton 16.5 X 7 With Hardware		78503B
WK4718QW50	40.7	Lined Shoe Kit QP 16.5 X 8 With Hardware		78504B
WK4711QW50	42.2	Lined Shoe Kit QP 16.5 X 8.625 With Hardware		78500B
WK4726ESW50	43.8	Lined Shoe Kit Eaton 16.5 X 8.625 With Hardware		78500B

Note: Each Wheel Kit contains (2) new lined shoes with either Webb W43 or W50 lining and (1) hardware kit

Webb Wheel Products Inc. - Severe Duty Business Unit
2411 7th Ave SW Cullman, AL 35055
800-931-3786

www.webbsevereduty.com

 A Marmon Highway Technologies®/Berkshire Hathaway Company



Brake Drums

Transit/Coach/Bus



Webb Coach/Transit Drums

Dimensional Information

Drum Number	Service Rating Code (A)	Type	Mount (B)	Brake Surface Diameter	Over All Depth	Brake Surface Flat	Inner Pilot	Hub Pilot	Bolt Circle Diameter	Bolt Holes	
										No.	Size
64001F	OBSOLETE - NO REPLACEMENT				8.31	5.31	12.75	9.44	11.25	10	1.31
64002F	OBSOLETE - USE 64004F										
64003F	3	M	O	14.50							
64004F	3	Q	O	14.50							
64007F	OBSOLETE - USE 64015F				11.50	8.31	13.00	9.44	11.25	10	1.31
64009F	3	Q	O	14.50							
64015F	3	M	O	14.50							
64017F	3	M	O	14.50							
64019F	OBSOLETE - USE 64003F				12.81	10.50	12.75	9.44	11.25	10	1.31
64031F	OBSOLETE - NO REPLACEMENT										
64033F	OBSOLETE - NO REPLACEMENT										
64035F	2	M	O	16.50							
64036F	2	M	O	15.00	8.75	6.55	12.75	9.44	11.25	10	1.31
64037F	OBSOLETE - USE 64041F										
64038F	2	M	O	15.00							
64039F	3	M	O	16.14							
64040F	3	K	O	16.14	11.81	9.12	14.53	11.73	13.19	10	0.91
64041F	3	K	O	16.50							
USE WITH 24.50 DIAMETER DISC WHEEL ONLY											
64043F	OBSOLETE - USE 64113F										
64046F	3	M	O	15.145	8.65	6.50	12.75	9.44	11.25	10	1.31
64047F	3	H	O	16.50							
64048F	3	M	O	15.145							
64049F	2	A	O	15.00							
64050B	3	K	O	16.50	9.15	7.40	14.72	11.22	13.19	10	0.91
64051F	3	L	O	16.50							
64053F	3	K	O	16.50							
64057F	3	H	O	16.50							
64058B	2	K	O	16.50	11.15	9.09	15.00	11.25	13.19	10	1.06
64059F	3	K	O	16.14							
64072F	OBSOLETE - NO REPLACEMENT										
64089F	3	M	O	16.14							
64112F	3	O	O	14.50	11.28	9.16	15.00	11.25	13.19	10	1.06
64113F	3	O	O	14.50							
64115F	3	O	O	14.50							
64117F	3	O	O	14.50							
64119F	3	O	O	14.50	8.69	6.44	12.75	9.44	11.25	10	1.31
65004F	3	Q	O	14.50							
66810F	OBSOLETE - NO REPLACEMENT										
66812F	3	K	O	16.50							
66883F	2	K	O	16.50	13.38	10.89	None	8.53	11.25	10	0.81
66896F	2	K	O	16.50							
66899B	3	H	O	16.50							
	2	K	O	16.50							
	3	H	O	16.50	10.35	7.54	None	8.53	11.25	10	0.81
	2	K	O	16.50							
	3	H	O	16.50							
	2	K	O	16.50							
	3	H	O	16.50	10.38	7.38	None	8.66	11.25	10	0.81
	2	K	O	16.50							
	3	H	O	16.50							
	2	K	O	16.50							
	3	H	O	16.50	10.19	7.38	12.75	9.44	11.25	10	1.28
	2	K	O	16.50							
	3	H	O	16.50							
	2	K	O	16.50							

(A) Service Rating Code - 1=Standard Duty 2=Heavy Duty 3=Extra Heavy Duty (B) Mount I=Inboard O=Outboard

"B" SUFFIX = BALANCED DRUM. Drums shown with "B" suffix are sold balanced only.

Add the "B" suffix to the part number if a balanced drum is required.

UNDERSIZE DRUMS - Coach/Transit Drums can be furnished .040 undersize at no additional cost.

Add suffix "U" to part number when ordering.

****Will become obsolete when current inventory is depleted. Call for availability - if purchased, drums are non-returnable.**

Webb Coach/Transit Drums

Design Information

Drum Number	Brake Size	Vented?	Number and Type of Ribs	Weight	Maximum Diameter	Axle Application
64003F	14.50 x 5.00	Yes (5)	(36) Vertical	100	14.830	Front
64004F	14.50 x 5.00	Yes (5)	(36) Vertical	90	14.830	Front
64009F	14.50 x 8.00	Yes (5)	(30) Vertical	145	14.830	Rear
64015F	14.50 x 10.00	Yes (5)	None	177	14.830	Rear
64017F	14.50 x 6.00	Yes (5)	None	127	14.830	Front
64035F	16.50 x 5.00	Yes (5)	None	131	16.812	Front
64036F	15.00 x 6.00	Yes (5)	(30) Vertical	127	15.310	Front
64038F	15.00 x 10.00	Yes (5)	(30) Vertical	177	15.310	Rear
64039F	16.14 x 8.62	No	None	132	16.300	Rear
64040F	16.14 x 6.00	No	None	98	16.300	Front
64041F	16.50 x 8.62	Yes (5)	None	145	16.812	Rear
64046F	15.145 x 6.00	Yes (5)	None	121	15.460	Front
64047F	16.50 x 8.00	Yes (5)	None	139	16.812	Rear
64048F	15.145 x 10.00	Yes (5)	None	189	15.460	Rear
64049F	15.00 x 7.00	Yes (5)	None	92	15.120	Front/Tag
64050B	16.50 x 8.62	Yes (5)	None	177	16.830	Rear
64051F	16.50 x 8.62	Yes (5)	None	181	16.830	Rear
64053F	16.50 x 8.62	Yes (5)	None	147	16.830	Rear
64057F	16.50 x 8.62	Yes (5)	None	148	16.812	Rear
64058B	16.50 x 8.62	Yes (5)	None	168	16.830	Rear
64059F	16.14 x 8.62	No	None	137	16.340	Rear
64089F	16.14 x 8.62	No	None	136	16.300	Rear
64112F	14.50 x 5.00	No	(3) Circumferential	110	14.830	Rear
64113F	14.50 x 5.00	Yes (5)	(3) Circumferential	110	14.830	Front
64115F	14.50 x 10.00	Yes (5)	(7) Circumferential	181	14.830	Rear
64117F	14.50 x 6.00	Yes (5)	(4) Circumferential	111	14.830	Front
64119F	14.50 x 6.00	Yes (5)	(3) Circumferential	109	14.830	Rear
65004F	14.50 x 5.00	No	(36) Vertical	94	14.830	Tag
66812F	16.50 x 10.00	Yes (5)	None	160	16.730	Rear
66883F	16.50 x 7.00	No	None	107	16.620	Rear
66896F	16.50 x 7.00	No	None	110	16.620	Rear
66899B	16.50 x 7.00	No	None	122	16.620	Rear

COACH/TRANSIT BRAKE DRUM CROSS REFERENCE

Manufacturer's Part Number	Webb Wheel Part Number	Manufacturer's Part Number	Webb Wheel Part Number	Manufacturer's Part Number	Webb Wheel Part Number
AM GENERAL					
5960275 5960569	64003F 64015F	5998162 5998218	64017F 64015F		
ARVINMERITOR					
3219-B-2030	64001F OBS	3219-H-4090	64038F	3219-T-3270	64015F
3219-B-2108	66899B	3219-J-1544	66899B	3219-T-4076	64035F
3219-B-4214	66896F	3219-J-4222	64041F	3219-U-3921	66896F
3219-B-4552	66896F	3219-L-1754	64001F OBS	3219-U-4493	64115F
3219-C-2811	64009F	3219-L-3366	64004F	3219-U-4779	64046F
3219-C-4397	64015F	3219-L-3964	64035F	3219-U-4883	64112F
3219-C-4553	66896F	3219-L-4458	65004F	3219-V-3324	64112F
3219-C-5099	64041F	3219-L-4510	66896F	3219-V-3922	66896F
3219-D-1432	66899B	3219-M-2015	66899B	3219-V-4260	64017F
3219-D-2084	64031F OBS	3219-M-3289	64004F	3219-V-4260	64117F
3219-D-2812	64009F	3219-M-3367	64001F OBS	3219-V-4468	66812F
3219-D-3748	64033F OBS	3219-M-3965	64035F	3219-V-4494	64113F
3219-D-4268	64047F	3219-M-4511	66896F	3219-V-4780	64048F
3219-D-4398	64017F	3219-M-4875	64119F	3219-W-3325	64015F
3219-D-5100	64112F	3219-N-4044	64117F	3219-W-3325	64115F
3219-E-3983	64037F OBS	3219-N-4070	66883F	3219-W-4053	64015F
3219-E-3983	64041F	3219-P-1628	64004F	3219-W-4261	66812F
3219-F-1462	64003F	3219-P-1784	64001F OBS	3219-W-4495	64117F
3219-F-1462	64113F	3219-P-4072	66883F	3219-X-2208	64031F OBS
3219-F-1618	64009F	3219-P-4462	64004F	3219-X-4262	66812F
3219-F-2684	64003F	3219-Q-2045	66899B	3219-X-4782	64112F
3219-F-2684	64004F	3219-Q-2357	64015F	3219-X-5120	64046F
3219-F-3490	66896F	3219-Q-3501	64003F	3219-Y-2209	66899B
3219-F-3984	64041F	3219-Q-4255	64017F	3219-Y-4055	64015F
3219-G-1463	64001F OBS	3219-R-2202	66899B	3219-Y-5121	64048F
3219-G-2347	66899B	3219-R-3320	64004F	3219-Z-3328	64113F
3219-G-2685	64004F	3219-R-3944	66812F	3219-Z-3510	64015F
3219-G-3907	64033F OBS	3219-S-1657	66899B	3219-Z-5122	66812F
3219-G-4037	64041F	3219-S-2671	64117F	3219-Z-5798E	64051F
3219-G-5129	64119F	3219-S-3945	66812F	3219-Z-5798X	64051F
3219-H-1542	66899B	3219-S-4075	64035F	4219-E-3489	66896F
3219-H-2166	66899B	3219-S-4907	64057F		
3219-H-2296	66810F OBS	3219-T-1658	66899B		
BLUEBIRD					
1034685 2137453	64047F 66899B	2601664 2647352	64031F OBS 64047F	2647360 3603066	66883F 66899B
CHEVROLET/GMC					
793430	64036F	2201483	64003F	2299353	64009F
793431	64038F	2201484	64001F OBS	2305112	64004F
2014318	64115F	2202510	64004F	2305113	64009F
2081332	64048F	2214945	64003F	2369827	64015F
2081333	64046F	2214946	64001F OBS	2451128	64001F OBS
2107514	64004F	2214947	64004F	2451130	64003F
2108977	64001F OBS	2221259	64004F	2475453	64004F
2120097	64004F	2232442	64001F OBS	2475454	64009F
2139621	64004F	2247418	64003F	3726794	64004F
2147418	64003F	2268592	64001F OBS	3793430	64036F
2147419	64001F OBS	2294382	64009F	3793431	64038F
2149943	64004F	2294492	64004F		
2149945	64003F	2294982	64009F		
DAYTON					
120206	66899B	122469	64015F	122781	64015F
120207	64031F OBS	122749	64115F	122808	64113F
120212	66899B	122750	64113F	122809	64115F
120219	66899B	122778	64113F	122812	64113F
120406	64009F	122779	64113F	123308	64072F OBS
120408	64004F	122780	64015F	123330	66810F OBS
DODGE					
1192540	66899B				
DURAMETAL					
1403	64036F	14038	64046F	14512	64004F
1404	64038F	14048	64048F	14513	64015F
1602	66810F OBS	14503	64004F	14513	64115F
1607	66812F	14504	64001F OBS	14514	64017F
1636	66899B	14508	64009F	14515	64003F

COACH/TRANSIT BRAKE DRUM CROSS REFERENCE

Manufacturer's Part Number	Webb Wheel Part Number	Manufacturer's Part Number	Webb Wheel Part Number	Manufacturer's Part Number	Webb Wheel Part Number
DURAMETAL					
14515	64113F	15113	64089F	16262	64031F OBS
14518	64117F	15115	64040F	16267	64047F
14519	64113F	15116	64059F	16796	66883F
14523	64115F	16065	64035F	16922	66896F
14525	64113F	16073	64041F		
EAGLE					
054-0203-019	64041F				
ERIE					
2768	64038F	2777	64048F	2778	64046F
FLXIBLE					
3-168-1	64117F	3-5007-51	64031F OBS	4-205-8	64015F
3-168-2	64117F	4-04-2	66899B	4-205-11	64001F OBS
3-168-3	64003F	4-187-1	66899B	4-205-16	64009F
3-168-5	64017F	4-201-1	66899B	4-4001-52	66899B
3-168-5	64117F	4-204-9	64015F	97-5348-1	64015F
3-168-6	64003F	4-205-1	66899B	97-5348-1	64115F
3-168-7	64004F	4-205-6	64015F		
3-168-10	64017F	4-205-7	64001F OBS		
FORD					
D8HZ-1126-D	66896F				
GENERAL					
024-P240	64004F	461-R610	64004F	810-R100	64015F
032-P320	66899B	559-R590	64001F OBS		
063-P630	64004F	559-R591	64001F OBS		
GUNITE					
1412	64004F	2242	64003F	3412	64003F
1550	64001F OBS	2258	64009F	3412R	64113F
1550-B	64001F OBS	2277	64009F	3413	64036F
1550-C	64001F OBS	2322	66899B	3414	64038F
1551	64004F	2356	66899B	3415	64015F
1919	66899B	2356-A	66899B	3474	66810F OBS
1942	64004F	2556	64015F	3475	66812F
2225-A	64001F OBS	2566	64004F	3490	66896F
2225-C	64001F OBS	2568	64009F		
2231	64031F OBS	3410	66899B		
INTERNATIONAL FOR INTERCHANGES SEE NAVISTAR					
M.A.N. BUS					
81.50110.3144	64039F	81.50110.0144	64089F	81.50110.0147	64040F
MCI					
15-C-3-6	64009F	15-G-2-1	64004F	15K-2-3	64004F
15-C237	64004F	15-G-3-2	64009F		
15-F-5-1	65004F	15J-3-7	64115F		
MOTOR WHEEL					
86371	66810F OBS				
NAVISTAR					
69357-R1	66899B	435186-R91	66899B		
NEOPLAN					
AK0800001-030	64117F	DF0700001-085	64059F		
NWRA					
X-60026	66899B	X-60620	66810F OBS	X-60961	66883F
X-60119	64003F	X-60626	64031F OBS	X-60979	64046F
X-60119	64113F	X-60627	64033F OBS	X-60980	64048F
X-60132	64009F	X-60628	64035F	X-60982	64117F
X-60191	64004F	X-60629	64036F	X-60995	65004F
X-60192	64004F	X-60630	64041F	X-61279	64049F
X-60200	64001F OBS	X-60631	64038F	X-61280	64050F
X-60202	64015F	X-60716	66812F	X-61281	64051F
X-60202	64115F	X-60774	64089F	X-61282	64057F
X-60516	64015F	X-60775	64040F	X-61285	64089F
X-60516	64115F	X-60806	66896F	X-61286	64112F
X-60560	64001F OBS	X-60819	64017F	X-61287	64119F
X-60561	64004F	X-60875	64047F		
X-60559	64001F OBS	X-60921	64015F		

COACH/TRANSIT BRAKE DRUM CROSS REFERENCE

Manufacturer's Part Number	Webb Wheel Part Number	Manufacturer's Part Number	Webb Wheel Part Number	Manufacturer's Part Number	Webb Wheel Part Number
ORION					
A0102507BA A0202519EA	64117F 64115F	0BIA0102507BA 0BIB0108901AC	64117F 64072F OBS		
REYCO					
50995-10	64004F	52472-11	64004F	52918-01	66812F
51191-04	64001F OBS	52472-31	64004F	52928-01	66812F
51191-10	64001F OBS	52480-10	64009F	52929-10	64001F OBS
51283-10	64003F	52498-10	64009F	52930-10	64004F
51489-01	66899B	52525-10	64017F	52931-10	64003F
51618-01	66899B	52526-10	64117F	52932-10	64009F
51827-10	66899B	52544-10	64113F	52933-10	64015F
51840-10	66899B	52544-30	64112F	52960-11	64017F
51849-10	64004F	52544-328	64112F	52965-107	64048F
51859-10	64004F	52757-30	65004F	52965-117	64048F
51860-10	64009F	52790-11	64033F OBS	52966-107	64046F
51949-11	64001F OBS	52821-10	64015F	52966-117	64046F
52059-10	66899B	52821-10	64115F	52966-137	64046F
52116-10	66899B	52824-10	64017F	52975-11	64040F
52304-10	64015F	52824-10	64117F	52976-11	64089F
52304-10	64115F	52832-11	64035F	53014-01	64041F
52314-10	66810F OBS	52833-11	64041F	53035-017	64047F
52336-90	64115F	52906-117	64036F	53052	64072F OBS
52386-01	64031F OBS	52908-117	64038F		
THOMAS BUS					
61120362	66812F				
VANHOOL					
247-5817-1P	64049F	699500770	64050F	E983920	64050F
VOLVO					
443410	66899B				

**Will become obsolete when current inventory is depleted. Call for availability - if purchased, drums are non-returnable.

Webb Coach/Transit Drums

Mfg.	Part Number	Vents	Ribs	Weight	Misc. Info.
WEBB Dura Reyco	64003F 14515 51283-10 52931-10	Yes (5) Yes Yes Yes	Yes (V) Yes (V) No Yes (V)	100 98 106 110	
WEBB Dura Reyco	64004F 14503 14512 50995-10 51859-10 52472-11 52472-31 52757-11 52757-30 52930-10	Yes (5) Yes Yes Yes Yes Yes Yes No No No	Yes (V) Yes (V) Yes (V) No No Yes (C) Yes (C) Yes (C) No No	90 97 95 78 95 95 95 104 104 85	6 6 6
WEBB Dura Reyco	64009F 14508 51860-10 52480-10 52932-10	Yes (5) Yes Yes Yes No	Yes (V) Yes (V) No Yes (C) Yes (V)	145 130 140 138 164	
WEBB Dura Reyco	64015F 14513 52304-10 52336-10 *52821-10 52933-10	Yes (5) Yes Yes Yes Yes No	No Yes (V) Yes (C) Yes (C) No No	177 171 158 171 184 182	6 6 6 6 6
WEBB Dura Reyco	64017F 14514 14518 52525-10 52526-10 52824-10 *52960-11	Yes (5) Yes Yes Yes Yes Yes Yes	No Yes (V) Yes (V) No Yes (C) Yes (C) No	127 95 95 108 108 126 119	
WEBB Dura Reyco	64035F 16065 52832-11	Yes (5) No Yes	No No Yes (C)	131 130 129	
WEBB Dura Reyco	64036F 1403 *52906-117	Yes (5) Yes Yes	Yes (V) Yes (V) Yes (V)	127 120 112	9 9 9
WEBB Dura Reyco	64038F 1404 52908-117	Yes (5) Yes Yes	Yes (V) Yes (V) Yes (V)	177 175 199	9 9 9
WEBB Dura	64039F 15113	No No	No No	132 121	
WEBB Dura	64040F 15115	No No	No No	98 90	
WEBB Dura Reyco	64041F 16073 *52833-11 53014-01	Yes Yes Yes Yes	No No Yes (C) No	145 150 155 161	
WEBB Dura Reyco	64046F 14038 52966-107	Yes (5) Yes Yes	No Yes (V) No	121 135 134	9 9 9

Design Comparison Information

Mfg.	Part Number	Vents	Ribs	Weight	Misc. Info.
WEBB Dura	64047F 16267	Yes (5) No	No No	139 135	9
WEBB Dura Reyco	64048F 14048 52965-107	Yes (5) Yes Yes	No Yes (V) No	189 188 201	9 9 9
WEBB Dura Reyco	64113F 14515 14525 52544-10	Yes (5) Yes Yes Yes	Yes (C) Yes (V) Yes (C) Yes (C)	110 98 97 115	
WEBB Dura Reyco	64115F 14513 14523 52304-10 *52336-10 52821-10 52933-10	Yes (5) Yes Yes Yes Yes Yes No	Yes (C) Yes (V) Yes (C) Yes (C) Yes (C) No No	179 171 175 158 171 184 182	6 6 6 6 6
WEBB Dura Reyco	64117F 14514 14518 52525-10 52526-10 52824-10	Yes (5) Yes Yes Yes Yes Yes	Yes (C) Yes (V) Yes (V) No Yes (C) Yes (C)	109 95 95 108 108 126	
WEBB Reyco	65004F 52757-12	No No	Yes (V) Yes (C)	94 104	Tag Axle Applications 6
WEBB Dura Reyco	66812F 1607 52918-01 52928-01	Yes Yes Yes Yes	No No No No	160 165 167 186	9 9
WEBB Dura	66883F 16796	No No	No No	107 105	9
WEBB Dura	66896F 16922	No No	No No	110 105	
WEBB Dura Reyco	66899B 1636 51827-10 51840-10 52059-10 52116-10	No No Yes Yes No Yes	No No Yes (C) Yes (C) No No	122 100 123 123 102 125	

(C) Circumferential (V) Vertical

Note: Asterisk by Reyco numbers indicates CLOSEST POSSIBLE INTERCHANGE FROM EXISTING INFORMATION to Webb part numbers.

Misc. Info. 6-Drilled for noise dampner-Speedo 9-Notched for 121 A.C. Sensor

WEBB COACH/TRANSIT BRAKE DRUM TYPES

