



2301 Wardlow Circle, Corona CA 92880 951.270.6200
ISO 9001 Certified Company

DATE: 18 August 2015

Safety Recall Withdrawal

**Circle Seal Controls Pressure Relief Devices, Model Nos. 8100-11-T1T1;
8100-37-BB; 8100-44-BB; 8100-77-BB; 8100-84-BB; 8100-94-BB; 8100-97-BB**

TO: All Parties that purchased above referenced Pressure Relief Devices

Circle Seal Controls is pleased to inform you that NHTSA Recall Campaign Number 14E-013 has been withdrawn.

Following the original issuance of the recall, extensive performance testing was conducted by Circle Seal Controls and certain other interested parties with expertise in this matter. This testing has confirmed that the use of the above referenced Pressure Relief Devices poses no safety risk warranting a recall. Information concerning the testing has been shared with NHTSA, which has authorized withdrawal of the recall, effective immediately.

WHAT YOU SHOULD DO

Please contact your customers, in writing, that have been supplied the part numbers identified in the heading of this communication. Please advise them that there is no safety basis for a recall of the Pressure Relief Devices and that the above-referenced recall has therefore been withdrawn with NHTSA concurrence. Also communicate to your customers that no further action is required by them.

If you have any questions regarding this communication, please contact Randy Raley @ 951-236-3560.