



Engine	Part	Part Number	Quantity
<b>2.0L TFSI: CPMB</b>	Oil Filter	06J115403J	1
	VW 502 00 Use synthetic oil SAE 5W-40, SAE-5W-30, or SAE-0W-40	N/A	4.5L (4.8qt)
	Drain Plug Gasket	N 0138157	1
	Air Filter	8K0133843M	1

Engine	Part	Part Number	Quantity
<b>2.0L TFSI Hybrid: CHJA</b>	Oil Filter	06J115403J	1
	VW 502 00 Use synthetic oil SAE 5W-40, SAE-5W-30, or SAE-0W-40	N/A	4.5L (4.8qt)
	Drain Plug Gasket	N 0138157	1
	Air Filter	8R0133843K	1

Engine	Part	Part Number	Quantity
<b>3.0L V6: CTUC</b>	Oil Filter	06E115562C	1
	VW 502 00 Use synthetic oil SAE 5W-40, SAE-5W-30, or SAE-0W-40	N/A	6.8L (7.2qt)
	Drain Plug Gasket	N 0138157	1
	Air Filter, Also Use O-ring*	8K0133843 + N 90964301*	1

Engine	Part	Part Number	Quantity
<b>3.0L V6: CTUD</b>	Oil Filter	06E115562C	1
	VW 502 00 Use synthetic oil SAE 5W-40, SAE-5W-30, or SAE-0W-40	N/A	6.8L (7.2qt)
	Drain Plug Gasket	N 0138157	1
	Air Filter, Also Use O-ring*	8K0133843 + N 90964301*	1



Engine	Part	Part Number	Quantity
<b>3.0L TDI: CPNB</b>	Oil Filter	TBD	1
	VW 507 00 Use synthetic oil SAE 5W-40, SAE-5W-30, or SAE-0W-40	N/A	6.4L (6.8qt)
	Drain Plug Gasket	TBD	1
	Air Filter, Also Use O-ring*	8K0133843D + N 90964301*	1

Miscellaneous	Part	Part Number	Quantity
<b>Miscellaneous</b>	Pollen Filter (20K Only)	8K0819439	1
	Pollen Filter (20K Only) Auto	8K0819439B	1
	Driver's Wiper Blade (Left)	8R1955425B	1
	Passenger's Wiper Blade (Right)	8R1955426B	1
	Battery (Amp. Req. Vary)	000915105*	1
	Battery (Amp. Req. Vary)	000915105*	1

\*VIN Required

### Resetting the service interval display

Your authorized Audi dealer will reset the corresponding service schedule after performing the appropriate service on your vehicle.

You also have the possibility to reset the oil change schedule after having performed an oil change according to Audi specifications.

Select the **CAR** function button > **Service interval display** > **Reset oil change interval** or **CAR** function button > **Car systems\*** control button > **Servicing & checks** > **Service intervals** > **Reset oil change interval**.



### Note

- Only reset the oil change display when you have completed an oil change.
- If you disconnect the battery terminals, no calculations can be made for the service interval display during this time and no service reminder will appear. Remember that observing the proper service intervals is vitally important to extending the life of your vehicle, particularly the engine, and maintaining its value. Do not exceed the time interval for the next service, even if the vehicle mileage is low.



### Tips

The information in the Service Reminder remains stored even when the vehicle battery is disconnected.

**For current fluid capacity charts, they can be found on ServiceNet under the Maintenance tab.**