



Tech Tips

TT 90-12-04

Date: August 31, 2012

2010-2016 CC, Eos, Golf, GTI, Sportwagen, Tiguan, 2012-2016
Passat, Beetle, Beetle Convertible - Service Interval Settings
after Instrument Cluster Replacement

August 5, 2016: Update to Year Applicability.

After instrument cluster replacement, service interval maximum values may need to be manually set. To set values manually, use ODIS Control module OBD to select 17- Instrument Cluster, then adaptation. Channel "SIA: maximum value of distance to service" should be set to 16100 km and channel "SIA: maximum value of time to service" should be set to 372 days.

The screenshot shows the ODIS software interface for 'Offboard Diagnostic Information System Service - 1.2.1'. The main window displays a table of adaptation parameters for the '17 - Dash Board' module. The table has columns for 'Adaptation/parameter', 'Current value', 'Entry', and 'Unit'. Two parameters are highlighted with red boxes in the 'Entry' column: 'SIA: maximum value of distance to service' with a value of 16,100 km, and 'SIA: maximum value of time to service' with a value of 372 d. The interface also includes a sidebar with 'Operating modes' (Diagnosis, Self Diagnosis, Flash, Measurement, Info, Admin) and a bottom status bar showing 'OBD1 17-ANP'.

Adaptation/parameter	Current value	Entry	Unit
<input type="checkbox"/> Cruise control display			
<input type="checkbox"/> Units adjusted			
<input type="checkbox"/> WIV: minimum value of time between inspections			
<input type="checkbox"/> SIA: maximum value of distance to service		<input type="text" value="16,100"/>	km
<input type="checkbox"/> SIA: maximum value of time to service		<input type="text" value="372"/>	d
<input type="checkbox"/> Staging			
<input type="checkbox"/> Indicator light for start-stop operation			