

TITLE:

SW part numbers for Service 2.0, PDS

REF NO: TJ 27536	ISSUING DEPARTMENT: Technical Service	CAR MARKET: United States and Canada			
3 US 7510 V	PARTNER: olvo Cars North America	YEAR	ISSUE DATE: MONTH	DAY	
FUNC GROUP: 3600	FUNC DESC: other electrical equipment	2016	06 Page 1 of 19	15	

"Right first time in Time"

Attachment

File Name	File Size
Configuring_number_of_seats.PNG	0.0458 MB
P1 Customer Settings blank.pdf	0.0143 MB
P2 Customer Settings blank.pdf	0.0101 MB
P3 Non Sensus Customer Settings blank.pdf	0.0178 MB
P3 Sensus Customer Settings blank.pdf	0.0173 MB
XC90 Customer Settings blank.pdf	0.0163 MB

Vehicle Type

Type	Eng	Eng Desc	Sales	Body	Gear	Steer	Model Year	Plant	Chassis range	Struc Week Range
1XX							1999-9999		0000001-0999999	199815-999952
2XX							2000-9999		0000001-0999999	199943-999952
3XX							2001-9999		0000001-0999999	200031-999952
5XX							2004-9999		0000001-0999999	200340-999952

CSC Customer Symptom Codes

Code	Description
1C	Administrative and Factory scheduled maintenance/Administrative and Factory scheduled maintenance
2L	Administrative and Factory scheduled maintenance/Courtesy car



VST Operation Number

DTC Diagnostic Trouble Codes

Rows beginning with * are modified

Note! If using a printed copy of this Technical journal, first check for the latest online version.

Text

- *S90/V90 added
- * New partnumbers for Service 2.0 and PDS (Pre Delivery Service)
- * New XC90(16-), V60CC and S60L added

DESCRIPTION:

Information about valid SW partnumbers to order SW for "PDS"

SERVICE:

S80(-06)/V70(-08)/XC70(-08)/XC90/S60(-09):

SERVICE 2.0: 8691415

*PDS upgrade CAN: 30745957

S40(04-)/V50/C30/C70:

SERVICE 2.0: 8691433

*PDS upgrade CAN: 8691445

S80(07-)/V70(08-)/XC70

SERVICE 2.0: 30775482

*PDS upgrade CAN: 30775478

S60(11-)/V60/V60CC/XC60/S60I/S60CC

SERVICE 2.0: 31295479

*PDS upgrade CAN: 31295477

New XC90(16-)

SERVICE 2.0: 31438124 *PDS upgrade: 31438126

S90/V90(17-)

SERVICE 2.0: 31654143 *PDS upgrade: 31654152

Page 2 of 19 2016-06-15



Please observe!

- 1) Non-Volvo SW such as engine management SW provided by the aftermarket will be overwritten when updating.
- 2) Certain customer specified settings will be reset back to default values after a SWDL. These settings include:
 - Personal settings contained in the ICM (infotainment control module) menu. -settings accomplished via VIDA: *diagnostics / vehicle communication / node xxx / advanced*. These settings are referred to as "block offsets"
 - Seat and mirror memory positions and the clock.

At every service opportunity and with the customer's permission download the appropriate Software Product in the above chart.

The procedure shall be as follows:

- 1) Read out and record the customer settings and block offset values. A checklist for each platform type has been provided in the attachments. .
- 2) Download the appropriate Software Product in the above chart.
- 3) Restore the customer settings and block offset values read out in step 1 above.
- 4) Perform any initializations as normally required after a SWDL such as windows, sunroof, etc... VIDA will typically provide a "pop up" message when these are required.
- 5) Reset the Clock and the customer's radio presets as necesary.

NOTE:

- Some 5 seater XC90 (P2) vehicles may have DTCs present in the SRS control unit after the above procedure. To correct this, configure the 'number of seats' using the Diagnostics->Vehicle Communication->SRS->Advanced tab in VIDA (example attached).
- The software products listed above are not eligible for warranty use unless specifically stated elsewhere.
- The software products listed above are not to be used to perform a repair, or in conjunction with a component replacement or as a substitute for a "reload" unless specifically stated elsewhere.
- The software products above are only available to authorized Volvo retailers.
- The above software products should not be loaded within a week of a planned or needed state vehicle inspection as they may reset the readiness flags in the ECM.

2016-06-15 Page 3 of 19



- Cars equipped with Forward Looking Radar (FLR) built prior to 2010w20 will need to be calibrated according to the following procedure:

The alignment will complete more quickly if more suitable targets are seen. Measurement will only take place if certain conditions are fulfilled, so to minimize the time for alignment drive, the vehicle should be driven following the recommendations below when it is safe to do so. Always obey local traffic laws and speed limits.

- Vehicle speed above 30mph
- Keep relatively constant speed. Accelerations or decelerations will cause the process to take a longer time.
- Choose a road with plenty of stationary objects beside it. Use an inner or outside lane.
- A straight road will produce a quicker and better result. Drive as straight as possible.
- Following vehicles too closely will obscure the stationary targets from the FLR. Try to keep at least 10 vehicle lengths to the closest vehicle in front.
- Avoid turning the engine off until alignment is completed. Turning the engine off will cause the target counter to start from zero in the next driving cycle.
- Do not drive when there may be a detection problem for the radar (FLR), i.e. during wet snowfall or heavy rain.

If you use the FLR calibration method, then use this operation: 36108, 0.2 hrs


VEHICLE REPORT:

Yes, please submit a Vehicle Report if the service solution described in this TJ has no effect. Use concern area "Vehicle Report" and sub concern area "Support needed", use function group 3600

To view TJ attachment continue to next page. This TJ has six attachments.

Page 4 of 19 2016-06-15





2016-06-15 Page 5 of 19

Main Menu:				
In FM mode 1 Radio text 2 HD radio 3 Audio settings In AM mode 1 HD radio 2 Audio settings	In Sirius Mode 1 Add song 2 Direct ch entry 3 Radio text 5 Song seek 6 Adv. settings 7 Audio settings	In AUX mode 1 AUX input 2 Audio setti	volume 🕨	In USB mode 1 Playlist 2 Random 3 Track info 4 Audio Settings
IMPORTANT NOTE: Not	all vehicles will hav	e all of these feature	es as some a	re optional!!
An "X" in a box indicates	s "on/selected" a "b	lank" box indicate "o	off/not selec	ted"
AM Menu	1 Audio Settings	1 Equalizer front 2 Equalizer rear 3 Auto volume col 4 Reset all	ntrol •	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
AM Preset stations	2 2 3 4 5 5 7 7	•		
FM menu	1 Radio text 2 Audio settings	1 Equalizer front 2 Equalizer rear 3 Auto volume col 4 Reset all	ntrol •	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
FM Preset stations	2 2 3 4 5 5 7 7	dio station presets Presets	1 2 3 4 5 6 7 8 9	FM 2 Presets

XC90

XC90				page 2
CD settings ▶ 1 Random □ 2 Disc text □				_
3 Audio settings ▶		1. CD Surround	•	1 Pro Logic II 2 3-channel 3 Off
		 Front Equalizer Rear Equalizer Reset all 	>	60 200 1K 3K 12K 60 200 1K 3K 12K
Sirius settings ▶ 1 Add song				
2 Direct ch entry				
3 Radio text ▶		1 Program title		
		2 Artist		
		4 Off		
4 Song seek 5 Adv. Settings		1 Cong momory		(liete past songs played)
5 Adv. Settings		1 Song memory 2 Skip options	•	(lists past songs played) 1 Ch ship list
			•	2 Unskip all ch
		2 Look ontions	•	3 Temp unskip all 1 Ch lock list
		3 Lock options		2 Unlock all
				3 Temp unlock all
		4 Cinico ID		4 Change code
6 Audio settings	•	4 Sirius ID 1 Sirius surround	<u> </u>	(reads your ID) 1 Pro Logic II
• • • • • • • • • • • • • • • • • • •				2 3-channel
		O Frank Favoriinan		3 Off
		2 Front Equalizer 3 Rear Equalizer		60 200 1K 3K 12K 60 200 1K 3K 12K
		4 Reset all		
AUX settings		(sliding scale from mid wi	th.	
1 AUX input volume		adjust to high or low)	uı	
2 Audio settings	•	1 AUX Surround		1 Dolby ProLogic II
				2 3 channel
		2 Front Equalizer	•	60 200 1K 3K 12K
		3 Rear Equalizer	•	60 200 1K 3K 12K
USB Settings ▶		4 Reset all		
1 Playlist				
2 Random		1 Off		
		2 Folder 3 All	님	
3 Track info		3 All	ш	
4 Audio settings	•	1 USB Surround	•	1 Dolby ProLogic II
		2 Front Equalizer	•	60 200 1K 3K 12K
		3 Rear Equalizer		60 200 1K 3K 12K
Automatic Locking		4 Reset all	(cha	nged by customer using "READ" button)
Follow me home light	t ▶		, 5.10	(changed by retailer with software)
		30 seconds		
		60 seconds 90 seconds		

XC90 page 3

XC90 block offsets

The following settings are accomplished with VIDA/Vehicle communication/Node XXX/advanced					
CEM	Value				
1. Home safe light					
2. Daytime running lamps					
3. Tailgate wiper (5 door models)					
4. Time delay, locking the fuel tank filler cover					
5. Warning for low beam position (Bi-Xenon).					
6.Programming of 3 flash sequence					
UEM					
Length of time for courtesy lighting					
2. Amount of dimmer for inner rear-view mirror.					
DDM					
Programming the remote control setting (seat memory off/on)					
CCM					
Afterblow					
Floor and defroster air distribution, residual heat.					
Setting seat heater temp.					
PSM					
seat and mirror memory off/on					

P3 - Sensus Vehicles S60, XC60 (2010wk46 -)							
"My Car" Menu:							
My S60 1 DSTC 2 City Safety 3 Driver Alert 4 Collision Warni 5 Active Bending							
			l	II of these feetones a			
				ill of these features a nk" box indicate "off/r			
Settings	<u> </u>	Car settings	<u> </u>	Car Key Memory			
		Lock Settings	•	Auto Door Locking Doors Unlock	□	All Driver Door then All	
				Keyless	•	All Doors Unlock Any Door Doors on Same Side Both Front Doors	
		Side Mirror Settings	•	Fold Mirrors (at Lock) Tilt Left Mirror (Reverse) Tilt Right Mirror (Reverse)			
		Light Settings	•	Door lock Confirm Light Door Unlock Confirm Ligh	nt 🗌		
				Approach Light Duration		off	
				Homesafe Light Duration		off	
				Trip Indicator Daytime Running Lights Active Bending lights		30 Sec	
		Steering Wheel Force	•	Low Medium High			

P3 - Sensus Veh	icles S60, XC60 (20	10wk46 -)	page 2
		Collision Warning [Warning Distance Warning Sound [Long
		Lane Departure Warning DSTC City Safety BLIS Distance Alert Driver Alert [Lane Departure Warning On at Start-up Increased Sensitivity
	System Options	Time (Clock Set) Time Format Screensaver [Language note here Show Help text [Distance and Fuel Units Temperature Unit	12h
	NOTE position of scale ->	Volume Levels	Voice Output Volume Front Part Assist Volume Rear Part Assist Volume Phone Ringing Volume
Audio settings AM Preset stations 1 2 3 4 5 6 7 8 9 0	Record customer AM radio station AM 1 Presets		

P3 - Sensus Ve	hicles S60, XC60 (20	010wk46 -)	page 3
5 6 7 8	3 4 5 5 7		
	Sound stage Equalizer front Equalizer rear Volume Compensation	Front seat	
Climate Settings ▶	Automatic Blower Adjustment Recirculation Timer Automatic Rear Defrost Interior Air Quality System	Normal High Low	
Favorites	Radio	AM Favorites FM Favorites Sirius Favorites	No Function Scan Show Presets Equalizer No Function Scan Show Presets Equalizer No Function Scan Show Presets Scan Scan Scan Scan Show Add Songs Song Seek Equalizer

P3 - Sensus Veh	icles S60,	XC60 (20	010wk46 -)		page 4	
	Media	•	Audio CD Favorites	•	No Function Random Scan Equalizer	
			Data CD/DVD Favorites	•	No Function Random Repeat Folder Change Subtitle Change Audio Track Scan Equalizer	
			Video DVD Favorites ▶	•	No Function Play/Pause/Continue Subtitles Audio Tracks Equalizer	
			iPod Favorites ▶	•	No Function Random Scan Equalizer	
			USB Favorites	•	No Function Random Repeat Folder Change Subtitle Change Audio Track Scan Equalizer	
			Bluetooth Favorites	•	No Function Random Scan Equalizer	
			Aux Favorites	•	No Function Equalizer	
	Nav	•	No Function Repeat Voice Guidance Pause/Resume Guidance Next Destination Current Position			

P3 - S80 (2007 -)	~ V70, XC70 (200	8 -) ~ XC60 (- 20	010 wk46)
In FM mode 1 HD radio 2 FM settings 3 Audio settings 4 Car key memory 5 Car settings 6 Climate settings In AM mode 1 HD radio 2 Audio settings 4 Car key memory 4 Car settings 5 Climate settings	In Sirius Mode 1 Add song to memory 2 Direct channel entry 3 Select category 4 SIRIUS radio text 5 Song seek 6 Sirius settings 7 Audio settings 8 Car key memory 9 Car settings 10 Climate settings	In AUX mode 1 AUX input volume 2 Audio settings 3 Car key memory 4 Car settings 5 Climate settings In CD mode 1 Random 2 CD settings 3 Audio settings 4 Car key memory 5 Car settings 6 Climate settings	In USB mode 1 Random 2 USB settings 3 Audio settings 4 Car key memory 5 Car settings 6 Climate settings

IMPORTANT NOTE: Not all vehicles will have all of these features as some are optional!!

An "X" in a box indicates "on/selected" a "blank" box indicate "off/not selected"

AM Preset stations 1 2 3 4 5 6 7 8 9			
FM Preset stations 1 2 3 4 5 6 7 8 9			FM 2 Presets
FM settings ▶	Radio text		
Audio settings	Sound stage Equalizer front Equalizer rear	Front seat	

P3 - S80 (2	007 -) ~ V70, XC70 (2	200	8-) ~ XC60(-	20	10 wk46) page 2	
Car settings	•	Door mirror settings	•	Fold mirror when locking Auto tilt left mirror Auto tilt right mirror			
		Driver Alert On					
		Collision Warning Settings	•	Collision Warning On Warning Sound Warning Distance	□	Long Normal Short	
		Light settings		Lock confirmation light Unlock confirmation light Turn signal 3-flash Daytime running light Approach light duration Active bending light Home safe light duration	□ □ □ ▶	Off	
						60 sec	
		Lock settings	•	Doors automatic lock Doors unlock ▶		All doors Drivers door, then all	
				Keyless entry		All doors unlock Door by door Doors on same side Both front doors	
		Lane Departure Warning	•	On @ Start Up			
		Steering force level	•	Low Medium High			
		Parking Camera Settings	•	Parking assist lines Distance Bars System Activation		Automatic Always On Off	
		5 Unit settings	•	Temperature unit ▶			
				Time format ▶		12 hours 24 hours	
				Trip car unit ▶		US std (US default) UK std Metric system km/l Metric system 1/100 km (Canada default 1/100km)	
				Reset all units			

P3 - S80 (2	007 -) ~ V70, XC70 (2	200	8-)	~ XC60	(- 20	10 wk46)	page 3
Climate settings	•	Auto fan adjust	•	Low Normal				
		Recirculation time Auto rear defroster Seat heat time out Seat heat off @ start Reset climate settings		High				
Sirius radio text	•	Program title Artist Composer Off						
Sirius settings	•	Song memory Skip options Lock option Sirius ID						
CD settings ▶		Track information						

Example of P3 (non-Sensus) block offsets

	in Jonean, widow onloo			
The following settings are accomplished with VIDA/Vehicle communication/Node XXX/advanced				
"block offsets"	Value (on/off)			
Climate Control				
Seat heating.				
Seat ventilation.				
Time setting seat heating				

P2 - S80 (1999	- 2006), S60 (2001 - 200	9) V70, XC70 (20	01 - 2007)
AM Preset stations	Record customer AM radio station AM 1 Presets	n presets	
	2 3		
	4		
	5		
	6		
	8		
	9		
	0		
FM Preset stations	Record customer FM radio station FM 1 Presets	presets	FM 2 Presets
	1	1	FIVI Z FIESEIS
	2	2	
	3	3	
	4	4	
	5	5	
	6 7	6 7	
	8	8	
	9	9	
	0	0	
P2 block offsets The following setting	gs are accomplished with VIDA/Veh	nicle communication/No	de XXX/advanced
CEM	-		Value
1. Home safe light			
2. Daytime running lamp			
 Tailgate wiper (5 door Time delay, locking th 			
5. Warning for low beam			
6.Programming of 3 flas	, ,		
UEM	ertooy lighting		
 Length of time for cou Amount of dimmer for 			
DDM			
DDM Programming the remote	e control setting (seat memory off/on)		
i rogiamining the remote	o control county (seat memory on/on)		
ССМ			
Afterblow			
Floor and defroster air d			
Setting seat heater temp).		
PSM			
seat and mirror memory	off/on		

Page 1

M	ain	M	eni	ı

·
Radio mode
1 FM (or AM)
2 HD radio
3 Clock adjust
4 Climate settings
5 Car settings
=

When in other mode
1 Sirius or CD/AUX/USB/Phone
2 Clock adjust
3 Climate settings
4 Car settings

IMPORTANT NOTE: Not all vehicles will have all of these features as some are optional!!

An "X" in a box indicates "on/selected" a "blank" box indicate "off/not selected"

		e control ▶ 1 Low	
AM 1 2 3 4 5 6 7 8 9	I radio station presets		
1 Radio text 2 Audio settings	2 Equalizer re	ear 61 200 1K e control 1 Low	3K 12K □
FM 1 2 3 4 5 6 7 8 9		1	FM 2 Presets
	AM 1 2 3 4 5 6 7 8 9 0 1 Radio text	A Reset all Record customer AM radio station presets AM 1 Presets	Record customer AM radio station presets

P1 - C30, C70,	S40, V50 (2004 -)		Page 2
CD Menu	1 Random ☐ 2 Disc text ☐ 3 Audio settings ▶	1 Equalizer front 2 Equalizer rear 3 Auto volume control ▶ 4 Reset all	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
AUX Menu	1 Aux input volume 2 Audio settings ▶	Volume bar 1 Equalizer front 2 Equalizer rear 3 Auto volume control 4 Reset all	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
USB Menu	1 Playlist 2 Random 3 Track Information 2 Audio settings	1 Off	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
SIRIUS Menu	1 Add song to memory 2 Direct channel 3 Select Category 4 Sirius Radio Text	1 Program title 2 Artist 3 Composer 4 Off 1 Song memory 2 Skip Options 3 Lock Options 4 Sirius ID 1 Equalizer front 2 Equalizer rear 3 Auto volume control 4 Reset all	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
Clock Adjust	Settings clock menu		
Climate settings	1 Auto fan adjust 2 Recirculation timer 3 Reset all	1 Low	

P1 - C30, C70, S40, V50 (2004 -) Page 3							
Car settings	1 Light Settings ▶	1 Lock confirm light 2 Unlock confirm light					
		3 Approach light duration ▶	30				
		4 Home Safe light duration ▶	30				
	2 Lock Settings	1 Doors auto lock ☐ 2 Doors unlock ▶	1 All doors				
		Keyless entry ▶	1 All doors 2 Doors on same side 3 Both front doors 4 Either front door				
	3 Auto open all windows Mirror fold on locking (BLIS only)		. 2				

Example of P1 block offsets

The following settings are accomplished with VIDA/Vehicle communication/Node XXX/advanced	
СЕМ	Value
Programming of global opening of windows (market dependent)	
Programming of rear window wiper when reversing	
Setting clock deviation	
DIM	
Unit for temperature	
Trip computer unit	
12 or 24 hour display on the clock	
Parking brake warning On/Off	
Audible acknowledgement signal, seat belt reminder On/Off.	
Programming seatbelt reminder in backseat	
Programming of triggering conditions for audible signal, seatbelt reminder	
Instrument lighting at unlocking Activated/Not activated	
CCM	
Programming the seat temperature	
PSL	
Seat memory on/off	