VOLVO CAR SERVICE AND PARTS BUSINESS



Technical Journal

TITLE: ASDM Fault Tracing

REF NO:	ISSUING DEPARTMENT:	CAR MARKET:		
TJ 31514.1.0	Technical Service	United States and Canada		
3 US 7	PARTNER:	ISSUE DATE:	STATUS DATE:	
	2510 Volvo Car USA	2016-07-01	2016-07-06	
FUNC GROUP: 3872	FUNC DESC: Collision avoidance	Page	1 of 3	

"Right first time in Time"

Attachment

File Name	File Size	
TJ 31514.jpg	0.1680 MB	

Vehicle Type

Туре	Eng Desc	Sales	Body	Gear	Steer	Model Year	Plant	Chassis range	Struc Week Range
234						2017-9999		0000001-09999999	201617-999952
235						2017-9999		0000001-09999999	201624-999952
256						2016-9999		0000001-09999999	201505-999952

CSC Customer Symptom Codes

Code	Description			
AQ	Cruise control/Does not engage			
IV	Text window and warning symbol/Text message			

VST Operation Number

DTC Diagnostic Trouble Codes



Text

DESCRIPTION:

ASDM = Active Safety Domain Master

To prevent unnecessary replacements of ASDM and as a troubleshooting aid for the Intellisafe system, please follow the advice under Service before replacing an ASDM.

SERVICE:

- 1. DTCs related to lost/interrupted/corrupt communication with other nodes do not require ASDM replacement (see <u>TJ 31514.jpg</u>). Fault trace according to VIDA.
- 2. Customer complaints related to functions with no DTC's rarely require ASDM replacement. Fault trace according to VIDA.
- 3. DTC U300087 Internal communication fault, follow TJ 30836 and TJ 31543.
- 4. Follow VIDA instructions for DTCs indicating an internal fault, such as:
 - C1A6796 –Internal radar
 - C100193 Internal camera
 - U300044/45/46/47/49 Internal fault
- 5. DIM message "Windscreen sensors blocked see manual"
 - Make sure that the windscreen is clean in the ASDM area.
 - C1A6797 Radar blocked, follow TJ 31543.
 - C100197 Camera blocked, follow VIDA instructions.
- 6. ASDM cooling fan:
 - DTCs related to the ASDM fan do not require ASDM replacement.
 - DTC C100C15/C100C11 should be fault traced according to VIDA, other fan related DTCs can be disregarded.
- 7. When performing an ASDM calibration:
 - It is important to meet all the conditions described in VIDA.
 - It may occasionally take more than one attempt to perform a successful calibration.

VEHICLE REPORT:

Yes, please submit a Vehicle Report if the service solution described in this TJ has no effect. Use concern area "Vehicle Report" and sub concern area "Support not needed", use function group 3872.

o view TJ attachment continue to next page. This TJ has one attachment.



FAULT IDENTIFICATION				
DTC	Description			
U010000	Lost Communication			
U012600	Lost Communication			
U013100	Lost Communication			
U014000	Lost Communication			
U015100	Lost Communication			
U015500	Lost Communication			
U023200	Lost Communication			
U023300	Lost Communication			
U101000	Lost Communication			
U101300	Lost Communication			
U101400	Lost Communication			
U101500	Lost Communication			
U110E00	Interrupted			
U111600	Interrupted			
U111700	Interrupted			
U111900	Interrupted			
U111A00	Interrupted			
U112500	Interrupted			
U2C4481	Invalid Data Received			
U2C4581	Invalid Data Received			
U2C4681	Invalid Data Received			
U2C4781	Invalid Data Received			
U2C4981	Invalid Data Received			
U2C4A81	Invalid Data Received			
U2C4B81	Invalid Data Received			
U2C4C81	Invalid Data Received			
U2C4D81	Invalid Data Received			
U2C4E81	Invalid Data Received			
U2C5081	Invalid Data Received			

FAULT IDENTIFICATION				
DTC	Description			
U2C5181	Invalid Data Received			
U2C5281	Invalid Data Received			
U2C5581	Invalid Data Received			
U2C5681	Invalid Data Received			
U2C5881	Invalid Data Received			
U2C6092	Invalid Data Received			
U2C6192	Invalid Data Received			
U2C6292	Invalid Data Received			
U2C6792	Invalid Data Received			
U2C6892	Invalid Data Received			
U2C6992	Invalid Data Received			
U2C6C92	Invalid Data Received			
U2C6D92	Invalid Data Received			
U2C6E92	Invalid Data Received			
U2C7092	Invalid Data Received			
U2C7192	Invalid Data Received			
U2C7292	Invalid Data Received			
U2C7392	Invalid Data Received			
U2C8292	Invalid Data Received			
U2C8C92	Invalid Data Received			
U2C8D92	Invalid Data Received			
U2D4483	Corrupted Data			
U2D5783	Corrupted Data			
U2D5C83	Corrupted Data			
C100C71	Fan Module Mechanical Failures Actuator stuck			

