



PARTS ALERT

NEW! DPF CLEANING EQUIPMENT BY FSX

FSX manufactures a complete line of diesel particulate filter cleaning machinery using state-of-the-art technology. Utilizing FSX DPF cleaners assures that the user will get the maximum overall life out of the DPF or DOC.

4% OFF DNP On All FSX Products!

Also, free accessories on qualifying orders!



Why Invest in DPF Cleaning Equipment?

- ✓ If you're looking for a way to add services and options to your preventive maintenance catalog, consider adding DPF cleaning. It's a short repair that can go a long way toward helping your customers.
- ✓ Don't send your diesel particulate filter (DPF) cleaning business down the street to your competitor. Invest in an FSX DPF cleaning system and add thousands of dollars to your bottom line.

Sale Expires: 12-31-2016

TO:

Dealer Principals
Parts Managers
General Managers
Parts Sales

BULLETIN: PA-2016-049
DATE: 10-24-2016
EXP: 12-31-2016

Order Details:

- Simply place your FSX order in DCS and receive discount off DNP
- All standard part numbers are carried over with a prefix of "FX-"
- See FSX QR guide for all details
- See all FSX products via FSX website: [FSX Website](#)
- See the [FSX DPF Cleaning Equipment Video](#)
- Verify OEM standards on DPF cleaning with FSX & OEM

Hino Trucks reserves the right to make changes, including change in price, content, description, terms, time period, etc. at any time without notice.



Hino Trucks National PDC
Phone: (866) 372-4466 | Fax: (662) 342-5151
E-Mail: helpdesk@hino.com





A Toyota Group Company

FREE ACCESSORIES

WITH PURCHASE OF A COMPLETE DPF CLEANING SYSTEM



DPF CLEANING BANNER

Part #79-10X105

TRAPTONGS

Part #79-10B118



CURVED NOZZLE SET

Part #79-10X115



35" Filter Rack

Part #79-10B136

TRAPBURNER EXPANSION



4 1/2"

Extension Ring

Part #79-10B132

\$1,625 VALUE

OUR SPECIAL

When you purchase a complete FSX DPF Cleaning System*, we will include a Filter Rack, Extension Ring, TrapTongs, Curved Nozzle Set, and a "DPF Cleaning Here" Banner; a \$1,625 value.

ELIGIBILITY

Hino dealers are eligible for this promotion.

Call FSX at 360-691-2999 or email sales@fsxinc.com and mention this promotion

LIMITED TIME

Orders must be placed before 5:00pm PST on Dec. 31st 2016 to qualify.

*A Complete DPF Cleaning System includes our TrapBlaster, SootSucker, TrapTester and TrapBurner.



WWW.FSXINC.COM

SALES@FSXINC.COM | 360-691-2999

DIESEL PARTICULATE FILTER CLEANING EQUIPMENT



Supplier:

FSX Equipment Inc

Supplier Information	FSX designs and manufactures a complete line of diesel particulate filter cleaning machinery using state-of-the-art technology. Utilizing FSX DPF cleaners assures that the user will get the maximum life possible between cleanings, plus maximize the overall life of the DPF or DOC.
Customer Service & Technical Support	Hino Parts Support Phone: 866-372-4466 Hino Parts Support Email: helpdesk@hino.com Hino Parts Support Fax: 662-342-3939 FSX Equipment, Inc Phone: 360-691-2999 FSX Equipment, Inc Email: sales@fsxinc.com FSX Equipment, Inc Web: www.fsxinc.com FSX Equipment, Inc Fax: 360-691-5991
Order Procedures:	All orders are to be placed through the Hino Dealer Connect System (DCS). For special orders or for customer support contact Supplier directly via phone number.
Stock Orders	Enter orders in DCS Screen DC202 under Sales Type "S". All direct ship (DS Orders) items will be shipped from a local Supplier PDC.
Emergency Orders	Emergency orders (EM) may be entered into DCS screen DC202 as a Sales Type "E" or "V". All emergency orders will be processed with a "rush" order. Freight and Handling fees will be identified on the Hino invoice.
Minimum Order Quantity	There is no minimum order requirement on emergency or stock orders.
Freight Policy:	Shipments will be prepaid and added to a separate invoice to the dealers. Contact the supplier for a freight quote. All orders are shipped from Granite Falls, WA unless otherwise specified. All orders will be shipped via the most efficient method.
Free Freight Policy:	All orders will include freight charges regardless of order size, no minimum order quantity.
Order Fulfillment Policy:	Lead time on machine orders can vary from 4 to 6 weeks in most cases. Parts are in stock and usually ship the same day or next day.
Part Number Pricing:	Pricing will be available on-line in the Hino DCS system. In addition, the prices will be forwarded to your service bureaus within two weeks of each pricing update.
Format:	Standard Part numbers are directly carried over with the prefix "FX-"
Mega Fleet:	All-Makes parts are not included in the Hino Mega Fleet pricing file but should be sold to Mega Fleet customers and filed as Miscellaneous Items in Corcentric when submitting for reimbursement.
Warranty:	One year parts only warranty. Contact supplier for copy of warranty statement.
Returns:	Contact Supplier directly to obtain a Return Goods Authorization code by phone number or email address listed above. All returned items MUST have prior approval and the Return Goods Authorization (RGA) marked on the outside of the box. RGAs have an expiration date of sixty (60) days; after sixty (60) days the return will become null and void. All returns are subject to a 25% or greater restocking fee. Will not authorize any returns that are not properly packaged or in the original packaging. No credit will be issued for product that has been damaged, altered, or installed on equipment. The customer is responsible for all freight charges on the returned merchandise. Special order items or non stock items are not returnable.
Shipping Inspection and Damaged Product:	All merchandise should be inspected upon arrival and carrier damage claims should be filed with the carrier immediately. We are not responsible for, nor are we in a position to make a claim after the freight carrier accepts the shipment from us. For excess stock returns, contact the Supplier directly.
Supplier Cross Reference Web Site:	www.fsxinc.com
Conclusion:	The FSX DPF Cleaning System has been proven to substantially increase service and parts revenue by providing high quality DPF cleaning to your fleet customers. The system pays for itself in less than a year with just one DPF cleaning per day, 5 per week. Most dealers achieve an ROI in 7-9 months. As of the beginning of 2016, there are approximately 4 million DPFs in North America and growing.

FSX DPF Cleaning Equipment Packages & Part Numbers

FSX Complete Cleaning System Package



FX-BP-PT100115

This package contains all of the state of the art equipment for cleaning DPF's.

- ✓ TrapBlaster Pneumatic Cleaner
- ✓ TrapTester Air Flow Test Bench
- ✓ TrapBurner Thermal Cleaner
- ✓ SootSucker Dust Collector

FSX Basic Cleaning System Package



FX-BP-PP100115

The basic cleaning system package includes the following:

- ✓ TrapBlaster Pneumatic Cleaner
- ✓ TrapTester Air Flow Test Bench
- ✓ SootSucker Dust Collector

FSX DPF Cleaning Equipment Packages & Part Numbers



FX-TBL0707SG-A1A

FSX TrapBlaster Pneumatic DPF Cleaner

The TrapBlaster™ supports two modes of operation:

FullAir mode - 120 CFM/100 PSI of dry air delivered to the TrapBlaster running Full Air Mode. Usually this can be accomplished using a 30 to 40 HP air compressor depending on air compressor manufacturer, air dryer used, pipe configuration and altitude.

AirSaver mode - For lower volume shops get your filters "FSX Clean" with a minimum of 60 CFM/ 100 PSI of dry air delivered to the TrapBlaster, typically with a 20hp or greater compressor. AirSaver mode has been certified to clean filters just as well as FullAir mode. With a smaller air supply and alternating upper and lower air blast nozzles, the same level of cleaning is performed by extending the process time.



FSX TrapTester Air Flow Test Bench

- Calibrated specifically for precision measuring of air flows on DPF
- Before and after measurements ensure warranty compliance.
- Used by engine and truck OEMs as the standardized test bench.
- Identify defective filters.
- Monitor filter performance and improvement at every stage of the cleaning process.
- Handles almost any filter.

TrapTester 480V FX-TTS0707SD-C3A

TrapTester 208-240V FX-TTS0707SD-B3A

TrapTester 575V FX-TTS0707SD-H3A

FSX DPF Cleaning Equipment Packages & Part Numbers

FSX TrapBurner Low – Medium Volume Thermal DPF Regenerator



1 OUT OF 8 FILTERS

Due to the effectiveness of our pneumatic cleaning program, only 1 out of 8 filters require a thermal regeneration to burn off any remaining soot deeply set in the ceramic cell walls.

CONTROLLED REGENERATION

Our thermal process uses ambient air while heating. Carefully programmed to deliver just the right amount of heat. No air being pumped though the filter reduces the risk of cracking the filter or causing thermal stress.

100% of soot is burned off during the thermal regeneration in the TrapBlaster.

TrapBurner for 1 DPF 480V*	FX-TBR3608SD-C3B
TrapBurner for 1 DPF 208-240V*	FX-TBR3608SD-B3B
TrapBurner for 3 DPF 480V ¹	FX-TBR4008SD-C3B
TrapBurner for 3 DPF 208/240V ¹	FX-TBR4008SD-B3B
TrapBurner for 4 DPF 480V ²	FX-TBR1010SB-C3B
TrapBurner for 4 DPF 220-240V ²	FX-TBR1010SB-K3B
TrapBurner for 4 DPF 208V ²	FX-TBR1010SB-J3B



FSX SootSucker Dust Collector

Captures diesel particulate released from Diesel Particulate Filters (DPF) being cleaned using the FSX TrapBlaster™ Pneumatic Cleaner

Automatic online self-cleaning cycle pulses dust out of internal filters to drop into the bottom Quick-Release Bucket™ while operating.

Two stage filtration

Duct connection and air jumper hose included to connect to the TrapBlaster™ Pneumatic Cleaner.

Only for use with the FSX TrapBlaster™ Pneumatic Cleaner.

SootSucker 480V	FX-SSK0208SB-C3A
SootSucker 220-240V	FX-SSK0208SB-K3A
SootSucker 208V	FX-SSK0208SB-J3A
SootSucker 575V	FX-SSK0208SB-H3A
SootSucker primary filter	FX-10-284542

FSX DPF Cleaning Equipment Packages & Part Numbers

Hino Part Number	Full Part Description	% OFF DNP
FX-BP-PP100115	Base Pkg-all except TrapBurner	4%
FX-BP-PT100115	Extended Pkg- 4 machine system	4%
FX-BP-PU10V575	575V Upgrade	4%
FX-TBL0707SG-A1A	TrapBlaster 115V	4%
FX-TBR3608SD-C3B	TrapBurner for 1 DPF 480V*	4%
FX-TBR3608SD-B3B	TrapBurner for 1 DPF 208-240V*	4%
FX-79-10B136	*Rack for increasing extra DPF	4%
FX-TBR4008SD-C3B	TrapBurner for 3 DPF 480V ¹	4%
FX-TBR4008SD-B3B	TrapBurner for 3 DPF 208/240V ¹	4%
FX-79-10B136	¹ Need this Rack to fit 3 DPF	4%
FX-TBR1010SB-C3B	TrapBurner for 4 DPF 480V ²	4%
FX-TBR1010SB-K3B	TrapBurner for 4 DPF 220-240V ²	4%
FX-TBR1010SB-J3B	TrapBurner for 4 DPF 208V ²	4%
FX-79-10B141	Need this Rack to fit 4 DPF ²	4%
FX-TTS0707SD-C3A	TrapTester 480V	4%
FX-TTS0707SD-B3A	TrapTester 208-240V	4%
FX-TTS0707SD-H3A	TrapTester 575V	4%
FX-SSK0208SB-C3A	SootSucker 480V	4%
FX-SSK0208SB-K3A	SootSucker 220-240V	4%
FX-SSK0208SB-J3A	SootSucker 208V	4%
FX-SSK0208SB-H3A	SootSucker 575V	4%
FX-79-10B118	TrapTongs	4%
FX-79-10B132	4.5" Ext. Ring for TrapBurner	4%
FX-79-10B136	35" Filter Rack for TrapBurner	4%
FX-10-284542	SootSucker primary filter	4%
FX-10-500110	HEPA filter, SootSucker	4%
FX-15-100201	Closed-end DOC Adaptor Plate	4%
FX-15-100207	Kubota Oval DPF Adaptor Plate	4%
FX-79-10X105	DPF Cleaning Banner	4%
FX-79-10X110	Inspection Charts (2 per set)	4%
FX-79-10X115	Curved Nozzles (2 per set)	4%
FX-79-10A101-wse	30HP Air Comp w/enclosure 575V	4%
FX-79-10A102-wse	30HP Air Comp w/enclosure 480V	4%
FX-79-10A103-wse	30HP Air Comp w/enclosure 230V	4%
FX-79-10A104-wse	30HP Air Comp w/enclosure 208V	4%
FX-79-10A101-nse	30HP Air Comp 575V	4%
FX-79-10A102-nse	30HP Air Comp 480V	4%
FX-79-10A103-nse	30HP Air Comp 230V	4%
FX-79-10A104-nse	30HP Air Comp 208V	4%