



PARTS ALERT



SAVE UP TO 10% OFF ON SNOW PLOW LIGHTS & HARNESSES FROM TRUCK-LITE

Over sixty years of innovation has established Truck-Lite as a globally recognized brand, trusted by users from the largest fleets to smaller owner-operators.



Now thru December 31st save up to 10% off on Truck-Lite Snow Plow Lights and Harnesses

Details:

- Promotional Pricing ends **12/31/16**
- Part #'s carry over without prefixes
- See following list of qualifying part #'s
- Order using Hino DCS
- Contact your Hino DPM for assistance

Check out the completely re designed website:

<http://www.truck-lite.com/>

Complete 2016 catalog:

<http://www.truck-lite.com/content/sites/default/files/pictures/Downloads/2016%20Truck-Lite%20Full%20Line%20Catalog.pdf>

TO:

Dealer Principals
Parts Managers
General Managers
Parts Sales

BULLETIN: PA-2016-088
DATE: Now
EXP: 12/31/16

Hino Trucks reserves the right to make changes, including change in price, content, description, terms, time period, etc. at any time without notice.



Hino Trucks National PDC
Phone: (866) 372-4466 | Fax: (662) 342-5151
E-Mail: helpdesk@hino.com



PARTS ALERT

Eligible part #'s for discount

Part #	Description
130	SNOW PLOW LAMP SWITCH
644WK	LMP KIT-SNOWPLOW-LOW PROFILE
645WK	LMP KIT-SNOWPLOW-LOW PROFILE
80800	UNIV SNOW PLOW / ATL LIGHTS
80800-3	UNIV SNOW PLOW / ATL LIGHTS
80800-P	UNIV SNOW PLOW / ATL LIGHTS
80804	REPLACEMENT SWITCH FOR SNOW PL
80805	UNIVERSAL SNOW PLOW LAMP KIT
80820	LIGHT ASSY RH
80830	UNIVERSAL SNOW PLOW HARNESS
80831	ECONOMY SNOW PLOW HARNESS
80839	ECONOMY SNOW PLOW HARNESS
80840	UNIVERSAL SNOW PLOW HARDWARE
80844	ECONOMY SNOW PLOW HARDWARE
80848	UNIVERSAL SNOW PLOW LH LAMP
80849	UNIVERSAL SNOW PLOW RH LAMP
80860	ECONOMY LH REPLACEMENT
80870	ECONOMY RH REPLACEMENT
80870-3	ECONOMY RH REPLACEMENT- BULK
80873	LED 5X7 SNOW PLOW HDLMP LH 12V
80874	LED 5X7 SNOW PLOW HDLMP RH 12V
80875	LED 5X7 SNOW PLOW HDLMP KIT
80878	LED HEADLAMP PH7 SNOWPLOW RH
80879	LED HEADLAMP PH7 SNOWPLOW LH
80880	LED SNOW PLOW & ATL LAMP KIT
80888	ECONOMY SNOW PLOW / ATL KIT
80888-3	ECONOMY SNOW PLOW / ATL KIT
80888-P	ECONOMY SNOW PLOW / ATL KIT
80893	UNIVERSAL SNOW PLOW / ATL KIT
80893-3	UNIVERSAL SNOW PLOW / ATL KIT
80893-P	UNIVERSAL SNOW PLOW / ATL KIT
80898	LED SNOWPLOW 5X7 HARNESS
80900	ATL-DRL LAMP KIT W/PE CON
80910	ATL-DRL LH DRIVER SIDE LAMP
80920	ATL-DRL RH PASSENGER SIDE LAMP
80930	ATL- DRL HARNESS
80976	DRL - ATL HB3/HB4 ADAPTER KIT
80988	LMP-LED HDLMP -PH7-HTD SNPL-RH
80989	LMP-LED HDLMP -PH7-HTD SNPL-LH
80990	HLMP-LED PH7 HTD -SNW PL KIT
08004	LMP-12V-2E1SB-H6545
27010	4INX6IN HEADLAMP
60354C	60 SER LED LOAD LT LMP -CLEAR
60700	60 SERIES
60703	60 SERIES COVER
80895	LMP-LH-ATL REFLECT HL-REPLT
80896	LMP-RH-ATL REFLECT HL-REPLT
80950	ADPT-LH-H9007-ATL
80951	ADPT-RH-H9007-ATL
80952	ADPT-LH-H9004-ATL
80953	ADPT-RH-H9004-ATL
80954	ADPT-LH-4166-H6545-ATL
80955	ADPT-RH-4166-H6545-ATL
80956	ADPT-LH-6014/52-H6024/14/54ATL
80957	ADPT-RH-6014/52-H6024/14/54ATL
80958	ADPT-LH-4651/2-H4651/56/62-ATL
80959	ADPT-RH-4651/2-H4651/56/62-ATL
80960	ADPT-LH-H4701-H4703-ATL
80961	ADPT-RH-H4701-H4703-ATL
80970	DRL- ATL HB5 ADAPTER KIT
80971	DRL- ATL HB4 ADAPTER KIT
80972	DRL- ATL 2E ADAPTER KIT
80973	DRL- ATL 2D/2B ADAPTER KIT
80974	DRL - ATL 1A/2A ADAPTER KIT
80975	DRL - ATL LF/UF ADAPTER KIT
94759	LED PL3 PIGTAIL

Supplier

Truck-Lite

Vendor Information

Truck-Lite is a market driven manufacturing company providing the highest quality lighting products and accessories to the transportation industry. A majority of the largest fleets in the U.S. specify Truck-Lite as standard equipment on their vehicles. We provide original equipment and aftermarket replacement parts.

Hino Parts Support Phone: (866) 372-4466

Hino Parts Support Email: helpdesk@hino.com

Hino Parts Support Fax: (662)-342-3939

Truck-Lite Phone: (800) 562-5012 or (716) 661-1162

Customer Service & Technical Support

Truck-Lite Email: customerservice@truck-lite.com

Truck-Lite Web: <http://www.truck-lite.com>

Technical Support Phone: (888) 562-5012

Technical Support Email: tltech@truck-lite.com

Truck-Lite Fax: (800) 685-6412 or (716) 665-4825

Truck-Lite downloads: <http://www.truck-lite.com/content/downloads>

Order Procedures:

All orders are to be placed through the Hino Dealer Connect System (DCS). For special orders or for customer support contact Vendor directly via phone number.

Stock Orders

Enter orders in DCS Screen DC202 under Sales Type "S". All direct ship items will be shipped from a local Vendor PDC.

Emergency Orders

Emergency orders may be entered into DCS screen DC202 as a Sales Type "E" or "V". All emergency orders will be processed with a "rush" order. Freight and Handling fees will be identified on the Hino invoice.

Minimum Order Quantity

There is no minimum order quantity requirement however MOQ to avoid a \$15 handling fee is \$75. To obtain free freight MOQ is \$185. (Exa. Order for \$100 dealer would pay freight, but no handling fee). Product must be ordered in standard carton quantity increments. Truck-Lite reserves the right to amend orders to comply with our standard carton quantity policy.

Freight Policy:

All C.O.D. orders and any customer requested air freight shipments are shipped freight collect. Backorders will be prepaid if the original order qualified for prepaid freight. Truck-Lite reserves the right to ship the best way by common carrier.

Free Freight Policy:

Orders over \$185.00 net invoice price are freight prepaid when shipped within the continental United States (with the exception of C.O.D. orders and any customer requested air freight shipments). Stock orders over \$400.00 net invoice price when shipped to Alaska, Hawaii and Puerto Rico are shipped freight prepaid. Backorders will be prepaid if the original order qualified for prepaid freight. Truck-Lite reserves the right to ship the best way by common carrier.

Order Fulfillment Policy:

The standard lead time for a regular stocked catalog items is 3-5 business days from date of order placement. Extended lead times may occur on non-stocked, non-catalog items contact supplier if you need further details on a specific part.

Part Number Pricing:

Pricing will be available on-line in the Hino DCS system. In addition, the prices will be forwarded to your service bureaus within two weeks of each pricing update. Prices, materials, and specifications are subject to change without notice. Orders will be processed at the net price in effect at the time of receipt of order.

Format:

Standard Part numbers are directly carried over; no prefix or suffix.

Mega Fleet:

All-Makes parts are not included in the Hino Mega Fleet pricing file but should be sold to Mega Fleet customers and filed as Miscellaneous Items in Corcentric when submitting for reimbursement.

Warranty:

Please always view Suppliers warranty documents as warranty varies based on items/products/vehicle applications, etc... Contact vendor directly. Truck-Lite extends a limited warranty to the purchasers that the warranted products are free from defects in workmanship and materials only at the time of shipping. Truck-Lite, at its discretion, will issue credit or replace any warranted product to the purchaser if the product fails because of defects due to workmanship and/or materials as determined at Truck-Lite. This offer does not constitute, in any way, a product guarantee, and Truck-Lite does not hereby assume any obligations of any kind whatsoever beyond sending a free replacement of the product when covered by the limited warranty. There are no warranties, expressed or implied (including any warranty of merchantability or fitness), which extend beyond this limited warranty. The losses of use of the product, loss of time, inconvenience, commercial loss or consequential damages are not covered. Truck-Lite reserves the right to change the design of the product without assuming any obligation to modify any product previously manufactured.

Returns:

Contact vendor directly to obtain a Return Goods Authorization code by phone number or email address listed above. All returned items MUST have prior approval and the Return Goods Authorization (RGA) marked on the outside of the box. RGAs have an expiration date of sixty (60) days; after sixty (60) days the return will become null and void. All returns are subject to a 25% or greater restocking fee. Written authorization from Truck-Lite is required prior to returning any merchandise. All returns must arrive with the Return Goods Authorization (RGA) number clearly written on the side of each carton. All returns must arrive at the factory, transportation prepaid. Failure to do so will result in refusal of goods by Truck-Lite. Refused, unauthorized or goods that are in unsalable condition will not be returned to the sender. Credit is not available for product where the product date codes are more than three years prior to the current date. Product with date codes more than three years prior to the current date is not returnable. Special order items and non-catalog items are non-returnable. Return requests for discontinued or obsolete items must be submitted for approval within six (6) months of Truck-Lite's notification of obsolescence. Notification of defective merchandise must be submitted to Truck-Lite in writing within thirty (30) days after delivery to the customer. Merchandise returned as defective due to material and workmanship are subject to factory inspection and will be replaced or credited at Truck-Lite's option.

Shipping Inspection and Damaged Product:

All merchandise should be inspected upon arrival and carrier damage claims should be filed with the carrier immediately. We are not responsible for, nor are we in a position to make a claim after the freight carrier accepts the shipment from us. For excess stock returns, contact the Vendor directly. Claims for shortages must be filed in writing with Truck-Lite within twenty (20) days from date of shipment. Carrier assumes responsibility upon receipt of shipment. The consignee must file claims against the carrier for damage or loss in transit.

Vendor Catalog & Cross Reference:

<http://www.truck-lite.com>

Conclusion:

Fast, Courteous and Responsive. This best describes the Truck-Lite customer service team, who are committed to one goal - your total satisfaction. As a customer of Truck-Lite, you will experience the opportunity to work with trained and dedicated customer oriented professionals who are your liaison between the sales agents and the engineers.

TERMS AND CONDITIONS, PRICES, MATERIALS AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

PA-2013-24

05-09-13 10.50.AM

NEW!



LED Snowplow Light w/Heated Lens

Material:

- Headlamp:
- Polycarbonate lens
- Die cast e-coat aluminum housing
- 1/2" bolt diameter

Front/Park/Turn Lamp:

- Polycarbonate lens
- Die cast housing

Light Source:

Headlamp:

- 2 LED Arrays
- Designed, with heater off, at:
12.8v, 1.4a (low beam), 2.7a (high beam)
25.6v, 0.7a (low beam), 2.5a (high beam)
- Designed, with heater on, at:
12.8v, 3.1a (low beam), 4.5a (high beam)
25.6v, 1.6a (low beam), 2.6a (high beam)

Front/Park/Turn Lamp:

- 21 Light Emitting Diodes
- Designed at 12.8v
Major function: 0.625a,
Minor function: 0.046a

- 432 Warm lumens


Kit Components:

80990 kit:

- 1 - 80988 headlight
- 1 - 80989 headlight
- 1 - 80998 harness

- World's first heated lens LED headlight heats constantly under 10°C / 50°F
- Provides a robust, LED, solid-state solution to plowing applications in need of durable lighting that can withstand shock and vibration, replacing headlights and turn signal lights blocked by the plow assembly
- Utilizes Truck-Lite 27275C 7 inch round heated LED headlight
- Heated lens prevents snow, ice, and slush buildup
- Popular for utility/municipality use and more, as LED design draws less current, allowing more power for other vehicle requirements
- DOT compliant LED headlight provides a brighter, crisper and whiter light output, closer to the color temperature of daylight, dramatically improving light projection distance and increasing visibility
- Advanced white LED technology reduces concerns with EMI and offers substantially longer life than comparable incandescent lights
- Complex reflector design spreads light in a clean, more uniform pattern
- Pedestal light (front/park/turn) features a unique LED diode array with a full pattern appearance
- Lights are hard wired, with fully encapsulated electronics to protect from damage caused by corrosive elements and moisture
- Corrosion resistant, powder-coated aluminum housing dissipates heat efficiently
- Impact resistant polycarbonate lenses protects against damage caused by debris and other hazards
- Headlight component is backed with Truck-Lite 3-Year Limited Warranty, front/park/turn light component is covered by Truck-Lite 2-Year Limited Warranty, and bracket is covered by Truck-Lite standard 1-Year Limited Warranty

- 80988 RH, snowplow light, heated lens
- 80989 LH, snowplow light, heated lens
- 80990 Snowplow kit, heated lens



LED Snow Plow & ATL Lamp Kit

Material:

Headlamp:

- Polycarbonate lens
- Die cast e-coat aluminum housing

Front/Park/Turn Lamp:

- Polycarbonate lens
- Die cast housing

Light Source:

Headlamp:

- 2 LED Arrays
- Multi-volt design, operational from 9 to 33 volts at 12.8v operation, high beam function draws 3.60a, low beam function draws 1.80a

Front/Park/Turn Lamp:

- 21 Light Emitting Diodes
- Designed at 12.8v


Major function: 0.625a,

Minor function: 0.046a

Kit Components:

80880 kit:

- 1 - 80878 RH assembly
- 1 - 80879 LH assembly
- 1 - 80898 harness



- DOT compliant LED Headlamp provides a brighter, crisper and whiter light output, closer to the color temperature of daylight, dramatically improving light projection distance and increasing visibility
- Advanced white LED technology reduces concerns with EMI and offers substantially longer life than comparable incandescent lamps
- Complex reflector design spreads light in a clean, more uniform pattern
- Pedestal lamp (Front/Park/Turn) features a unique LED diode array with a full pattern appearance
- Lamps are hard wired, with fully encapsulated electronics to protect from damage caused by corrosive elements and moisture
- Headlamp component is backed with Truck-Lite's 3-Year Limited Warranty, Front/Park/Turn lamp component is covered by Truck-Lite's 2-Year Limited Warranty, and bracketry is covered by Truck-Lite's standard 1-Year Limited Warranty

80880 Lighting kit

LED Snow Plow & ATL Lamp Kit

Material:

Headlamp:

- Polycarbonate lens
- E-Coat aluminum housing
- Metalized reflector

Pedestal Lamp:

- Polycarbonate lens
- Zinc die cast housing
- Encapsulated circuitry

Light Source:

Headlamp:

- 2 LED arrays
- 9V-33V multi-volt

Designed At:

- 12.8V, (LB)1.8A, (HB)3.6A
- 25.6V, (LB)1A, (HB)1.8A

Pedestal Lamp:

- 21 Light Emitting Diodes
- Designed at 12.8V


Major funct: 0.62A,

Minor funct: 0.46A

Kit Components:


80875 kit:

- 1 - 80874 RH assembly
- 1 - 80873 LH assembly
- 1 - 80898 harness



- Provides a robust, LED, solid-state solution to applications in need of durable lighting that can withstand shock and vibration, popular for utility/municipality use, as LED design draws less current and allows more power for other vehicle requirements
- Advanced white LED technology eliminates EMI and offers substantially longer life than comparable incandescent lamps
- Complex reflector design spreads light in a clean, more uniform pattern
- Pedestal lamp features a unique LED diode array with a full pattern
- Both lamps are hard wired, with fully encapsulated electronics to protect from damage caused by corrosive elements and moisture
- Brighter and crisper light output, improving light projection distance and increasing visibility
- DOT compliant, high beam and low beam performance

80875 Lighting kit



- 180° coverage adds valuable lighting inside and outside of the vehicle, increasing visibility in areas dome/backup lighting won't reach
- Optic-free lens allows for smooth ambient distribution of light
- Lens/Housing constructed of high-grade, impact-resistant polycarbonate
- White LEDs offer daylight-bright visibility, cleaner and clearer than other light source options
- Minimal electrical draw (0.78A) allows for the use of multiple lamps, without demanding significant power from vehicle
- Fit into Truck-Lite 60 Series footprint, allowing for a simple retrofit of existing incandescent lamps as well as the use of existing 60 Series accessories
- Less current draw, resulting in increased battery and alternator life while allowing more power for other vehicle requirements
- Fit N' Forget® connection for increased corrosion resistance
- Perfect for lighting instruments beneath vehicle

60354C Lamp

Lamp is for auxiliary purposes only. 60 Series LED Auxiliary Lamp is not to be used as a back-up lamp. Care should be taken to install this device so that it cannot operate while the trailer or vehicle is in motion. Contact the Trailer/Vehicle OEM or Truck-Lite Technical Service for assistance.

LED 60® Series Auxiliary Lamp 6 Diode Pattern

Material:


- Polycarbonate lens & housing
- Encapsulated Circuitry

Light Source:

- 6 Light Emitting Diodes (LED)
- Designed at 13.5v, 0.78A
- 450 Cool lumens
- 432 Warm lumens

Recommended Accessories:

- 60700 grommet
- 60703 grommet cover
- 94759 plug



Universal Snow Plow & ATL Kit

Material:

- Glass headlamp lens
- Polycarbonate park/turn lens & housing
- Steel mounting bracket
- 16 gauge wire

Light Source:

- Headlamp bulb #9007, HB5, 12v
- Park/turn bulb #1157a, 5-8 DC bayonet designed at 14v, 2.10/.59 amps

Kit Components:

80893 kit:

- 1 - 80895 LH/driver side
- 1 - 80896 RH/driver side
- 1 - 80831 universal wire harness
- 1 - 80844 mounting hardware/switch components

Replacement Parts:

- 27010 glass headlamp assembly
- 80895 LH/lamp assembly
- 80896 RH/lamp assembly
- 80831 universal wire harness
- 80844 hardware

- Incorporates complex reflector technology to help reduce driver fatigue
- Increased beam pattern output & improved beam pattern formation
- High impact polycarbonate & steel construction
- Features high beam/low beam halogen headlamps & integrated park/turn lamps
- Mounts on one 1/2" - 13 stud
- Lamp functions as a snow plow lights, all terrain light or off-road/auxiliary lights
- Kit also includes switch & wiring harness kit

80893 Lighting kit

DRL Snow Plow & ATL Light Kits



Material:

- Polycarbonate park/turn lenses & housing
- Steel bracket
- 16 gauge wire

Light Source:

- Bulb: H6545, glass sealed beam
- Designed at 12.8v, 3.52 amp (low) and 5.08 amp (high)
- Bulb: #1157, S-8 DC bayonet
- Designed at 14v, 2.10/.59 amp

Kit Components:

80900 DRL kit:

1 - 80910 LH lamp

1 - 80920 RH lamp

80970 HB5 adapter kit:

1 - 80950 LH adapter

1 - 80951 RH adapter

80971 HB1 adapter kit:

1 - 80952 LH adapter

1 - 80953 RH adapter

80972 2E adapter kit:

1 - 80954 LH adapter

1 - 80955 RH adapter

80973 2D/2B adapter kit:

1 - 80956 LH adapter

1 - 80957 RH adapter

80974 1A/2A adapter kit:

1 - 80958 LH adapter

1 - 80959 RH adapter

80975 LF/UF adapter kit:

1 - 80960 LH adapter

1 - 80961 RH adapter

Replacement Parts:

- 80910 LH, lamp assembly
- 80920 RH, lamp assembly
- 08004 beam




- High impact polycarbonate & steel construction
- Features high/low beam halogen headlamps & integrated park/turn lamps
- Adapts easily to vehicle equipped with Daytime Running Light (DRL) systems
- Unique plug-in adapter design allows installation without cutting or splicing existing wiring
- Mounts on one 1/2"-13 stud
- Normal DRL function transferred to snow plow lights
- Use matrix to determine appropriate adapter plug kit, sold separately
- Wiring system features weatherproof Packard connectors to prevent corrosion problems
- DRL kit also includes a switch and a heavy-duty flasher
- Not compatible with vehicles using quad headlamps or separate DRL & headlamps

80900 DRL kit

Kit Components

Kit Part #	Headlamp Type	Headlamp Bulb No.
80970	HB5	H9007
80971	HB1	H9004
80972	2E	HP6545/H6545/4166
80973	2D/2B	6014/H6024/H6014/6052/H6054/HP6054
80974	1A/2A	4651/4652/H4651/H4656/H4662
80975	LF/UF	H4701/H4703





Note:

If your vehicle's lighting system is not listed above, you must use the 80800 Universal Snow Plow Light/ATL Kit.



80800



- Lamp functions as snow plow light, all terrain light, or off road/ auxiliary light
- Features high beam/low beam halogen headlamps & integrated park/turn lamps
- Kit also includes a switch, a grommet that protects wiring at the switch, and a heavy-duty flasher
- 80800 one-piece harness runs from switch to the front of the vehicle & attaches with Scotchlock™ connectors
- 80805 one-piece harness runs from switch to the front of the vehicle & attaches with Packard weather proof connectors

80800 Lighting kit
80805 Lighting kit w/weatherproof connectors

Universal Snow Plow & ATL Light Kits

Material:

- Polycarbonate park/turn lenses & housing
- Steel bracket
- 16 gauge wire

Light Source:



- Bulb: # H6545, glass sealed beam
- Designed at 12.8v, 3.52 amp (low) and 5.08 amp (high)
- Bulb: #1157, S-8 DC bayonet
- Designed at 14v, 2.10/.59 amp

Kit Components:

- 80800 universal kit:
 1 - 80810 LH lamp
 1 - 80820 RH lamp
 1 - 80830 main harness
 1 - 80840 hardware set
- 80805 universal kit:
 1 - 80848 LH lamp
 1 - 80849 RH lamp
 1 - 80840 hardware set

Replacement Parts:

- 08004 beam



Economy Snow Plow & ATL Light Kits

Material:

- Polycarbonate park/turn lenses & housing
- Steel bracket
- 16 gauge wire

Light Source:

- Bulb: # H6545, glass sealed beam
- Designed at 12.8v, 3.52 amp (low) and 5.08 amp (high)
- Bulb: #1157, S-8 DC bayonet
- Designed at 14v, 2.10/.59 amp

Kit Components:

- 80888 economy kit:
 1 - 80860 LH lamp
 1 - 80870 RH lamp
 1 - 80831 main harness
 1 - 80844 hardware set

Replacement Parts:

- 80860 LH lamp
- 80870 RH lamp
- 80831 harness
- 80844 hardware
- 08004 beam

80888 Lighting kit