

Technical Journal

TITLE:

Washer system layout for identifying leakage points

REF NO: ISSUING DEPARTMENT: TJ 25153 Technical Service			ARKET: s and Canada
3 US 7	PARTNER: '510 Volvo Car USA	ISSUE DATE: 2016-03-17	STATUS DATE: 2016-03-24
FUNC GROUP: FUNC DESC: 3634 Washer		Page ⁻	1 of 24

"Right first time in Time"

Attachment

File Name	File Size
TJ 25153 S60 MY11-, V60, S60, V60CC.pdf	0.8349 MB
TJ 25153 S80 MY07-, V70 MY08-, XC70 MY08pdf	0.7857 MB
TJ 25153 S90(234) MY17pdf	1.4623 MB
TJ 25153 V90V90CC (235236) MY17pdf	1.5192 MB
TJ 25153 XC90(256) MY16pdf	2.1365 MB
TJ 25153_XC60.pdf	0.8801 MB

Vehicle Type

Type	Eng	Eng Desc	Sales	Body	Gear	Steer	Model Year	Plant	Chassis range	Struc Week Range
124							2007-9999		0000850-9999999	200605-999952
134							2011-9999		0000194-9999999	201020-999952
135							2008-9999		0000395-9999999	200720-999952
136							2008-9999		0000400-9999999	200720-999952
138							2016-9999		0000122-9999999	201345-999952
155							2015-9999		0001147-9999999	201035-999952
156							2009-9999		0000212-9999999	200835-999952
157							2016-9999		0000022-9999999	201450-999952
234							2017-9999		0000001-9999999	201617-999952
235							2017-9999		0000001-9999999	201617-999952
236							2017-9999		0000001-9999999	201617-999952
256							2016-9999		0000001-9999999	201505-999952

Technical Journal 25153



CSC Customer Symptom Codes

Code	Description
1U	Washer fluid reservoir/hoses/Leakage

VST Operation Number

DTC Diagnostic Trouble Codes

Rows beginning with * are modified

Note! If using a printed copy of this Technical Journal, first check for the latest online version.

Text

DESCRIPTION:

If leakage occurs in the washer system at any of the multiple connection locations, follow text under "SERVICE".

SERVICE:

In case of customer complaints regarding the washer system, inspect the complete washer system for leakages. Report the leaking connection number that you can find in attached layouts.

IMPORTANT: Report the leaking connection number in both the Vehicle Report and in the repair order text of the warranty claim!

See Attachments:

TJ 25153 S60 MY11-, V60, S60, V60CC

TJ 25153 S80 MY07-, V70 MY08-, XC70 MY08-

TJ 25153 XC60

TJ 25153 XC90(256) MY16-

TJ 25153 S90(234) MY17-

TJ 25153 V90V90CC (235236) MY17-

VEHICLE REPORT:

Please follow the general TIE Reporting guidelines available in the TIE system under "Instructions" or the SPJ 27125 TIE Quick Guide(Dealers). If this information cannot be found, please check other SPJ's or TJ's released locally by your market responsible office or the Dealer Development Platform https://ddp.volvocars.biz/.

When submitting a Vehicle Report for a condition described in this TJ, use concern area "Vehicle Report and sub concern area "Support Not Needed" with function group 3634.

To view TJ attachment continue to next page. This TJ has six attachments.

Page 2 of 24 2016-03-24

VOLVO	
Volvo Car Customer Service	T


TJ	Instruction	VCC	-431082- ⁻	
	_		4 (0)	


Title	Washer fluid reservoir	Page	1 (3)
Action	Inspection	Operation number:	


Affected vehicles


Model year				
2011, 2012, 2013, 2014, 2015, 2016	S60 (11-), S60CC, S60 Inscription			
2015, 2016	V60, V60CC			

Check









VOLVO	

Volvo Car Customer Service


TJ Instruction VCC-431067-1


Title Washer fluid reservoir	Page	1 (3)
Action Inspection	Operation number	·-


Affected vehicles


/ into tour voint ite				
Model year	Model			
2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014 2015, 2016	S80 (07-)			
2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016	XC70 (08-)			
2008, 2009,	V70 (08-)			
2010				

Check












Volvo Car Customer Service

TJ Instruction VCC-477902-2

Title	Washer system	Page	1 (4)
Action	Location of components	Operation number:	


Color symbols




Note! This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.


- Used for focused component, the component with which you will do something.
- 2. Used as extra colors when you need to show or differentiate additional parts.
- 3 . Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4 . Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6. Used as background color for vehicle components.


Orientation view




Location of components












Volvo Car Customer Service

TJ Instruction VCC-477902-3

Title	Washer system	Page	1 (5)
Action	Location of components	Operation number:	


Color symbols




Note! This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.


- Used for focused component, the component with which you will do something.
- 2. Used as extra colors when you need to show or differentiate additional parts.
- 3 . Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4 . Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6 . Used as background color for vehicle components.


Orientation view





Location of components












VOLVO	Volvo Car Customer Service	TJ Instruction	VCC-477902-1
Title	Washer system	Page	1 (5)
Action	Location of components	Operation num	ber:

Affected vehicles

Model year	Model		
2015	XC90 (16-)		


Color symbols




Note! This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.


- Used for focused component, the component with which you will do something.
- 2. Used as extra colors when you need to show or differentiate additional parts.
- 3 . Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4 . Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6 . Used as background color for vehicle components.


Orientation view





Location of components











VOLVO	Volvo Car Customer Service	TJ Instruction	VCC-431493-1
Title	Washer fluid reservoir	Page	1 (2)
Action	Inspection	Operation num	iber:

Affected vehicles

5

Allootod Vollidioo			
Model year	Model		
2009, 2010,	XC60		
2011, 2012,			
2013, 2014,			
2015, 2016			

Check

