

3/23/2016 MY15 - 16 D2, DD, DJ

## GPOP - Issue Review System

**Part Number:** 52029762A\$, 52029760A\$

**Part Description:** Urea tank shell

---

**Issue Description:** Trucks equipped with a 6.7L Cummins Turbo Diesel only; If vehicle comes in with a P207F DTC, record the following information to be shared with the engineer. ~

- All Active and Inactive P-Codes~
- Refractometer concentration~
- WiTech Concentration~
- WiTech Concentration Sensor Temperature ~
- Urea Tank Temperature~
- Urea Tank level when fault was set~
- Hydrocarbon reading~
- Known fill history before and after the fault was set~
- Recent weather conditions in the area~
- Actions Taken since vehicle had been brought to the dealership ~

Please contact Gary Pleyte at cell (248) 705-3567 or Makenna Coe Smith at cell (248) 202-7545 with the above information. If you are unable to get a response within 15 mins, please continue with the repair according to the trouble tree for P207F.~

~

—~

Contact us at [CAGRIS@Chrysler.com](mailto:CAGRIS@Chrysler.com) for feedback related ONLY to this GPOP Tech Tip. Please include the Part Number(s) and Tech Tip Part Description of the Tech Tip you are referencing for our tracking system.

---