

# **Technical Journal**

TITLE:

#### XC90 Sunroof Cassette Rear Leak

REF NO:	ISSUING DEPARTMENT:	CAR MARKET:		
TJ 31272	Technical Service	United States and Canada		
	PARTNER:	ISSUE DATE:	STATUS DATE:	
3 US 7	7510 Volvo Car USA	2016-04-11	2016-04-18	
FUNC GROUP:	FUNC DESC:			
8364	Sun visor, roof hatch		1 of 10	

"Right first time in Time"

#### **Attachment**

File Name	File Size
TJ 31272.pdf	2.3573 MB

#### **Vehicle Type**

Type	Eng Desc	Sales	Body	Gear	Steer	Model Year	Plant	Chassis range	Struc Week Range
256						2016-2016		0000561-0085430	201507-201612

## **CSC** Customer Symptom Codes

Code	Description
K3	Sun/moon/convertible roof/Water leakage

#### **VST** Operation Number

<b>VST Operation Number</b>	Description
98627-2	Sun roof adjust

# **DTC** Diagnostic Trouble Codes

# **Technical Journal 31272**



#### Text

#### **DESCRIPTION:**

If customer complaints of water leakage, and the diagnose shows that it is coming from the rear sunroof cassette, please follow advice under **SERVICE**.

#### **SERVICE:**

If the diagnose shows water leakage from the rear sunroof cassette, please follow the attached service instruction.

Please note when ordering part number 893092 Instant adhesive in the Chemical Portal you need to look for 0893092 due to system error in the instruction tool.

#### **VEHICLE REPORT:**

Yes, please submit a Vehicle Report if the service solution described in this TJ has no effect. Use concern area "Vehicle Report" and sub concern area "Support not needed", use function group 8364.

To view TJ attachment continue to next page. This TJ has one attachment.

Page 2 of 10 2016-04-18

# VOLVO

# **Volvo Car Customer Service**

TJ 31272

Title	Sun roof	Page	1 (8)
Action	Product fix	Operation number:	98627-2

### **Affected vehicles**


Model year	Model	
2016	XC90 (16-)	

# **Materials**


Materials	Qty.	Part No.	Notes
Cleaning agent	0.2	9192678	
Weatherstrip	1.0	31651412	
Instant adhesive	0.1	0893092	See Chemical Portal;

TJ 31272 Page 2 (8)

#### **Orientation view**



#### Image philosophy



- 1 . Used for focused component, the component with which you will do something.
- 2 . Used as extra colors when you need to show or differentiate additional parts.
- 3 . Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4 . Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6 . Used as background color for vehicle components.

TJ 31272 Page 3 (8)

#### Removal


Remove the headlining, refer to:

Removal, replacement and installation


8 - Body and interior

85 - Interior


855 - other upholstery




On both sides.



TJ 31272 Page 4 ( 8 )



On both sides.
Remove the screws.



Lift the marked component forward.

Remove the roof hatch extended complete , refer to:


Removal, replacement and installation


8 - Body and interior

83 - Doors and lids


836 - roof hatch

TJ 31272 Page 5 ( 8 )








#### Installation




TJ 31272 Page 6 ( 8 )










TJ 31272 Page 7 ( 8 )








TJ 31272 Page 8 ( 8 )




**Note:** Sunroof cassette needs to be lowered for this next step.

On both sides.

Use: Cleaning agent, 9192678



On both sides.



On both sides.
Install the marked component.

To install, reverse the removal procedure.