

Technical Journal

TITLE:

Software Download Guide

REF NO: TJ 31543.4.2	ISSUING DEPARTMENT: Technical Service]	ARKET: s and Canada
3 US 7	PARTNER: '510 Volvo Car USA	ISSUE DATE: 2016-10-19	STATUS DATE: 2016-10-20
FUNC GROUP: 3018			1 of 15

"Right first time in Time"

Attachment

File Name	File Size
P1_Customer_Settings.pdf	0.0143 MB
P2_Customer_Settings.pdf	0.0101 MB
P3_Non_Sensus_Customer_Settings.pdf	0.0178 MB
P3_Sensus_Customer_Settings.pdf	0.0173 MB
P5_SPA_SW_Guide.pdf	0.5105 MB

Vehicle Type

Type	Eng	Eng Desc	Sales	Body	Gear	Steer	Model Year	Plant	Chassis range	Struc Week Range
124							2007-2016		-	0-0
134							2011-9999		-	0-0
136							2008-9999		-	0-0
137							2016-9999		-	0-0
138							2016-9999		-	0-0
155							2014-9999		-	0-0
156							2010-9999		-	0-0
157							2015-9999		-	0-0
234							2017-9999		-	0-0
256							2016-9999		-	0-0
275							2003-2014		-	0-0
533							2007-2013		-	0-0
542							2006-2013		-	0-0

Technical Journal 31543.4.2



CSC Customer Symptom Codes

Code	Description
2V	Technician information/Software/Vehicle communication/Not for warranty use
3L	Technician information/Repair information/Not for warranty use

VST Operation Number

VST Operation Number	Description
36004-2	Software control module downloading
98646-3	Configuration test acc. to TJ
98645-3	Preparation software complete upgrade acc to TJ

DTC Diagnostic Trouble Codes

Rows beginning with * are modified

Note! If using a printed copy of this Technical Journal, first check for the latest online version.

Text

DESCRIPTION:

This Journal is a guide for performing Software Downloads.

SERVICE:

- *Added Oct. 19, 2016:
- If visible in the VIDA Software Upgrades list, **Total Upgrade** should be performed at every workshop visit **during** the warranty period.
- If visible in the VIDA Software Upgrades list, **Service 2.0 Upgrade** should be performed at every workshop visit **after** the warranty period.
- PDS Upgrade should be performed at Retail Car Customer Delivery.
- *See attached guide updated Oct. 12, 2016 for relevant P5/SPA Software Download information: P5 SPA SW Guide.pdf

See VIDA Software tab for all other vehicles.

The attached checklists can be used for restoring customer settings, where applicable.

Where necessary, please refer to CPI 19-2016 and SMB SMB 00-424 for warranty claiming information when handling repairs which require lengthy diagnostics and/or difficult software downloads.

VEHICLE REPORT:

n/a

To view TJ attachment continue to next page. This TJ has five attachments.

Page 2 of 15 2016-10-20

Page 1

M	ain	M	eni	ı

· · · · · ·
Radio mode
1 FM (or AM)
2 HD radio
3 Clock adjust
4 Climate settings
5 Car settings
=

When in other mode
1 Sirius or CD/AUX/USB/Phone
2 Clock adjust
3 Climate settings
4 Car settings

IMPORTANT NOTE: Not all vehicles will have all of these features as some are optional!!

An "X" in a box indicates "on/selected" a "blank" box indicate "off/not selected"

		e control ▶ 1 Low	
AM 1 2 3 4 5 6 7 8 9	I radio station presets		
1 Radio text 2 Audio settings	2 Equalizer re	ear 61 200 1K e control 1 Low	3K 12K □
FM 1 2 3 4 5 6 7 8 9		1	FM 2 Presets
	AM 1 2 3 4 5 6 7 8 9 0 1 Radio text	A Reset all Record customer AM radio station presets AM 1 Presets	Record customer AM radio station presets

P1 - C30, C70,	S40, V50 (2004 -)		Page 2
CD Menu	1 Random ☐ 2 Disc text ☐ 3 Audio settings ▶	1 Equalizer front 2 Equalizer rear 3 Auto volume control ▶ 4 Reset all	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
AUX Menu	1 Aux input volume 2 Audio settings ▶	Volume bar 1 Equalizer front 2 Equalizer rear 3 Auto volume control 4 Reset all	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
USB Menu	1 Playlist 2 Random 3 Track Information 2 Audio settings	1 Off	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
SIRIUS Menu	1 Add song to memory 2 Direct channel 3 Select Category 4 Sirius Radio Text	1 Program title 2 Artist 3 Composer 4 Off 1 Song memory 2 Skip Options 3 Lock Options 4 Sirius ID 1 Equalizer front 2 Equalizer rear 3 Auto volume control 4 Reset all	60 200 1K 3K 12K 61 200 1K 3K 12K 1 Low
Clock Adjust	Settings clock menu		
Climate settings	1 Auto fan adjust 2 Recirculation timer 3 Reset all	1 Low	

P1 - C30, C70, S40, V50 (2004 -) Page 3							
Car settings	1 Light Settings ▶	1 Lock confirm light 2 Unlock confirm light					
		3 Approach light duration ▶	30				
		4 Home Safe light duration ▶	30				
	2 Lock Settings ▶	1 Doors auto lock 2 Doors unlock	1 All doors				
		Keyless entry ▶	1 All doors 2 Doors on same side 3 Both front doors 4 Either front door				
	3 Auto open all windows Mirror fold on locking (BLIS only)		T Elitici Horit Gool				

Example of P1 block offsets

The following settings are accomplished with VIDA/Vehicle communication/Node XXX/advanced				
CEM	Value			
Programming of global opening of windows (market dependent)				
Programming of rear window wiper when reversing				
Setting clock deviation				
DIM				
Unit for temperature				
Trip computer unit				
12 or 24 hour display on the clock				
Parking brake warning On/Off				
Audible acknowledgement signal, seat belt reminder On/Off.				
Programming seatbelt reminder in backseat				
Programming of triggering conditions for audible signal, seatbelt reminder				
Instrument lighting at unlocking Activated/Not activated				
CCM				
Programming the seat temperature				
PSL				
Seat memory on/off				

P2 - S80 (1999	9 - 2006), S60 (2001 - 2	2009) V70, XC70 (20	001 - 2007)
AM Preset stations	Record customer AM radio s AM 1 Presets 1 2 3	tation presets	
	4		
	0]	
FM Preset stations	Record customer FM radio st	ation presets	FM 2 Presets
	1 2	1 2	
	3 4		
	5		
	8		
	0	0	
P2 block offsets			
	gs are accomplished with VIDA	/Vehicle communication/No	
CEM			Value
1. Home safe light			
 Daytime running lamp Tailgate wiper (5 door 			
4. Time delay, locking th			
5. Warning for low beam			
6.Programming of 3 flas			
•	•		
UEM			
1. Length of time for cou			
2. Amount of dimmer for	r inner rear-view mirror.		
DDM			
	e control setting (seat memory off/or	1)	
. Togramming the formet	S serial of setting (seat memory office)	.,	
ССМ			
Afterblow			
	listribution, residual heat.		
Setting seat heater temp	p		
PSM	. attla a		
seat and mirror memory	ott/on		

P3 - S80 (2007 -)	~ V70, XC70 (200	8 -) ~ XC60 (- 20	010 wk46)
In FM mode 1 HD radio 2 FM settings 3 Audio settings 4 Car key memory 5 Car settings 6 Climate settings In AM mode 1 HD radio 2 Audio settings 4 Car key memory 4 Car settings 5 Climate settings	In Sirius Mode 1 Add song to memory 2 Direct channel entry 3 Select category 4 SIRIUS radio text 5 Song seek 6 Sirius settings 7 Audio settings 8 Car key memory 9 Car settings 10 Climate settings	In AUX mode 1 AUX input volume 2 Audio settings 3 Car key memory 4 Car settings 5 Climate settings In CD mode 1 Random 2 CD settings 3 Audio settings 4 Car key memory 5 Car settings 6 Climate settings	In USB mode 1 Random 2 USB settings 3 Audio settings 4 Car key memory 5 Car settings 6 Climate settings

IMPORTANT NOTE: Not all vehicles will have all of these features as some are optional!!

An "X" in a box indicates "on/selected" a "blank" box indicate "off/not selected"

AM Preset stations 1 2 3 4 5 6 7 8 9			
FM Preset stations 1 2 3 4 5 6 7 8 9			FM 2 Presets
FM settings ▶	Radio text		
Audio settings	Sound stage Equalizer front Equalizer rear	Front seat	

P3 - S80 (2	007 -) ~ V70, XC70 (2	200	8-) ~ XC60(-	20	10 wk46) page 2	
Car settings	•	Door mirror settings	•	Fold mirror when locking Auto tilt left mirror Auto tilt right mirror			
		Driver Alert On					
		Collision Warning Settings	•	Collision Warning On Warning Sound Warning Distance	□	Long Normal Short	
		Light settings		Lock confirmation light Unlock confirmation light Turn signal 3-flash Daytime running light Approach light duration Active bending light Home safe light duration	□ □ □ ▶	Off	
						60 sec	
		Lock settings	•	Doors automatic lock Doors unlock ▶		All doors Drivers door, then all	
				Keyless entry		All doors unlock Door by door Doors on same side Both front doors	
		Lane Departure Warning	•	On @ Start Up			
		Steering force level	•	Low Medium High			
		Parking Camera Settings	•	Parking assist lines Distance Bars System Activation		Automatic Always On Off	
		5 Unit settings	•	Temperature unit ▶			
				Time format ▶		12 hours 24 hours	
				Trip car unit ▶		US std (US default) UK std Metric system km/l Metric system 1/100 km (Canada default 1/100km)	
				Reset all units			

P3 - S80 (2	007 -) ~ V70, XC70 (200	8-)	~ XC60 ((- 20	10 wk46)	page 3
Climate settings	•	Auto fan adjust	•	Low Normal				
		Recirculation time Auto rear defroster Seat heat time out Seat heat off @ start Reset climate settings		High				
Sirius radio text	•	Program title Artist Composer Off						
Sirius settings	•	Song memory Skip options Lock option Sirius ID						
CD settings ▶		Track information						

Example of P3 (non-Sensus) block offsets

	in ourious, brook orios			
The following settings are accomplished with VIDA/Vehicle communication/Node XXX/advanced				
"block offsets"	Value (on/off)			
Climate Control				
Seat heating.				
Seat ventilation.				
Time setting seat heating				

P3 - Sensu	P3 - Sensus Vehicles S60, XC60 (2010wk46 -)						
"My Car" Menu:							
My S60 1 DSTC 2 City Safety 3 Driver Alert 4 Collision Warni 5 Active Bending							
_			l	II of the conference of			
				III of these features as k" box indicate "off/r			
Settings	<u> </u>	Car settings	<u> </u>	Car Key Memory			
		Lock Settings	•	Auto Door Locking Doors Unlock	□	All Driver Door then All	
				Keyless	•	All Doors Unlock Any Door Doors on Same Side Both Front Doors	
		Side Mirror Settings	•	Fold Mirrors (at Lock) Tilt Left Mirror (Reverse) Tilt Right Mirror (Reverse)			
		Light Settings	•	Door lock Confirm Light Door Unlock Confirm Ligh	t 🗌		
				Approach Light Duration		off	
				Homesafe Light Duration		off	
				Trip Indicator Daytime Running Lights Active Bending lights		30 Sec	
		Steering Wheel Force	•	Low Medium High			


P3 - Sensus Veh	icles S60, XC60 (20	10wk46 -)	page 2
		Collision Warning [Warning Distance Warning Sound [Long
		Lane Departure Warning DSTC City Safety BLIS Distance Alert Driver Alert [Lane Departure Warning On at Start-up Increased Sensitivity
	System Options	Time (Clock Set) Time Format Screensaver [Language note here Show Help text [Distance and Fuel Units Temperature Unit	12h
	NOTE position of scale ->	Volume Levels	Voice Output Volume Front Part Assist Volume Rear Part Assist Volume Phone Ringing Volume
Audio settings AM Preset stations 1 2 3 4 5 6 7 8 9 0	Record customer AM radio station AM 1 Presets		

P3 - Sensus Ve	hicles S60, XC60 (20	010wk46 -)	page 3
	Record customer FM radio statis FM 1 Presets 1 2 3 4 5 6 7 8 9 0		
	Sound stage Equalizer front Equalizer rear Volume Compensation	Front seat	
Climate Settings ▶	Automatic Blower Adjustment Recirculation Timer Automatic Rear Defrost Interior Air Quality System	Normal High Low	
Favorites	Radio	AM Favorites FM Favorites Sirius Favorites	No Function Scan Show Presets Equalizer No Function Scan Show Presets Equalizer No Function Scan Show Presets Scan Scan Scan Scan Show Add Songs Song Seek Equalizer

P3 - Sensus Veh	icles S60,	XC60 (20	010wk46 -)		page 4	
	Media	•	Audio CD Favorites	•	No Function Random Scan Equalizer	
			Data CD/DVD Favorites	>	No Function Random Repeat Folder Change Subtitle Change Audio Track Scan Equalizer	
			Video DVD Favorites ▶	•	No Function Play/Pause/Continue Subtitles Audio Tracks Equalizer	
			iPod Favorites ▶	•	No Function Random Scan Equalizer	
			USB Favorites	•	No Function Random Repeat Folder Change Subtitle Change Audio Track Scan Equalizer	
			Bluetooth Favorites	•	No Function Random Scan Equalizer	
			Aux Favorites	•	No Function Equalizer	
	Nav	•	No Function Repeat Voice Guidance Pause/Resume Guidance Next Destination Current Position			



Digital Owner's manual Before Courtesy Upgrade:



After Courtesy Upgrade:




These DTCs may be present after the Upgrade and can be ignored:

- IHU-U130B87 (LIN BUS #19)
- CEM-U133346, FMDM
- CCM-B10A854, HVAC LIN Bus

Some functions, such as the climate system, may not resume normal operation until the car has been locked for 15 minutes.

SPA XC90 SW Guide







These DTCs may be present after the Upgrade and can be ignored:

- IHU-U130B87 (LIN BUS #19)
- CEM-U133346, FMDM
- CCM-B10A854, HVAC LIN Bus

Some functions, such as the climate system, may not resume normal operation until the car has been locked for 15 minutes.

SPA S90 SW Guide

