

# Vantage Mobility International

#### Document Number TS-WI-0248

ASSEMBLY AREA	Field Repair
MODEL	2017 Model Pacifica

### **RELEASE SIGNATURES**

TITLE	SIGNATURE	DATE	
QUALITY DIRECTOR	Brian Mark	8/28/2017	
DEPARTMENT MANAGER	Dave Hagstrom	8/28/2017	
MANUFACTURING ENGINEER	Mark Miller	8/28/2017	

## **REVISION HISTORY**

AUTHOR	DESCRIPTION OF CHANGE	REV	RELEASED	ECO#
Mark Miller	Initial Release	А		



# Vantage Mobility International

#### Document Number TS-WI-0248

#### SCOPE

The Chrysler Pacifica has interchangeable front seats. It has been noticed that when moving the front seat to the opposite side, the seat wiring harness may not extend out far enough to be connected to the plug in the B pillar while the seat is in the full forward position. This document provides detailed instructions for the rerouting of the harnesses so that they can be successfully connected.

### CONTENTS

- Passenger seat: Begin by removing the wire connectors from the bottom of the seat. (Each connector is different and can only be re-connected to it's mate.)
- 2. After the connectors are unplugged, route them over the top of the seat brace then reconnect the harnesses. This will provide added length to the harness. The harness will be long enough to make the connection through the full distance of seat travel.





# Vantage Mobility International

#### **Document Number TS-WI-0248**

- Driver seat: Begin by removing the wire connectors from the bottom of the seat. (Each connector is different and can only be re-connected to it's mate.)
- 4. After the connectors are unplugged, route them over the top of the seat brace then reconnect the harnesses. This will provide added length to the harness. The harness will be long enough to make the connection through the full distance of seat travel.



The update is now complete.

Please test the harnesses and connections by running the seat fully back and forward.

This document may not be reproduced without permission. Check all hard copies against the current electronic version in the Document Control System before using. Destroy promptly thereafter.

Do not use draft, archived, or obsolete revisions.