



2017 Golf/GTI, Golf R & SportWagen



Volkswagen

Engine	Part	Part Number	Quantity
1.8L Turbo: CXBA, CXBB	Oil Filter	06K 115 562	1
	VW 502 00 Use synthetic oil SAE 5W-40, SAE 5W-30	N/A	5.5L (5.7qt)
	Drain Plug W/Gasket	06L 103 801	1
	Air Filter	5QM 129 620	1

Engine	Part	Part Number	Quantity
2.0L Turbo GTI: CXCA, CXCB	Oil Filter	06K 115 562	1
	VW 502 00 Use synthetic oil SAE 5W-40, SAE 5W-30	N/A	5.7L (6.0qt)
	Drain Plug W/Gasket	06L 103 801	1
	Air Filter	5QM 129 620	1

Engine	Part	Part Number	Quantity
2.0L Turbo (Golf R): CYFB	Oil Filter	06L 115 562	1
	VW 502 00 Use synthetic oil SAE 5W-40, SAE 5W-30	N/A	5.7L (6.0qt)
	Drain Plug W/Gasket	06L 103 801	1
	Air Filter	5Q0 129 620 B	1

Miscellaneous	Part	Part Number	Quantity
Miscellaneous	Pollen Filter w/o electronic HVAC Regulation (20K Only)	5Q0 819 644 A	1
	Pollen Filter with electronic HVAC Regulation (20K Only) Auto	5Q0 819 669	1
	Front Set Wipers	5GM 998 002	1
	Rear Wiper Blade (Golf)	5GM 955 427 A	1
	Rear Wiper Blade (GTI)	5GM 955 427	1
	Rear Wiper Blade (Golf R)	5G6 955 427 A	1
	Battery (Amp. Req. Vary)	000 915 105*	1
	Battery (Amp. Req. Vary)	5KO 915 105*	1
Battery (Amp. Req. Vary)	5GM 915 105*	1	

*VIN Required



2017 Golf/GTI, Golf R & SportWagen



Volkswagen

2017 Golf Service Reminder Reset

Resetting the service reminder display

If the service was not performed by an authorized Volkswagen dealer or an authorized Volkswagen Service Facility, the service reminder can be reset as follows:

- Switch off the ignition.
- Press and hold the **0.0** button in the instrument cluster.
- Switch on the ignition.
- Release the **0.0** button.
- One after the other, the following messages appear in the display:

Reset oil change interval?

Reset inspection interval?

- When you see the message for the interval you want to reset (either oil change or inspection), confirm the request by pressing the **0.0** button in the instrument cluster. A confirmation message appears in the display when the service reminder has been reset.



Do **not** reset the service reminder between service intervals; otherwise incorrect information will be displayed.

For current fluid capacity charts, please refer to the Maintenance section in Elsa.