



---

## FIELD SERVICE CAMPAIGN – 16133

21 February 2017

---

### SUBJECT:

Hose Tender Slide Bar

### MODELS INVOLVED:

ProStar®

### DEFECT DESCRIPTION:

Hose Tender Slide Bar on certain ProStar® 122 Daycab models may contact the exhaust shield when the cab air bag is deflated; this could result in damage to the exhaust shield.

### ELIGIBILITY:

This procedure applies ONLY to vehicles marked in the International® Service Portal<sup>SM</sup> with FSC 16133. Also complete any other open campaigns listed on the Service Portal at this time.

### TOOLS REQUIRED:

No special tools are required for this procedure.

### PARTS REQUIRED:

Part Number	Description	Quantity
2517346C1	Support, Slide Bar	1

Table 1 Parts Information

### WORK INSTRUCTIONS

**WARNING!** To prevent property damage, personal injury, and / or death, park vehicle on hard flat surface, turn the engine off, set the parking brake, and install wheel chocks to prevent the vehicle from moving in both directions.

**WARNING!** To prevent personal injury and / or death, always wear safe eye protection when performing vehicle maintenance.

**WARNING!** To prevent property damage, personal injury, and / or death, keep flames or sparks away from vehicle and do not smoke while servicing the vehicle's batteries. Batteries expel explosive gases.

1. Park vehicle on flat surface.
2. Shift transmission to Park or Neutral and set parking brakes.
3. Install wheel chocks.



0000413579

**Figure 1. Hose Tender Slide Bar**

1. Slide bar

4. Access slide bar (Figure 1, Item 1) on rear of vehicle.
5. Remove air line from air line support springs.
6. Remove slide bar.
7. Transfer air line support springs to new slide bar.
8. Install new slide bar. Using a torque wrench, tighten bolts to 9 - 11 lb-ft (12 - 14.9 N·m).
9. Reattach air lines to springs.
10. Remove wheel chocks.

## LABOR INFORMATION

Operation number must appear on all claims.

**Table 2** Labor Information

Operation Number	Description	Time
A40-16133-1	Replace Hose Tender Slide Bar	0.4 hr

## WARRANTY CLAIMS

Warranty claim expense is to be charged to Warranty. Claims are to be submitted in the normal manner, making reference to Field Service Campaign 16133.

Section 7 of the Warranty Policy and Procedures Manual contains further information related to the submission and processing of AFC / Recall claims.

As with all claim submissions, items acquired locally must be submitted in the “Other Charges” tab. The cost of any bulk items (such as a bag of cable tie straps, roll of wire, barrel of oil, or tube of silicone) should be prorated for the cost of the individual pieces / amount used during each repair.

To make sure this important improvement is made in a timely manner, all claims for 16133 activity must be submitted by 21 February 2018 or within the normal warranty period for the component, if after 21 February 2018.

	GROUP	NOUN	C	WARR.	TP	PAD

GROUP — Enter number ←

NOUN — Leave blank ←

C (CAUSE) — Enter either 1, 2, 3. (See below)

1. Inspected (No repair required).
2. Inspected and repaired.
3. Defective part from parts stock.

WARRANTY — (Warranty Code) Enter 40. ←

TYPE PART — Enter P for type part causing failure. ←

PAD — Enter 100 ←

0000047910