



Volkswagen

Service Information

wiTECH™

Number: VWI-17-01

Subject: wiTECH™ – Software Download and Installation
Instructions

Date: Sep. 21, 2017

Supersedes VWI-15-03 due to a change of where the wiTECH software download file is located.

1.0 - Introduction

This latest wiTECH Desktop Diagnostic Software is required to support a new Software Flash format and the new mini-pod diagnostic head.

While existing StarMOBILE handheld devices may still be used, a new mini-pod diagnostic head is available for purchase thru Snap-On.


2.0 - Preperation

- ☐ Check wiTECH software compatibility: Windows 7 and Windows 10.
- ☐ Power on the StarMOBILE handheld device.
- ☐ Connect the StarMOBILE Handheld device to your network or directly hardwire to your computer using an Ethernet Network cable as you would during normal operation.
- ☐ **Download and Save the wiTECH V13.04.18 installation file from ServiceNet > Vehicle Diagnostics > Routan wiTECH Diagnostic > Software**
- ☐ Download **Adobe AIR** from www.adobe.com if this is the first time wiTECH has been installed on this computer.

Note: If wiTECH was previously installed on this computer skip to Step 4.0 – Installing wiTECH

3.0 – Install Adobe AIR

1. Double click the **Adobe AIR** file downloaded to the desktop during the preparation steps for new devices (Section 2.0):




(cont.)

Service Information

2. Click I Agree:



3. Click Finish:




4.0 – Installing wiTECH

1. Locate the the **wiTECH** installation file downloaded to the desktop during the preparation steps (Section 2.0):



2. Select **English** and click **OK**:




(cont.)



Service Information

3. Click **Install**: Note that this step may not appear if Java 6 Update 21 or higher is already installed.




No user intervention is needed during the installation routine.

4. Click **Next**:




5. Accept the license terms and select **Next**:





Service Information

6. Select **Install**:



7. If a Windows Security Alert appears after initiating the installation, select **Unblock**:



8. Click **Finish**:



5.0 – Opening wiTECH for the first time


1. **Connect the StarMOBILE Handheld device to the dealership network**, or hardwire directly to the computer using an Ethernet Network cable as during normal operation.
2. **Double click the wiTECH icon on the desktop to open the application:**






Service Information


3. When the Connection Wizard opens, **double-click** on your device:



4. Within a few seconds of connecting to the StarMOBILE Handheld device, the automatic download of firmware 1.18.4 will begin **if your device is not already at this release version. Confirm this by looking at the Release version on the StarMOBILE Handheld device.**




5. Once the download is complete, a confirmation box appears. Click **Close** to begin the update on the StarMOBILE handheld device:






Service Information

6. On the **StarMOBILE** device, press the **Enter** key to begin:



An update routine is displayed on the StarMOBILE Handheld device. No user input is required during this time.

7. When complete, press the **Enter** key to reboot the **StarMOBILE** device:



8. When the StarMOBILE device reboots, the latest firmware release is displayed at the top of the screen (currently **1.18.4**):

