



Volkswagen



2012 Touareg

| Engine | Part | Part Number | Quantity |
|-----------------------|--|-------------|--------------|
| 3.6L VR6: CGRA | Oil Filter >> D – 31.05.2011 | 021115562A | 1 |
| | Oil Filter D – 01.06.2011>> | 03H115562 | 1 |
| | VW 502 00 Use synthetic oil SAE 5W-40, SAE 5W-30, or SAE 0W-40 | N/A | 6.9L (7.3qt) |
| | Drain Plug + Gasket | N 90813202 | 1 |
| | Air Filter | 7P0129620A | 1 |

| Engine | Part | Part Number | Quantity |
|------------------------------------|--|-------------|--------------|
| 3.0L Turbo Diesel: CATA | Oil Filter | 057115561M | 1 |
| | VW 507 00 Use synthetic oil SAE 5W-40, SAE 5W-30, or SAE 0W-40 | N/A | 8.1L (8.6qt) |
| | Drain Plug Gasket | N 0138157 | 1 |
| | Air Filter | 7P0129620A | 1 |
| | Fuel Filter (20K Only) | 7P6127177A | 1 |

| Engine | Part | Part Number | Quantity |
|------------------------------------|--|-------------|--------------|
| 3.0L Turbo Diesel: CNRB | Oil Filter | 059198405 | 1 |
| | VW 507 00 Use synthetic oil SAE 5W-40, SAE 5W-30, or SAE 0W-40 | N/A | 7.7L (8.1qt) |
| | Drain Plug Gasket | N 0138157 | 1 |
| | Air Filter | 7P0129620A | 1 |
| | Fuel Filter (20K Only) | 7P6127177A | 1 |

| Engine | Part | Part Number | Quantity |
|--------------------------|--|-------------|--------------|
| 3.0L Hybrid: CGFA | Oil Filter | 06E115562A | 1 |
| | VW 502 00 Use synthetic oil SAE 5W-40, SAE 5W-30, or SAE 0W-40 | N/A | 6.8L (7.2qt) |
| | Drain Plug Gasket | N 0138157 | 1 |
| | Air Filter | 7P0129620A | 1 |

| <i>Miscellaneous</i> | Part | Part Number | Quantity |
|----------------------|--------------------|----------------|----------|
| <i>Miscellaneous</i> | Pollen Filter | 7P0819631 | 1 |
| | Wiper Blades – Set | 7P0998002 | 1 |
| | Rear Wiper Blade | 7P6955427 | 1 |
| | Battery | 000915105CDDSP | 1 |
| | Battery | 000915105DLDSP | 1 |
| | Battery | 000915105CFDSP | 1 |
| | Battery | 000915105DHDSP | 1 |

2012 Touareg Service Reminder Reset

Resetting the service reminder display

If the vehicle was not serviced by an authorized Volkswagen dealer or an authorized Volkswagen Service Facility, the service reminder can be reset in the Infotainment System as follows:

- Switch on the ignition.
- Press the **CAR** Infotainment button.
- Tap the **Service** function key on the screen.
- Tap the **Reset oil change interval function** key on the screen.
- Tap **Reset** to confirm the request.

i Do **not** reset the service reminder between service intervals; otherwise, incorrect information will be displayed.

i The service reminder disappears after a few seconds when the engine is running or the **OK** button has been pushed.

Copyright VW AG

Repair manual**ElsaPro Job no.: 648392**DMS Repair Order number: **undefined**

VIN:

Model year: **2012**Model code: **7P5**Model description: **Touareg**Engine code: **CGFA**Transmission code: **LUA**

License plate:

Final drive code:

User name: **Dean**

Service advisor - name:

Touareg**Caution**

All quantities are approximate. Always refer to the Repair Manual and/or the Maintenance Procedures for correct filling instructions.

Refer to Technical Bulletin 2012855 for engine oils meeting the required VW oil specifications.

Part numbers are for reference only. Always check with your parts department for the latest information.

| Component/System | | Capacity | Part Number/Specification |
|------------------------------------|---|--------------------|---------------------------|
| 3.0 L TDI Engine | | | |
| | Oil and Filter Change | 8.1 L (8.6 qt.) | VW 507 00 |
| | Coolant | 15.4 L (16.3 qt.) | G 012 A8G |
| 3.0 L Hybrid Engine | | | |
| | Oil and Filter Change | 6.8 L (7.2 qt.) | VW 502 00 |
| | Coolant | 15.0 L (18.0 qt.) | G 012 A8G |
| 3.6 L Engine | | | |
| | Oil and Filter Change | 6.9 L (7.3 qt.) | VW 502 00 |
| | Coolant | 17.0 L (18.0 qt.) | G 012 A8G |
| 8 Speed Automatic Transmission 0C8 | | | |
| | Initial Fill - Dependant on engine type | 10.4 L - 12.8 L | G 055 540 A2 |

| | | | |
|-------------------------------|--|---------------------------------------|--------------------------------------|
| | | (11.0 qt. - 13.5 qt.) | |
| | Front Final Drive | 0.8 L (0.8 qt.) | G 052 145 A2 |
| | Transfer Case Initial Fill (01C) | 0.85 L (0.9 qt.) | G 052 515 A2 |
| | Transfer Case Initial Fill (0BU) | 0.6 L (0.6 qt.) | |
| | Rear Final Drive, without EDL | 1.25 L (1.3 qt.) | G 052 196 A2 |
| AdBlue® Tank | | | |
| | - | 18.0 L (19.0 qt.) | G 052 910 A2 or GUS 052 910 A3 |
| Brake System | | | |
| | - | 1.2 L (1.3 qt.) | B 000 750 |
| A/C System | | | |
| | Refrigerant, One Evaporator | 850 ± 50 g (30 ± 1.8 oz.) | See ETKA |
| | Refrigerant, One Evaporator Hybrid | 850 ± 50 g (30 ± 1.8 oz.) | See ETKA |
| | Refrigerant, Two Evaporators | 1100 ± 50 g (39 ± 1.8 oz.) | See ETKA |
| | PAG Oil | 140 ± 10 cc (4.7 ± 0.3 fl. oz.) | |
| | PAG Oil Hybrid (6SEU14- Evaporator) | 130 ± 10 cc (4.3 ± 0.3 fl. oz.) | G 052 300 A2 |
| | PAG Oil Hybrid (7SEU17C- Evaporator) | 140 ± 10 cc (4.7 ± 0.3 fl. oz.) | |
| | PAG Oil Hybrid (ES34- Evaporator) | 150 ± 10 cc (5.0 ± 0.3 fl. oz.) | |
| Window/Headlamp Washer System | | | |
| | - | 6.0 L (6.3 qt.) | G 052 164 |