



LEISURE
TRAVEL VANS



April 27, 2017

Campaign Update CA#8641

Triple E Recreational Vehicles
A Division of Triple E Canada Ltd.

P: 204 325 4361
F: 204 325 5241

301 Roblin Blvd.
P.O. Box 1230
Winkler, Manitoba CA
R6W 4C4

U.S. Mailing:
P.O. Box 68
Walhalla, ND 58282

LEISUREVANS.COM
TRIPLEERV.COM

«First_Name»
«Address_Line_1»
«City», «State» «ZIP_Code»

Subject: 15 Amp Fuse instead of 30 Amp Fuse
Affects certain 2017 Unity models

Re:
VIN #
Coach Serial #

Concern:

Our in-house inspections have confirmed a 15amp fuse has been installed instead of a 30amp fuse.

Correction:

To correct this situation, please follow the enclosed procedures. The 30amp fuse is enclosed in this mailing.

Please claim the labour to perform this campaign update on a warranty claim.

Labour to perform this Campaign Update: 0.1 hrs

Thank you for your usual anticipated support in correcting this concern.

Sincerely,

Brad Wall
Customer Relations / Warranty Manager

BW/wcw
Enclosures



Triple E Recreational Vehicles
A Division of Triple E Canada Ltd.

P: 204 325 4361
F: 204 325 5241

301 Roblin Blvd.
P.O. Box 1230
Winkler, Manitoba CA
R6W 4C4

U.S. Mailing:
P.O. Box 68
Walhalla, ND 58282

LEISUREVANS.COM
TRIPLEERV.COM

April 27, 2017

Campaign Update CA#8641

«Owner_Name»
«Owner_Addr1»
«Owner_Addr2»
«Owner_City», «Owner_Prov» «Owner_Postal_Code»

Subject: 15 Amp Fuse instead of 30 Amp Fuse
Affects certain 2017 Unity models

«Unit», «Chassis_Serial_Number»

Concern:

Our in-house inspections have confirmed a 15amp fuse has been installed instead of a 30amp fuse.

Correction:

To correct this situation, please follow the enclosed instructions to install the 30 amp fuse supplied in this mailing.

We sincerely apologize for creating this inconvenience and thank you for allowing us to correct this concern.

Sincerely,

Brad Wall
Customer Relations / Warranty Manager

BW/wcw

Enclosures



SOP

QAAR 8641 400W Solar Panel Fuse replacement.

TRIPLE E
RECREATIONAL VEHICLES


Department:
People Required: 1
Time to Complete: 5min
Date Created: Apr. 25, 2017
Date Revised:
Created by Initial: GK
Rev #:
Verified:

Page 1 of 1




At entrance
step flip up grip
tabs

1




Pull up on tabs
and rotate step
base to fit
crosswise in
step well. Pull
straight up.

2



Open battery compartment latch and shift door so it fits crosswise in step well lift door upwards.

3



The red fuse mounted at the back of the compartment between the batteries must hold a 30 amp fuse for the 400W option.
Replace as needed and remove the 15amp sticker

4

Safe Work Procedures:

Technical Data:

Notes: