



Maserati Technical Bulletin

Date: January 4, 2018
Bulletin No. MAS001417 – New ETM software
Version 17.40.60 and New Update Time
Supersedes: NA
Section: ETM, S/W Update

MASERATI

MODELS: Levante, Quattroporte and Ghibli
MODEL YEAR: 2017
SUBJECT: New ETM Software and New Update time

IMPORTANT: SW 17.40.60 is NOT compatible with MY2018 vehicles.

DESCRIPTION

Maserati Levante, Quattroporte and Ghibli vehicles MY17 have new software available to update the ETM Module.

The new s/w version is 17.40.60.

When loading new ETM s/w, refer to Technical Bulletin “MAS001272 – Notes and procedure for a proper ETM Software update”. Also, starting from the date of issue of this bulletin, the time for ETM software update changes from 0.75h to 0.5h.



The new Labor Operation code is: 8.71.223.5 (0.5h).

NOTE: Use this code when submitting claims for Service Campaign 351 and for any ETM s/w downloads under warranty, contractual or spare parts.

Procedures

The 17.40.60 SW updates found on 4ME are for MY2017: Levante (M161) and Sedans (M156/7) ONLY (*Do Not Attempt to install on MY2018 vehicles*)

- Purchase two 8GB or Larger USB (Pen) Drive and Format to “NTFS”.
- USB (Pen) Drives: 1 for the Levante (M161) and 1 for the Sedans (M156/7)

- a. Go on the 4ME website and select the File for the Sedans (M156/7) Fig.a, or Levante (M161), Fig.b.




Fig.a




Fig.b

- b. Download the “NAFTA” File to your Desktop or Downloads Folder (NOT your USB).
 c. Once downloaded, go to the Folder and “UNZIP” it and you will find a Folder labeled “USBStick_KaliSWDL_SystemOnly” open that folder and you will find another folder labeled “KaliSWDL” open that folder and you will find 5 Files, take these 5 files and drop them onto your USB drive that you formatted earlier. These should be the only files on your USB (Pen) Drive.

IMPORTANT: When you perform software updates to the ETM, the system will revert back to the factory settings and will erase all customer settings and memories.

Please advise your customers accordingly before beginning any software updates.

To check the software version currently in the ETM, go into the Settings menu and view Software version.

1. Turn on the engine and then insert the Vehicle Specific Pen Drive into the USB socket.

NOTE: If the procedure doesn't start or an error appears, open a BOL.

- After inserting the USB (Pen) Drive, the s/w version on the USB (Pen) Drive (as an example: **17.40.60**) will appear on the screen. (Fig.1) Press “Si” (Yes) to start loading the S/W. and a system reset will start. (Fig.2)



Fig.1



Fig.2

- The download could take approx. 45 minutes.(Fig's 3 and 4)




Fig.3




Fig.4

- After the S/W download is complete, wait for the system to reboot and then press “Accept”. (Fig.5)



Fig.5

- After pressing “Accept”, press “No” (Fig.6) at the next screen and remove the USB (Pen) Drive. (Pressing “No” will stop the system from restarting the s/w update).



Fig.6

6. Enter the "Engineering Mode" by pressing the "Left Temp up" & "Sync" buttons at the same time. (Fig.7)



Fig.7

7. Scroll through the "Engineering Mode" and locate "Reset to factory default" then press "Reset to factory default". (Fig.8)



Fig.8

8. At the next screen, press "Yes" and wait for the system to reboot. (Fig.9)



Fig.9

9. After the system reboots, **DO NOT press “Accept”**. (Fig.10)



Fig.10

10. Using the MDEVO, perform the active diagnosis “Learn vehicle configuration” and wait for the system reboot.
11. With the MDEVO, select CHECK VEHICLE and launch CLEAR ALL DTC.
12. Test the ETM system operations.
13. Procedure is complete.

Nicola Rosciano
 Manager Technical Support
 Maserati North America, Inc.

Luis Sanchez
 Technical Director
 Maserati North America, Inc.