



TIFFIN

MOTORHOMES

105 2nd Street NW
Red Bay, Alabama 35582

SB-58
Fuel Sending Unit

February 27, 2018

Dear Tiffin Owner,

It has come to our attention that on certain 2018 Allegro Bus motorhomes, the fuel tank sending unit port was incorrectly located. This location causes the fuel gauge to read incorrectly, showing less fuel than is actually in the tank. The tank will read empty when it is still $\frac{1}{4}$ of the way full.

The repair will consist of removing the existing fuel sending unit, and installing a new sending unit properly calibrated for the port location on the tank.

This repair needs to be completed at a PowerGlide Service Center. Please call Tiffin Motorhomes Chassis Department if you need help arranging the repair.

Their contact information is:

Ricky Brown, phone 256-356-8661 ext. 2122 or email ricky.brown@tiffinmotorhomes.com

Billy Payne, phone 256-356-8661 ext. 2173 or email billy.payne@tiffinmotorhomes.com

We regret any inconvenience this action may cause, but feel certain you understand our interest in the continued use and enjoyment of your motorhome.

Thank you,

Tiffin Motorhomes, Inc.
Enclosures

SB-58 Fuel Sending Unit

PowerGlide Chassis


Effective Date: 2/23/2018

Written by: Zach Wimsatt



Page 1

Improper fuel gauge readings could be caused by the incorrect position of the fuel sending unit. The error can be corrected by changing the fuel sending unit and updating to the proper software calibration.



SB-58 Fuel Sending Unit

PowerGlide Chassis



Effective Date: 2/23/2018

Written by: Zach Wimsatt



Page 2

1. Locate the fuel sending unit. It is located on the front driver side of the fuel tank between the jack and the front suspension.



SB-58 Fuel Sending Unit

PowerGlide Chassis

Effective Date: 2/23/2018

Written by: Zach Wimsatt



Page 3


2. Measure from the bottom of the fuel sending unit to the bottom of the fuel tank.

If the length is 14.5 inches, STOP. No further work is necessary. If the length is 17 inches, then continue with steps 3-7.

3. The fuel gauge should read below 3/8 tank before removing the fuel sending unit. Replace the fuel sending unit with Tiffin part no. 5076643. Tighten the four screws to 85 inch-pounds.




4. Press and hold the two buttons at the base of the speedometer to enter the setup menu.



Buttons

5. Use the left button to navigate to the "MODEL" setting.



Setup Menu

SB-58 Fuel Sending Unit

PowerGlide Chassis

Effective Date: 2/23/2018


Written by: Zach Wimsatt



Page 4

6. Use the right button to cycle through the model options until "Phaeton" is shown.

NOTE: Be careful not to change any other settings.



7. Use the left button to navigate to the last option, "EXIT SETUP." Press the right button to exit the setup menu.