

ATTENTION:
GENERAL MANAGER ☐
PARTS MANAGER ☐
CLAIMS PERSONNEL ☐
SERVICE MANAGER ☐

IMPORTANT - All
Service Personnel
Should Read and
Initial in the boxes
provided, right.

© 2016 Subaru of America, Inc. All rights reserved.



QUALITY DRIVEN® SERVICE

SERVICE BULLETIN

APPLICABILITY: 2000MY to Current, All Models
SUBJECT: Replacement Key and Immobilizer
Information

NUMBER: 01-168-09R
DATE: 06/17/09
Revised: 07/24/18

INTRODUCTION

The purpose of this bulletin is to provide replacement key and immobilizer information along with an overview of the Subaru Lock Information web-site.

OVERVIEW OF THE RETAILER-ONLY SUBARU LOCK INFORMATION SITE

The Subaru Lock Information Site (SLIS) is located at <http://lockinfo.subaru.com>, and provides information on how to obtain immobilizer codes and key cut codes for Subaru vehicles from the 2000MY to present. This bulletin identifies the equipment required to initialize (reset) the immobilizer code and cut the key blanks, for both immobilizer and non-immobilizer type keys. Subaru of America began using immobilizer systems in some 2005MY vehicles (please refer to Immobilizer Chart for more detailed information).

KEY BLANK TYPES

Subaru vehicles are equipped with either standard edge cut keys or high security laser cut keys. All high security keys are equipped with an immobilizer device installed. Some standard edge cut keys may or may not be equipped with an immobilizer device. Key blanks can be purchased through normal parts channels. The following page are examples of the Subaru key blank styles:

There are many different styles of key cuts. Be sure to order the correct blank for your particular application and verify your key cutting equipment is compatible. Master keys are shown below.

2005-2007 Legacy & Outback
edge cut key w/immobilizer (also
available without immobilizer)



2008-2011 Impreza, WRX, & STI
and 2012-2014 WRX & STI high
security laser cut key w/immobilizer



continued...

**CAUTION: VEHICLE SERVICING PERFORMED BY UNTRAINED PERSONS COULD
RESULT IN SERIOUS INJURY TO THOSE PERSONS OR TO OTHERS.**

Subaru Service Bulletins are intended for use by professional technicians ONLY. They are written to inform those technicians of conditions that may occur in some vehicles, or to provide information that could assist in the proper servicing of the vehicle. Properly trained technicians have the equipment, tools, safety instructions, and know-how to do the job correctly and safely. If a condition is described, DO NOT assume that this Service Bulletin applies to your vehicle, or that your vehicle will have that condition.

**SUBARU OF AMERICA, INC. IS
ISO 14001 COMPLIANT**

ISO 14001 is the international standard for excellence in Environmental Management Systems. Please recycle or dispose of automotive products in a manner that is friendly to our environment and in accordance with all local, state and federal laws and regulations.

2008 Legacy, Outback, and Tribeca edge cut key w/immobilizer and keyless entry



2009-2013 Forester high security laser cut key w/immobilizer




2009 Legacy & Outback and 2009-2014 edge cut key w/immobilizer and keyless entry



2010-2014 Legacy & Outback high security standard laser cut key w/immobilizer and keyless entry



2012+ Impreza, 2013+ Crosstrek and 2014+ Forester, 2015+ Legacy & Outback, and 2015+ WRX & STI edge cut key w/immobilizer and keyless entry



2013+ BRZ edge cut key w/immobilizer and keyless entry



continued...

2013-2014 BRZ keyless access with push-button start system access key with inside cut high security laser cut emergency key, immobilizer, and keyless entry



2013-2014 Legacy & Outback keyless access with push-button start system access key with high security laser cut emergency key, immobilizer, and keyless entry



2014-2015 Forester, 2014 Crosstrek Hybrid, and 2015 WRX & STI keyless access with push-button start system access key with inside cut high security laser cut emergency key, immobilizer, and keyless entry. (Different part number and key cutting code from 2013 BRZ.)



2015+ BRZ, 2015+ Legacy, Outback, Impreza, Crosstrek and 2016+ WRX, WRX STI and Forester keyless access with push button start system access key with single-sided inside cut high security laser cut emergency key, immobilizer, and keyless entry.



continued...

SUBARU VEHICLES EQUIPPED WITH ENGINE IMMOBILIZER SYSTEM

	Baja	Forester	Impreza	Legacy	Outback	Tribeca	BRZ	Crosstrek
2005	n/a	2.5XT	STi	2.5GT	2.5XT, 3.0R	--	--	--
2006	n/a	2.5XT	WRX, STi	All	All	All	--	--
2007	--	2.5XT	WRX, STi	All	All	All	--	--
2008	--	2.5XT	All	All	All	All	--	--
≥ 2009	--	All	All	All	All	All	All	All

WEB SITE ACCESS: AUTOMOTIVE SECURITY PROFESSIONALS

The public-facing locksmith site (linked off of STIS, via the “Immobilizer Key Access” button), is a pay site for lock professionals.

WEB SITE ACCESS: AUTHORIZED SUBARU RETAILERS

Authorized Subaru Retailers can access SLIS through Subarunet (under the Service tab, or by directly following the URL <http://lockinfo.subaru.com>. Access to the immobilizer information is restricted to Subaru Dealership Service Managers and Parts Managers. Access will be granted by using the managers’ SKILS user name. No other employees can access the Subaru Immobilizer Database.

Note: It is the retailers’ responsibility to perform due diligence by entering or deleting employees in the SKILS Dealer Employee Maintenance Database. This is especially true of Service Manager and Parts Manager position changes.

Step by Step Process To Access the Site

- Once on the SLIS home page, the Service Manager or Parts Manager will be asked for their SKILS user name. At that time, if this is the first time he/she has logged on to the web site, the password “Welcome” should be used. He/she will then be prompted to create a new password (this will not change your current SKILS password).
- The Service Manager or Parts Manager will then be prompted to read the disclaimer and answer “accept” or “not accept”. If they answer “not accept”, the system will not let them access the immobilizer information.
- A page will then be displayed, allowing for entry of the full 17 character VIN of the vehicle in question.
- Provided the VIN is found in the database, the immobilizer Security ID along with the key/cutting code will appear.
- A charge of \$2.80 will be incurred for each immobilizer request.

Note: Costs are \$9.95 per transaction, or \$25.95 for a 24 hour subscription access (with no transaction limit).

SOA Warranty will only reimburse an approved warranty claim with an Immobilizer Code access cost of \$2.80 per transaction, as a sublet cost. The public-facing (professional locksmith) web site’s public access fees of \$9.95 and \$25.95 will be reduced to \$2.80 per transaction, if those fees are submitted as a part of a warranty claim.

continued...

NASTF SECURE DATA RELEASE MODEL (SDRM)

Positive Identification Policy

NASTF SDRM Subaru Parts and Service Managers who are registered in the Dealer Employee Maintenance Database and are designated as Registry Vehicle Security Professionals (VSPs) shall comply with the following **Positive Identification Policy** when servicing orders for keys, immobilizer reset, or other anti-theft services for vehicles:

1. **Inform the Customer** - At the time of initial request, ask the customer whether he or she has identification and authority for the service. Inform them of the requirements of this Positive Identification Policy.
2. **Complete the Form** - Upon arrival at the job site or when the customer comes in, the VSP shall complete an *Authorization for Automotive Key Generation and/or Immobilizer System / Anti-Theft Services* form (aka *Form D-1*, page 15) that asks for the name, address, phone number, driver's license, vehicle make, model and year, vehicle license plate number, Vehicle Identification Number (VIN), odometer reading, and disclaimer and signature. An invoice or work order that contains all identifying information, when stapled to a duly signed *Form D-1*, is acceptable for collection of this customer information. Subarunet.com user name should be used in place of LSID.
3. **Verify I.D.** - Verify the customer's valid photo ID and compare to the information provided by the customer on the authorization form. The customer must present a valid state issued driver's license as proof of identity to qualify for use of Registry services.
4. **Verify Authority** - Ask the customer to present proof of entitlement, which shall include at least one of the following: a valid registration certificate, a valid insurance ID card, a valid insurance policy, vehicle title or a certificate of ownership for the vehicle. The name and address on the proof of entitlement document must match the information on the driver's license to qualify for use of Registry services. In the event that necessary documentation is locked within the vehicle, the vehicle may be entered to verify the authority of the requestor. If upon entry to the vehicle, you are unable to verify the authority of the requestor, the vehicle shall be shut and locked. Do not produce a replacement key, do not provide any key related information to the requestor and destroy all information acquired from the automaker during the transaction.
5. **Ask for Signature** - Require the customer to read and sign *Form D-1*(page 15). The customer is attesting to:
 - a. the information given by the customer being correct and truthful,
 - b. the customer having the authority to obtain keys or immobilizer services for the vehicle and,
 - c. the customer agreeing to indemnify and hold harmless the service provider and related parties against liability.
6. **File the Form** - Keep the completed *Form D-1* on file for two (2) years, or longer as required by law.
7. **Compliance with Applicable Laws.** The VSP will take all other actions required by applicable laws. In the event of a conflict between the steps set forth herein and the applicable laws, the VSP should comply with applicable laws.
8. **Sublet work** - A mobile VSP doing work for a body shop, garage, or dealership may accept a legible photocopy of the picture I.D. in order to match it to the registration/title documents. This cannot be a faxed copy. The shop owner or manager must verify the customer's I.D. in person and attest they have done so by signing the bottom of the *Form D-1*

continued...

EQUIPMENT

The Subaru Diagnostic System (SDS) is required to reprogram Subaru immobilizer codes. See the Subaru Technical Information System (STIS) (<http://techinfo.subaru.com>) for more information. Instructions for Immobilizer re-initialization for keys, etc., can be found in the applicable Immobilizer Manual on STIS.

TEACHING OPERATION CODES

A Teaching Operation Code may be needed. The following are the necessary Teaching Codes:

VEHICLE LINE	MODEL YEAR	TEACHING CODE
Legacy	2005-2014	3781
Impreza	2005~07	3178
	2008-2011	3781
Forester	2005~08	3178
	2009-2013	3781
Tribeca	2006-2014	3781

KEY CUTTING MACHINERY RECOMMENDATIONS

Subaru of America recommends the use of the Class C Solutions Group “BD Laser Max” key cutting machine for standard edge cut and high security laser cut keys. Consult <http://subaru.service-solutions.com> for key machine purchases.

BD Laser Max



RETAILER CENTRALIZED KEY CUTTING SERVICE

The Subaru of America Parts Department offers a key cutting service for retailers who have not purchased the key cutting machine. The service program details can be found on Subarunet.com, in the Parts Operations area, using the “**Key Request**” link. Forms, details, and costs are found in this area of Subarunet.com.

continued...

Key Cutting Tips For Using a BD Laser Max

Every Subaru vehicle has a key code that can be found on the original key ring tag and on Subarunet. This code is known as an indirect (obfuscated) code. To cut a key, the indirect code must be translated to the direct code which is the actual key cutting depth information.

Behind the scenes there is a database for each key type which converts the indirect key codes into the respective direct depth codes required to cut a key. In the past Subaru provided third party companies with this database so they could program their key cutting machines for indirect code cutting. The indirect key code could be typed into the key machine and the key machine would automatically convert the indirect code into the direct depth code and cut the key.

For security reasons Subaru is no longer providing this database. The keys for newer Subaru models must be cut using the direct method. The direct code cut depth information for a given key must be obtained through Subaru Lock Information Service (SLIS).

The following information will guide you through both indirect and direct depth key cutting methods.

Prior to Using Machine

1. Locate model and model year in the Key Type & Cutting Information chart found on the following pages to find the vehicle specific cutting information
2. Note Cut By, Jaw, Cutter Size and Adapter requirement
3. If the Cut By is listed as Code, obtain the key code for the vehicle through Subaru.net or through the SLIS service (listed as Key No in SLIS)
4. If the Cut By is listed as Depth, obtain the Depth Code through the SLIS service (listed as Key Code in SLIS)

Machine Tips

1. To limit the selection to US market vehicles, from the Main menu go to Cars and change region to North America
2. Maintain up-to-date software. Software releases prior to March 2016 will not cut all of the keys listed in this bulletin. Refer to attached BD Laser Max instructions for updating software and sign up for software update alerts at <https://blueclassc.mscdirect.com/acton/form/1684/0039:d-0001/0/index.htm>
3. When inserting a key blank into the jaw, make sure that the jaw is clear of debris
4. Press down on the blank as you tighten the jaw to ensure that the blank is fully seated

Cutting a Subaru Key

1. From the main menu, select CARS
2. Select Subaru
3. Select Subaru model
4. Select the row with the year range and key type
5. If cut by code, select CODES and input the key code
6. If cut by depth, select DIRECT and input the depth code per the input sequence chart
7. Follow the machine prompts to set up the required cutter size and jaw type
8. Follow the machine prompts to set up the tip stop or adapter (if required). For assistance in setting up the tip stop and adapter refer to following pages for more information
9. If application calls for F/G jaw, either a F or G jaw can be used
10. If an original key is available, check that the image of the key cut matches the original key and proceed with cutting the key

continued...

KEY TYPE & CUTTING INFORMATION (*Legend for charts on Pages 8-11*):

Multiple part numbers = Refer to Electronic Parts Catalog for the correct VIN specific part number

Sub Master = Master Key without remote keyless entry functions


Valet = Door and ignition only. No remote keyless entry functions. Will not unlock glovebox on Forester and Outback, trunk and glovebox on Legacy and 2008-2011 Impreza, and trunk on BRZ

Push-Button Start Emergency = Emergency Key for Keyless Access with Push-Button Start


Pre-cut available = A pre-cut replacement key can be ordered through the TRMI service

Tip Stop Setup for A and C Jaws

A and C jaws use an integrated tip stop that slides into place when required




Tip Stop Integrated Into Jaw



Tip Stop Setup for F/G Jaw


F/G jaws use a magnetic tip stop that is placed into the required grooved track



Magnetic
Tip Stop




Tip Stop In G1 Position





Adapter (AD03) Setup

4IT 4+4 thin type emergency keys require use of the AD03 adapter that is placed into the jaw as shown prior to inserting the key blank



Adapter AD03



continued...

Model	Key Type & Cutting Information																			2017MY	
Impreza	Master	57497AG070	2008MY	57497AG070	2009MY	57497AG070	2010MY	57497FG080	2011MY	57497FG160	2012MY	57497FJ021	2013MY	57497FJ021	2014MY	57497FJ021	2015MY	57497FJ230	2016MY	57497FJ230	57497FL00A
	Sub Master	-	-	-	-	-	-	-	-	-	57497FJ090	57497FJ090	57497FJ090	57497FJ090	57497FJ090	57497FJ090	57497FJ250	57497FJ250	57497FJ250	57497FL08A	
	Valet	57497FG010	57497FG010	57497FG010	57497FG010	57497FG010	57497FG090	57497FG170	57497FG170	57497FG170	-	-	-	-	-	-	-	-	-	-	
	Pre-cut available	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	Cut Type	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	
	Key Type	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	10	10	10	10	10	10	10	10	10	10	
	Key Code Series	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	
	BD Laser Setup	Cut By	Code	Code	Code	Code	Code	Code	Code	Code	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	
	Jaw	A	A	A	A	A	A	A	A	A	F/G	F/G	F/G	F/G	F/G	F/G	F/G	F/G	F/G	F/G	
	Cutter Size	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	
	Adapter Required	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
	Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-</									

continued...

Model	Key Type & Cutting Information										2008MY	2009MY	2010MY	2011MY	2012MY	2013MY	2014MY	2015MY	2016MY	2017MY
WRX / STI	Master	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070
	Sub Master	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070
	Valet	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070	57497AG070
	Pre-cut available	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Cut Type	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser
	Key Type	T0001-3000	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5
	Key Code Series	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000
	BD Laser Setup	Cut By	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code
	Jaw	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
	Cutter Size	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm
	Adapter Required	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
	Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BD Laser Setup	Cut By	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999
	Jaw	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth
	Cutter Size	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm
	Adapter Required	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
	Push Button Start Emergency	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020	57497AL020
	Pre-cut available	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Cut Type	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser	Laser
	Key Type	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin
	Key Code Series	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999	90000 - 94999
	BD Laser Setup	Cut By	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth	Depth
	Jaw	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
	Cutter Size	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm
	Adapter Required	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

continued...

Model	Key Type & Cutting Information	2008MY	2009MY	2010MY	2011MY	2012MY	2013MY	2014MY	2015MY	2016MY	2017MY	2018MY
Forester	Master	57497FC000	57497SC010	57497SC010	57497A1070	57497A1070	57497A1070	57497FJ021	57497FJ021	57497FJ230	57497FJ230	57497FJ230
	Sub Master	-	-	-	-	-	-	-	-	-	-	-
	Valet	57497FC030	57497SC020	57497SC020	57497A1010	57497A1010	57497A1010	57497SG000	57497SG000	57497SG000	57497SG000	57497SG000
	Pre-cut available	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Cut Type	Edge	Laser	Laser	Laser	Laser	Laser	Edge	Edge	Edge	Edge	Edge
	Key Type	10	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	10	10	10	10	10
	Key Code Series	30001-37850	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999
	BD Laser Setup	Code	Code	Code	Code	Code	Code	Depth	Depth	Depth	Depth	Depth
	Jaw	F/G	A	A	A	A	A	F/G	F/G	F/G	F/G	F/G
	Cutter Size	1.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm
	Adapter Required	No	No	No	No	No	No	No	No	No	No	No
	Push Button Start Emergency	-	-	-	-	-	-	57497FJ060	57497FJ060	57497AL020	57497AL020	57497AL020
	Pre-cut available	-	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes
	Cut Type	-	-	-	-	-	-	Laser	Laser	Laser	Laser	Laser
	Key Type	-	-	-	-	-	-	4IT 5+4	4IT 5+4	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin
	Key Code Series	-	-	-	-	-	-	77000 - 78569	77000 - 78569	90000 - 94999	90000 - 94999	90000 - 94999
	BD Laser Setup	Cut By	-	-	-	-	-	Depth	Depth	Depth	Depth	Depth
	Jaw	-	-	-	-	-	-	A	C	C	C	C
	Cutter Size	-	-	-	-	-	-	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm
	Adapter Required	-	-	-	-	-	-	No	No	Yes	Yes	Yes
	Key Type & Cutting Information	2018MY	2019MY									
	Master	57497FJ230										
	Sub Master	-										
	Valet	57497SG000										
	Pre-cut available	Yes										
	Cut Type	Edge										
	Key Type	10										
	Key Code Series	32000 - 39999										
	BD Laser Setup	Cut By										
	Jaw	Depth										
	Cutter Size	F/G										
	Adapter Required	1.5 mm										
	Push Button Start Emergency	No										
	Pre-cut available	Yes										
	Cut Type	Laser										
	Key Type	4IT 4+4 thin										
	Key Code Series	90000 - 94999										
	BD Laser Setup	Cut By										
	Jaw	Depth										
	Cutter Size	C										
	Adapter Required	2.5 mm										
		Yes										

continued...

Model	Key Type & Cutting Information	2008MY	2009MY	2010MY	2011MY	2012MY	2013MY	2014MY	2015MY	2016MY	2017MY
Crosstrek	Master	-	-	-	-	-	57497FJ021	57497FJ021	57497FJ230	57497FJ230	57497FJ230
	Sub Master	-	-	-	-	-	57497FJ090	57497FJ090 / 57497FJ250	57497FJ250	57497FJ250	57497FJ250
	Valet	-	-	-	-	-	-	-	-	-	-
	Pre-cut available	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes
	Cut Type	-	-	-	-	-	Edge	Edge	Edge	Edge	Edge
	Key Type	-	-	-	-	-	10	10	10	10	10
	Key Code Series	-	-	-	-	-	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999
	BD Laser Setup	-	-	-	-	-	Depth	Depth	Depth	Depth	Depth
	Cut By	-	-	-	-	-	F/G	F/G	F/G	F/G	F/G
	Jaw	-	-	-	-	-	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm
	Cutter Size	-	-	-	-	-	No	No	No	No	No
	Adapter Required	-	-	-	-	-	-	-	-	-	-
	Push Button Start Emergency	-	-	-	-	-	-	57497FJ060	57497AL020	57497AL020	57497AL020
	Pre-cut available	-	-	-	-	-	-	Yes	Yes	Yes	Yes
	Cut Type	-	-	-	-	-	-	Laser	Laser	Laser	Laser
	Key Type	-	-	-	-	-	-	4IT 5+4	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin
	Key Code Series	-	-	-	-	-	-	77000 - 78569	90000 - 94999	90000 - 94999	90000 - 94999
	BD Laser Setup	-	-	-	-	-	-	Depth	Depth	Depth	Depth
	Cut By	-	-	-	-	-	-	A	C	C	C
	Jaw	-	-	-	-	-	-	2.5 mm	2.5 mm	2.5 mm	2.5 mm
	Cutter Size	-	-	-	-	-	-	No	Yes	Yes	Yes
	Adapter Required	-	-	-	-	-	-	-	-	-	-
	Key Type & Cutting Information	2018MY	2019MY								
	Master	57497FL000	57497SL050								
	Sub Master	57497FL080	57497FL080								
	Valet	-	!								
	Pre-cut available	Yes	Yes								
	Cut Type	Edge	Edge								
	Key Type	10	10								
	Key Code Series	32000 - 39999	32000 - 39999								
	BD Laser Setup	Depth	Depth								
	Cut By	F/G	F/G								
	Jaw	1.5 mm	1.5 mm								
	Cutter Size	No	No								
	Adapter Required	-	-								
	Push Button Start Emergency	57497AL020	57497AL020								
	Pre-cut available	Yes	Yes								
	Cut Type	Laser	Laser								
	Key Type	4IT 4+4 thin	4IT 4+4 thin								
	Key Code Series	90000 - 94999	90000 - 94999								
	BD Laser Setup	Depth	Depth								
	Cut By	C	C								
	Jaw	2.5 mm	2.5 mm								
	Cutter Size	Yes	Yes								
	Adapter Required	-	-								

continued...

Model	Key Type & Cutting Information																				
Legacy	Master	57497AG35A	2008MY	57497AG48A	2009MY	57497AJ00A	2010MY	57497AJ10A	2011MY	57497AJ10A	2012MY	57497AJ10A	2013MY	57497AJ11A	2014MY	57497AL00A	2015MY	57497AL00A	2016MY	57497AL00A	2017MY
	Sub Master	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Valet	57497AG12A	No	57497AG12A	No	57497AJ01A	Yes	57497AJ01A	Yes	57497AJ01A	Yes	57497AJ01A	Yes	57497AJ01A	Yes	57497AJ01A	Yes	57497AJ01A	Yes	57497AJ01A	
	Pre-cut available	Edge	10	Edge	10	4ET 5+5	Laser	4ET 5+5	Laser	4ET 5+5	Laser	4ET 5+5	Laser	4ET 5+5	Laser	4ET 5+5	Edge	Edge	Edge	Edge	
	Key Type	10	10	10	10	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	32000 - 39999	32000 - 39999	32000 - 39999	32000 - 39999	
	BD Laser Setup	Cut By	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Code	Depth	Depth	Depth	Depth	
	Jaw	F/G	F/G	F/G	F/G	A	A	A	A	A	A	A	A	A	A	A	F/G	F/G	F/G	F/G	
	Cutter Size	1.5 mm	1.5 mm	1.5 mm	1.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm	
	Adapter Required	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	
	Push Button Start Emergency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Pre-cut available	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Cut Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Key Type	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Key Code Series	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	BD Laser Setup	Cut By	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Jaw	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Cutter Size	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Adapter Required	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Key Type & Cutting Information		2018MY	2019MY																		
Master	57497AL27A	57497AL37A																			
Sub Master	-	-																			
Valet	57497AL02A	57497AL01A																			
Pre-cut available	Yes	Yes																			
Cut Type	Edge	Edge																			
Key Type	10	10																			
Key Code Series	32000 - 39999	32000 - 39999																			
BD Laser Setup	Cut By	Depth	Depth																		
Jaw	F/G	F/G	F/G																		
Cutter Size	1.5 mm	1.5 mm	1.5 mm																		
Adapter Required	No	No	No																		
Push Button Start Emergency	57497AL02A	57497AL02A																			
Pre-cut available	Yes	Yes																			
Cut Type	Laser	Laser																			
Key Type	4IT 4+4 thin	4IT 4+4 thin																			
Key Code Series	90000 - 94999	90000 - 94999																			
BD Laser Setup	Cut By	Depth	Depth																		
Jaw	C	C	C																		
Cutter Size	2.5 mm	2.5 mm	2.5 mm																		
Adapter Required	Yes	Yes	Yes																		

continued...

Model	Key Type & Cutting Information	2008MY	2009MY	2010MY	2011MY	2012MY	2013MY	2014MY	2015MY	2016MY	2017MY
Outback	Master	57497AG35A	-	57497AJ00A	57497AJ10A	57497AJ10A	57497AJ10A	57497AJ10A	57497AL00A	57497AL00A	57497AL00A
	Sub Master	57497AG12A	-	57497AJ01A	57497AJ01A	57497AJ01A	57497AJ01A	57497AJ01A	57497AL01A	57497AL01A	57497AL01A
	Pre-cut available	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Cut Type	Edge	Edge	Laser	Laser	Laser	Laser	Laser	Edge	Edge	Edge
	Key Type	10	10	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	4ET 5+5	10	10	10
	Key Code Series	30001-37850	30001-37850	T0001-3000	T0001-3000	T0001-3000	T0001-3000	T0001-3000	32000 - 39999	32000 - 39999	32000 - 39999
	BD Laser Setup	Cut By	Code	Code	Code	Code	Code	Code	Depth	Depth	Depth
	Jaw	F/G	F/G	A	A	A	A	A	F/G	F/G	F/G
	Cutter Size	1.5 mm	1.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm	1.5 mm	1.5 mm	1.5 mm
	Adapter Required	No	No	No	No	No	No	No	No	No	No
	Push Button Start Emergency	-	-	-	-	-	57497AJ11A	57497AJ11A	57497AL02A	57497AL02A	57497AL02A
	Pre-cut available	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes
	Cut Type	-	-	-	-	-	Laser	Laser	Laser	Laser	Laser
	Key Type	-	-	-	-	-	4ET 5+5	4ET 5+5	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin
	Key Code Series	-	-	-	-	-	T0001-3000	T0001-3000	90000 - 94999	90000 - 94999	90000 - 94999
	BD Laser Setup	Cut By	-	-	-	-	Code	Code	Depth	Depth	Depth
	Jaw	-	-	-	-	-	A	A	C	C	C
	Cutter Size	-	-	-	-	-	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm
	Adapter Required	-	-	-	-	-	No	No	Yes	Yes	Yes
	Key Type & Cutting Information	2018MY	2019MY								
	Master	57497AL27A	57497AL37A								
	Sub Master	-	I								
	Valet	57497AL02A	57497AL01A								
	Pre-cut available	Yes	Yes								
	Cut Type	Edge	Edge								
	Key Type	10	10								
	Key Code Series	32000 - 39999	32000 - 39999								
	BD Laser Setup	Cut By	Depth								
	Jaw	F/G	F/G								
	Cutter Size	1.5 mm	1.5 mm								
	Adapter Required	No	No								
	Push Button Start Emergency	57497AL02A	57497AL02A								
	Pre-cut available	Yes	Yes								
	Cut Type	Laser	Laser								
	Key Type	4IT 4+4 thin	4IT 4+4 thin								
	Key Code Series	90000 - 94999	90000 - 94999								
	BD Laser Setup	Cut By	Depth								
	Jaw	C	C								
	Cutter Size	2.5 mm	2.5 mm								
	Adapter Required	Yes	Yes								

continued...


Model	Key Type & Cutting Information	2008MY	2009MY	2010MY	2011MY	2012MY	2013MY	2014MY	2015MY	2016MY	2017MY
BRZ	Master	-	-	-	-	-	57497CA110	57497CA110	57497CA310	57497CA310	57497CA310
	Sub Master	-	-	-	-	-	-	-	-	-	-
	Valet	-	-	-	-	-	57497CA250	57497CA250	57497CA250	57497CA250	57497CA250
	Pre-cut available	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes
	Cut Type	-	-	-	-	-	Edge	Edge	Edge	Edge	Edge
	Key Type	-	-	-	-	-	10	10	10	10	10
	Key Code Series	-	-	-	-	-	50000 - 69999	50000 - 69999	50000 - 69999	50000 - 69999	50000 - 69999
	BD Laser Setup	-	-	-	-	-	Code	Code	Code	Code	Code
	Cut By	-	-	-	-	-	F/G	F/G	F/G	F/G	F/G
	Jaw	-	-	-	-	-	1.5 mm	1.5 mm	1.5 mm	1.5 mm	1.5 mm
	Cutter Size	-	-	-	-	-	No	No	No	No	No
	Adapter Required	-	-	-	-	-	57497CA200	57497CA200	57497AL020	57497AL020	57497AL020
	Push Button Start Emergency	-	-	-	-	-	Yes	Yes	Yes	Yes	Yes
	Pre-cut available	-	-	-	-	-	-	-	-	-	-
	Cut Type	-	-	-	-	-	Laser	Laser	Laser	Laser	Laser
	Key Type	-	-	-	-	-	4IT 5+5	4IT 5+5	4IT 4+4 thin	4IT 4+4 thin	4IT 4+4 thin
	Key Code Series	-	-	-	-	-	40000 - 49999	40000 - 49999	90000 - 94999	90000 - 94999	90000 - 94999
	BD Laser Setup	-	-	-	-	-	Depth	Depth	Depth	Depth	Depth
	Cut By	-	-	-	-	-	C	C	C	C	C
	Jaw	-	-	-	-	-	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm
	Cutter Size	-	-	-	-	-	-	-	-	-	-
	Adapter Required	-	-	-	-	-	No	No	Yes	Yes	Yes
	Key Type & Cutting Information	2018MY	2019MY								
	Master	57497CA310									
	Sub Master	-									
	Valet	57497CA250									
	Pre-cut available	Yes									
	Cut Type	Edge									
	Key Type	10									
	Key Code Series	50000 - 69999									
	BD Laser Setup	Cut By	Code								
	Jaw	F/G									
	Cutter Size	1.5 mm									
	Adapter Required	No									
	Push Button Start Emergency	57497AL020									
	Pre-cut available	Yes									
	Cut Type	Laser									
	Key Type	4IT 4+4 thin									
	Key Code Series	90000 - 94999									
	BD Laser Setup	Cut By	Depth								
	Jaw	C									
	Cutter Size	2.5 mm									
	Adapter Required	Yes									

continued...

Depth Code Input Sequence


Edge cut key depth code input sequence
2012MY+ Impreza, 2015MY+ WRX/STI 2013MY+ Crosstrek,
2014MY+ Forester, 2015MY+ Legacy, 2015MY+ Outback

The machine will automatically populate the second row
Depth Code: 1-2-3-4-5-6-7-8-9-10




Emergency key depth code input sequence (4IT 4+4 key)
2015MY+ Impreza, 2016MY+ WRX/STI 2015MY+ Crosstrek,
2016MY+ Forester, 2015MY+ Legacy, 2015MY+ Outback,
2015MY+ BRZ

Enter code in reverse order from sequence provided
Depth Code: 1-2-3-4-5-6-7-8




Emergency key depth code input sequence (4IT 5+5 key)
2013-14MY BRZ

Enter code in reverse order from sequence provided
Depth Code: 1-2-3-4-5-6-7-8-9-10



Emergency key depth code input sequence (4IT 5+4 key)
2015MY WRX/STI, 2014MY Crosstrek, 2014-15MY Forester

Enter code in reverse order from sequence provided
Depth Code: 1-2-3-4-5-*7-8-9-10



continued...



BD Laser Max Keyonline Via PC (USB Memory Stick) Update Instruction

USB Memory stick requirements: 2-4 GB flash/thumb drive. Drive must be free of information prior to performing the update.

1. From the main menu select:
 - a. Setup
 - b. Updates
 - c. Keyonline via pc
 - i. Do you want to update the software?
 1. Select "Yes".
 - ii. Please insert the USB memory stick in to the console and press "OK".
 1. The BD Laser Max will then transfer a ".csk" file to the USB memory stick.
 - iii. Once the file transfer is complete the machine will display "Please remove the USB memory stick, download the update from Keyonline website on your personal computer and save it on the USB memory stick"
 1. Select "OK" and remove the USB memory stick from the console.
2. Insert USB memory stick in to desktop/laptop.
3. Visit **<http://bdlaser.mscdirect.com/>**
4. Double click "choose file".
5. Search and select the ".csk" file downloaded from the BD Laser Max and select "open".
6. Click "request update"
 - a. A dialogue box with the message "This action may require some time. Please wait" will appear. Select "OK".
7. The update package will then be created.
 - a. Once the package creation is completed select
 - i. For Windows users: Select "SAVE" and then "SAVE AS" under the drive that is associated with your USB drive.
 - ii. For Chrome users: Select the "Show in folder" option, then pull to transfer the file to the USB drive.
8. Once the download/transfer is complete, safely eject the USB memory stick from the desktop/laptop.
9. Return to the BD Laser Max which displays the message "Please insert the USB memory stick containing the update".
 - a. Insert the USB memory stick and select "OK".
10. The BD Laser Max will then display the message "Do you want to update the software?"
 - a. Select "yes".
 - b. Please note: The update process may take some time.
11. Once the update file transfer is complete the machine will display "Software update successfully installed". Select "OK" then remove the USB memory stick and save for future use.

1301 E. 9th Street Suite, #700 · Cleveland, OH 44114

Email: keymachines@MSCDirect.com · Phone: 866-438-6767

Confidential – Property of Class C Solutions Group, a business of MSC Industrial Supply Co.

continued...

Form D1

AUTHORIZATION FOR AUTOMOTIVE KEY GENERATION and/or IMMOBILIZER SYSTEM/ANTI-THEFT SERVICES

(The LSID Holder must fill out this form, after personally looking at the photo I.D., the registration and the VIN plate on the Vehicle. These forms are to be kept for 2 years in a secured location as per the NASTF positive I.D. Policy. The NASTF Director of Operations will randomly audit these forms to ensure compliance with positive I.D. policy. Failure to produce D-1 Forms when requested will result in LSID registry suspension and possible termination.)

I hereby certify that I have the authority to order keys and immobilizer system reset services for the vehicle indicated below. I agree that the information I am providing is true and correct. Further, to the maximum extent permitted by applicable law, I agree to indemnify and hold harmless the service provider listed below and related parties providing security information from any and all liability or claims that may arise from the performance of this service. I further agree to indemnify the automaker and their affiliates, successors, assignees, and nominees from any and all claims, losses, or costs (including reasonable attorney's fees) arising from any acts or omissions of the service provider, the service provider's employees, subcontractors, or agents.

Vehicle Owner/Customer Name: _____

Address: _____

City / State / Zip Code: _____

Telephone: _____

Vehicle Owner/Customer Signature	Date

Driver's License Number ¹	State	Expiration Date

Other Form of ID (specify type and number): _____

Vehicle Year	Make	Model	Color:

License Plate Number	State of Vehicle Registration

Vehicle ID Number (VIN) (17 characters)

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Odometer Reading (mileage): _____ (or) Not Available: ☐

For Dealership/Auctions: PO / Stock # _____ / _____

Service Performed: ☐ Key cut from code ☐ Immobilizer reset ☐ Other (describe below) : _____

VSP/Service Provider Business Name: _____

Phone: _____

Address: _____

City / State / Zip Code: _____

VSP/Technician Name	Subaru.net Username

VSP/Technician Signature	Date

Contracting Shop Owner/Manager Signature
(Item 8 of the Positive ID Policy)

¹ **IMPORTANT:** Mobile Service Providers - If the VSP is not present at the time vehicle is received for service by a contracting service facility, the contracting service facility must make a photocopy of the vehicle owner's driver's license and attach to this form. Additionally, a valid registration must be left with the vehicle so that the VSP can verify that the driver's license matches the ownership documentation.