

## Audi Warranty

## Number: AWA-18-08

Date: June 4, 2018

This document modifies the

Audi Warranty Policies and Procedures Manual

Subject: "Extended Emissions Warranty" Limited Warranty Extension for 3.0L TDI vehicles Gen 1.1

Dealers: U.S., Puerto Rico

Effective Reception Date: June 4, 2018

For Audi 3.0 L TDI Generation 1.1 vehicles repaired by the emissions modification recall, the following warranty extension is applicable.

## "Extended Emissions Warranty" Limited Warranty Extension

The Limited Warranty Extension is applicable to 3.0L TDI vehicles Generation 1.1 with engine code CATA.

### Warranty Period

The warranty period for the "Extended Emissions Warranty" limited warranty extension shall be the **greater** of:

- 1) 10 years or 120,000 miles, whichever occurs first, from the vehicle's original in-service date; or
- 2) 4 years or 48,000 miles, whichever occurs first, from the date and mileage of the emissions modification.

The vehicle's original in-service date is defined as the date the vehicle was delivered to either the original purchaser or the original lessee; or if the vehicle was first placed in service as a "demonstrator" or "company" car, on the date such vehicle was first placed in service.

## Transferability

This limited warranty extension is fully transferable to subsequent owners.

#### What is Covered Under this Limited Warranty Extension

The "Extended Emissions Warranty" limited warranty extension consists of two parts, the Emission Control System Warranty and the Engine Long Block Warranty.

#### Emission Control System Warranty

The emissions control system warranty covers all components that are replaced as part of the emissions modification and any component that can reasonably be impacted by effects of the emissions modification, including the OBD System and any malfunctions detected by the OBD systems. A detailed list of parts or systems included in the warranty are listed in the table below.

©2018 Audi of America

All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Audi of America, Inc., its affiliated companies, and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise; nor may these materials be modified or reposted to other sites without the prior expressed written permission of the publisher.



#### Engine Long Block Warranty

The engine long block warranty shall cover the engine sub-assembly that consists of the assembled block, crankshaft, cylinder head, camshaft, and valve train. A complete list of parts included in the warranty is provided in the table below.

#### What is Not Covered Under this Limited Warranty Extension

This Limited Warranty Extension does not cover:

- Any damage or malfunctions causes by installation of non-EPA or non-CARB certified emissions related parts, including such damage or malfunction to parts needed for proper diagnosis of a covered part.
- Damage or malfunctions caused by outside influence, such as damage due to an accident, or vehicle misuse or neglect, but only if the damage or malfunction is causally related to the accident or vehicle misuse.

#### Warranty Extension Coverage Limitations

The warranty and maintenance information that came with the owner's vehicle contains information on the limited warranties applicable to their Audi model. Owners should read these limited warranties carefully to determine their warranty rights and obligations, as this information also applies to the coverage provided to them in this warranty extension.

#### Vehicle Eligibility

To determine if a <u>vehicle repaired by the emissions modification recall</u> is eligible for the "Extended Emissions Warranty" limited warranty extension, check the VIN in ElsaPro > Vehicle Data. If the warranty extension is applicable to the vehicle, the "Enhanced Coverage" section of the "Vehicle Data" screen in ElsaPro will be populated with the warranty extension parameters.

#### SAGA Warranty Claim Type

Dealers must use claim type G14 when submitting warranty claims for the "Extended Emissions Warranty" limited warranty extension.

#### Loaner Vehicle Applicability

The cost or provision of a loaner vehicle for this warranty extension is applicable for warranty service lasting longer than 3 hours.

#### **Questions or Concerns**

Contact Audi Warranty at 866.677.2834 or AudiWarranty@audi.com with questions or concerns related to this limited warranty extension.

©2018 Audi of America

## **Important Information**

For conditions that illuminate the MIL and are not listed as a Service Number or Component below, submit the extended emissions warranty claim using Service Number S656. Ensure that a Guided Fault Finding log showing the DTC is uploaded to GFF Paperless before the claim is submitted through SAGA. If you have any question or doubt about whether a component is covered under this warranty, contact Audi Warranty.

<b>Component Description</b>	Service Number	Component Description	Service Number
Engine long block/crankcase	1009	Oil pan (upper)	1745
Piston	1310	Oil pan (lower)	1750
Piston rings	1319	EGR cooler circulation pump	1945
Piston pin (part of piston, not available separately)	1326	Engine coolant temp (main sensor G62)	1978
Connecting rod bearing (upper	1330	Fuel tank	2010
& lower)		Fuel temperature sensor (G81)	2036
Connecting rod	1340	Fuel pump relay (J17)	2065
Crankshaft	1348	Electric fuel pump	2066
Crankshaft bearing (upper & lower)	1350	Fuel pump control module (J538)	2070
Crankshaft oil seal, flywheel end	1359	Throttle position sensor (G185 & G79)	2080
Crankshaft oil seal, pulley end	1374	Turbocharger	2130
Balance shaft	1385	Boost pressure actuator (VTG J724) (contained within turbocharger)	2130
Balance shaft chain	1390		
Camshafts	1505		
Camshaft bearing (part of cylinder head)	1510	EGR connecting pipe (EGR cooler to turbocharger)	2141
Intake valve	1560	Turbo pressure pipe (left to right charge air cooler)	2141
Exhaust valve	1562		
Cylinder head (cyl 1-3)	1570	Turbo pressure pipe (left charge air cooler to pressure hose)	2141
Cylinder head (cyl 4-6)	1570		
Cylinder head gasket	1571		
Cylinder head cover	1582	Turbo pressure pipe (throttle	2141
Reduced oil pressure switch	1705	valve to intake manifolds) Turbo pressure hose (charge air tube to pressure pipe)	2141
Oil pressure switch	1705		
Oil level/temperature sensor (G266)	1711	Turbo pressure hose (right charge air cooler to pressure pipe)	2141
Oil pump	1720		
Oil pump gasket	1720		1
Oil pressure regulator (N428)	1726		

©2018 Audi of America

<b>Component Description</b>	Service Number	Component Description	Service Number
Turbo pressure hose (right charge air cooler to charge air tube)	2141	Engine control unit (ECU/EDC J623), engine off timer, CAN powertrain	2360
Turbo pressure hose (left charge air cooler to pressure pipe)	2141	High pressure fuel rail (left)	2370
		High pressure fuel rail (right) High pressure fuel sensor	2370
Turbo pressure hose (charge air tube to turbocharger)	2141	(G247)	2372
Charge air cooler (left)	2143	Pressure regulating valve (on fuel rail, N276)	2372
Charge air cooler (right)	2143	High pressure fuel pump with	2374
Turbo charge air tube	2157	fuel metering unit (N290)	
Boost pressure sensor	2168	Throttle valve with position sensor/module J338)	2379
Charge air pressure & intake air temperature sensor (G31 & G42) (contained within boost pressure sensor)		Intake flap motor (left V157)	2380
	2168	Intake flap motor (right V275)	2380
		Urea/adblue tank	2381
Turbo air pipe (throttle valve to intake manifolds)	2328	CAN: pre-catalyst NOx sensor (G687)	2381
Turbo air pipe (throttle valve to pressure hose)	2328	CAN: post-catalyst NOx sensor (G687)	2381
Turbo pressure hose (air pipe to	2328	Exhaust manifold (left)	2610
throttle valve)		Exhaust manifold (right)	2610
Turbo pressure hose (throttle valve to charge air tube)	2328	EGR valve	2639
Turbo pressure hose (throttle valve to pressure pipe)	2328	EGR motor (V338) EGR actuator (Potentiometer G212)	2639
High pressure injection lies	2330	EGR cooler with bypass valve and switch over valve (N381)	2643
High pressure injection line (rail to rail)	2330	EGR bypass valve (contained within EGR cooler)	2643
High pressure injection line (rail to pump)	2330	EGR solenoid with switch over valve (N345)	2645
High pressure injector (N30- N33, N83, N84)	2340	EGR connecting pipe (EGR cooler to EGR cooler)	2647
High pressure injection line (rail to return)	2345	EGR connecting pipe (EGR cooler to exhaust)	2647
Oxygen sensor (G39)	2357	DeNox (SCR) Catalyst	2670
EGT sensor in EGR cooler (contained within EGR cooler)	2358	Exhaust gas temperature sensor upstream turbocharger (G448)	2672
Mass air flow sensor (G70)	2359		

©2018 Audi of America

All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Audi of America, Inc., its affiliated companies, and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise; nor may these materials be modified or reposted to other sites without the prior expressed written permission of the publisher.

<b>Component Description</b>	Service Number	Component Description	Service Number
Exhaust gas temperature sensor upstream DOC (G495)	2672	CAN: Particulate matter sensor	2693
		Camshaft position sensor (G40)	2839
Exhaust gas temperature sensor upstream PM trap (G235)	2672	Crankshaft position sensor (engine speed sensor G28)	2873
		Diesel glow plug (Q10-Q15)	2884
Exhaust gas temperature sensor downstream PM trap (G648)	2672	Diesel glow plug (pressure sensing)	2884
Exhaust gas temperature sensor downstream LP egr cooler (G648)	2672	Cylinder pressure sensors (cyl 2 & 5 - G678 & G681) (contained with glow plug)	2884
EGR temperature sensor (G98)	2672	Diesel glow plug control unit ()179)	2887
Oxygen Cat (DOC) Catalyst	2673	CAN: transmission control module (TCU)	3730
Diesel Particulate Filter	2674		
Differential pressure sensor (G505)	2675	CAN: brake unit (ABS) / vehicle speed sensor (signal sent via	4545
Differential pressure sensor (G505)	2675	ABS module) CAN: gateway control unit / powertrain CAN	9035
Urea/adblue pump	2679		
Urea/adblue tank heater/level	2682	CAN: instrument cluster	9035
& temp sensor (G684 & G685)		CAN: ambient air temperature	9168
Urea/adblue control module	2683	sensor	
(]880)		Brake light switch (F47)	9436
Urea/adblue supply line	2684	CAN: body control module	9710
Urea/adblue dosing valve (N474)	2685	Engine wiring harness	9752

©2018 Audi of America

All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Audi of America, Inc., its affiliated companies, and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise; nor may these materials be modified or reposted to other sites without the prior expressed written permission of the publisher.