

Technical Journal

TITLE:

USB Hub for Android Auto functionality

REF NO: TJ 33634.1.1	ISSUING DEPARTMENT: Technical Service	CAR MARKET: United States and Canada		
3 US 7	PARTNER: 7510 Volvo Car USA	ISSUE DATE: 2018-03-20	STATUS DATE: 2018-05-01	
FUNC GROUP: 3900	FUNC DESC: Media, navigation and communication	Page ⁻	l of 28	

[&]quot;Right first time in Time"

Attachment

File Name	File Size
Installation Instruction_2018 S90.pdf	1.8202 MB

Vehicle Type

Туре	Eng	Eng Desc	Sales	Body	Gear	Steer	Model Year	Plant	Chassis range	Struc Week Range
238							2018-2018		0000000-0042184	201710-201747

CSC Customer Symptom Codes

Code	Description
ZY	Electrical system/Component electrical system wrong installation/missing

VST Operation Number

VST Operation Number	Description
39925-2	Smartphone integration, new install

DTC Diagnostic Trouble Codes

Rows beginning with * are modified

Note! If using a printed copy of this Technical Journal, first check for the latest online version.

Technical Journal 33634.1.1



Text

DESCRIPTION:

Some MY 2018 S90 vehicles listed above were built without a USB hub but also include Android Auto functionality.

The Android Auto function requires a USB hub in these vehicles to function properly.

If a customer is experiencing USB connection issues with Android Auto, the USB hub can be added to these cars at no cost to them

SERVICE:

The accessory kit for Smartphone Integration on cars without a dual USB hub must be installed. Kit part number (PN) and application Software Product (SP) are listed below. Installation instructions are attached.

Kit: PN 32204786

Application: SP 30795738

Further information can be found on the accessories website: https://accessories.volvocars.com/en-us/S90(17-)/Accessories/Document/VCC-507728/2018

NOTE: The *Smartphone Integration* SP mentioned in the installation instructions does not need to be downloaded since the vehicle is already equipped with the Apple CarPlay and Android Auto applications.

Warranty Note: Only the vehicles in the range specified above can have the hub installation claimed under warranty.

VEHICLE REPORT:

N/A

To view TJ attachment continue to next page. This TJ has one attachment.

Page 2 of 28 2018-05-01



Volvo Car Corporation Gothenburg, Sweden

Instruction No Version Part. No.


11111111 1.0 32204786, 31659192, 32204602

Integrated smartphone



Volvo Car Corporation Gothenburg, Sweden

Materials		
Designation	Part number	
Cable tie, 750 mm	988734	
Electrical tape		





Volvo Car Corporation Gothenburg, Sweden

Information

1

Read through all of the instructions before starting installation.

Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.


Ensure that all tools stated in the instructions are available before starting installation.

Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.

In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.

Color symbols

2



IMG-363036

Note!

This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

- 1. Used for focused component, the component with which you will do something.
- Used as extra colors when you need to show or differentiate additional parts.
- 3. Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4. Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6. Used as background color for vehicle components.

Removal




Volvo Car Corporation Gothenburg, Sweden

3

Remove the panel.

IMG-414590



Remove the panel.


Disconnect the connector.

IIVIG-412242




Volvo Car Corporation Gothenburg, Sweden

5



Remove the panel.




IMG-414580



Volvo Car Corporation Gothenburg, Sweden

7



Remove the screws.

Remove the panel.


IMG-41458





Volvo Car Corporation Gothenburg, Sweden

9



Remove the screws.

Tightening torque: Front seat to body , 40 Nm






IMG-414525



Volvo Car Corporation Gothenburg, Sweden

11



Remove the screws.

Tightening torque: Front seat to body, 40 Nm

IMG-414515









Volvo Car Corporation Gothenburg, Sweden

13



Disconnect the connector.

IMG-396605




Unhook the cable harness clips.



Volvo Car Corporation Gothenburg, Sweden



IMG-414526




Remove the marked part.




Volvo Car Corporation Gothenburg, Sweden

17



Remove the battery's negative cable.


IMG-394520






Volvo Car Corporation Gothenburg, Sweden

19



The graphic shows the back of the component.

IMG-439523




Loosen the marked detail.




Volvo Car Corporation Gothenburg, Sweden

21

Disconnect the connectors.




Alternative 2





Volvo Car Corporation Gothenburg, Sweden






All vehicles

24

The part is not to be reused.








Volvo Car Corporation Gothenburg, Sweden


25

Release the lock.




IMG-446386

26



Disconnect terminals from the connector, following the graphic.




Accessory installation



Volvo Car Corporation Gothenburg, Sweden

27


Connect the cable harness.



IMG-447057

28

Install the catch.





29

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

Assemble components that come with the accessory kit.




IMG-447077

IMG-447081

30

Connect the connectors.



© Volvo Car Corporation





31

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

Use: 988734, Cable tie, 750 mm







Use: , Electrical tape



Volvo Car Corporation Gothenburg, Sweden



IMG-447085



Pull the wiring through.


Install the cable.

Use a cable tie



Volvo Car Corporation Gothenburg, Sweden

35




Position/route the cable as illustrated.

Install the cable.

Use a cable tie

IMG-447157



Position/route the cable as illustrated.


Install the cable.

Use a cable tie




Volvo Car Corporation Gothenburg, Sweden





IMG-388631





Remove the nut.




IMG-388638



Volvo Car Corporation Gothenburg, Sweden

39




Connect the prerouted cable.

Install the nut.

Tightening torque: M6 , 10 Nm


IMG-388639





Volvo Car Corporation Gothenburg, Sweden

41




Position/route the cable as illustrated.

Install the cable.

Use a cable tie

IMG-447160

42



Remove the marked part.




IMG-446330

IMG-419701


Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

43



Release the connector's catch.



Depress the locking device.


Remove the marked part.




Volvo Car Corporation Gothenburg, Sweden

45

Connect the cable.



11010-44030




Install component that comes with the accessory kit.

On some vehicles fuse might be premounted.



Volvo Car Corporation Gothenburg, Sweden


47



Install the marked component.

IMG-438528

48



Download software (application) for the accessory's function according to the service information in VIDA. See VIDA or the accessories catalogue for software part number.

First, download the software for USB, then Smartphone Integration.

IMG-242268

Installation

49

Reinstall the removed parts in reverse order.