

<b>Reference</b>	SSM74096
<b>Models</b>	XE / X760 XF / X260
<b>Title</b>	Passive Start function does not work after Pre Delivery Inspection has been completed
<b>Category</b>	Diagnostic Software Hardware
<b>Last modified</b>	21-Sep-2018 00:00:00
<b>Symptom</b>	000101 Diagnostic Concerns

**Content****Issue:**

The retailer may notice that the passive start function does not work after the Pre Delivery Inspection (PDI) has been completed using Pathfinder.

**Cause:**

The Passive Start has been disabled at the Castle Bromwich manufacturing plant incorrectly and PATHFINDER does not re-enable Passive Start during the PDI application.

**Action:**

1. Open the ECU diagnostics menu
2. Open the Remote Function Actuator (RFA) menu.
3. Open the ECU functions menu.
4. Run the application "Passive Entry / Passive start enable".
5. Check the operation of the keys.

If these instructions do not rectify the concern, submit a Technical Assistance (TA) to Local Technical Support.

**Permanent Corrective Action:**

The Permanent Corrective Action will be released on a later software release.

Technicians - Please rate this SSM and provide comments so that future communications can be improved.

1 = Poor – Basic information provided – The SSM does not help me resolve the customer concern.

3 = Average – Adequate information provided – The SSM partially helps me resolve the customer concern.

5 = Excellent – All required information provided to resolve the customer concern.