

Service Information



Special Tools & Equipment

Number: ATE-18-14

Subject: Audi A8 MRT Auto-Shipment AT-414

Date: Sept. 13, 2018

Audi of America is pleased to inform you of the automatic delivery of the Audi MRT Auto Shipment AT-414 used to service and repair the all new Audi A8 and other Audi vehicles.

IMPORTANT!

This communication contains important information on the New A8 and VAS 6154 Diagnostic Interface. PLEASE READ THOROUGHLY.

Starting October 8, 2018, all Audi dealers will be shipped one AT-414 Special Tool Package, Freight F.O.B. Snap-On OEM and invoiced directly via the dealership Parts Billing Account.

Dealers wishing to order additional AT-414 Special Tool Packages should notify the Audi Tools and Equipment program by calling: 800-892-9650. Additional orders will be filled in the order received.

Please direct shipping and billing inquiries to the Audi Tools and Equipment program: **800-892-9650**.

<u>Franchise Type</u>	<u>Package Qty.</u>	<u>Dealer Price USA</u>	<u>Dealer Price Canada</u>
Audi Exclusive	7 tools	\$ 3851.70	\$ 5168.40
Audi Dual	6 tools	\$ 3779.40	\$ 5073.60
Additional for Select Dealers*	(1) VAS 6154	\$ 1025.80	\$ 1343.80

*Refer to **Tool Description** on Page 2.

(cont.)



Service Information

Tool Description	Illustration
VAS 6154 Diagnostic Interface <u>IMPORTANT INFORMATION ON THE NEW A8 REGARDING VAS 6154!</u> Starting with MY19, vehicles equipped with PR Code - <i>IW3</i>, must be taken out of transport mode using the VAS 6154. This is due to a new telematics control module, <i>J949 - Control Module for Emergency Call Module and Communication Unit</i>, which can only be diagnosed using the VAS 6154 Diagnostic Interface. The VAS 5054 Diagnostic Interface cannot properly address J949 and will cause this control unit to remain in transport mode and set DTC - <i>P169A00 - Transport Mode Active</i> if used. Additionally, the gateway module will set DTC - <i>U142100: Control Module for Emergency Call Module and Communication Unit no Communication</i>. Refer to TSB Technical Service Bulletin 2052299/1 for details. A select number of Audi dealerships will be shipped one VAS 6154 Diagnostic Interface as part of the Audi A8 MRT Auto-Shipment AT- 414. This is limited to dealerships who have not yet purchased a VAS 6154 based on sales history.	
T10531/5-/6 – Assembly Tool Used in conjunction with the T10531 for removing and installing the vibration dampener on the 2.0l, 4V TFSI engine used in multiple vehicles across the Audi line. Audi Exclusive	
T40388 – Removal Tool for Coupling - Aerial Used to quickly and correctly remove and install the mobile device charger J1147 and the aerial coupler. Saves approximately 90 minutes when removing the coupling aerial. Audi Exclusive and Dual	

(cont.)



Service Information

Tool Description	Illustration
T40389 – Release Tool Used to remove the instrument cluster and dash panel insert when disassembling dashboard. Audi Exclusive and Dual	
T40393 – Locking Pins Used for positioning the steering adapter on the rear axle assembly carrier in vehicles with steering adapter Audi Exclusive and Dual	
T40394 – Puller - Windshield Wiper Required to safely remove the windshield wiper arms due to the limited working space on the new Audi A8. Audi Exclusive and Dual	
VAS611011 – Test adapter Used for diagnosis on vehicle electrical circuits equipped with the new style 8-pin connector used on various powertrain sensors. Audi Exclusive and Dual	
(†) VAS6430/12 – Calibration Board Laser Scanner Used in conjunction with VAS6430 to calibrate the laser ACC system found on the new Audi A8. Audi Exclusive and Dual	

(†) Recently introduced tool that may be delayed from the manufacturer. (Dealers will not be invoiced additional freight for shipping of delayed tools.)