



Preliminary Information

PIC6015C New Charge Receptacle To Address Charge Related Issues Diagnosed To A Receptacle - This May Include DTCs P0D22 P0D26 P0D58 P0D59

Models

Brand:	Model:	Model Years:	VIN:		Engine:	Transmissions:
			from	to		
Cadillac	ELR	2014	ALL	ALL	1.4 LUU	ALL
Chevrolet	Volt	2011 - 2014	ALL	ALL	1.4 LUU	ALL

Supersession Statement

This PI was superseded to update parts information for part number changes. Please discard PIC6015B

The following diagnosis might be helpful if the vehicle exhibits the symptom(s) described in this PI.

Condition / Concern

Some customer may have one or all of the following concerns:

- 1) Vehicle will not charge the high voltage battery
- 2) Current or history charging DTCs
- 3) The vehicle will not shift out of park

Recommendations / Instructions

Note: It is important that the dealer follow diagnostic procedures for any specific DTC's, ensure the charge cord is functioning properly, and verify that the issue was not a result of charging infrastructure. Also monitoring the proximity signal for an improper or noisy signal as called out in the current version of [PIP4905](#) may assist in finding a receptacle concern.

Inspect the charge receptacle for micro cracking or water intrusion. If you find an issue with the charge receptacle, a new updated charge receptacle has been released to address all the issues above. Please replace the charge receptacle with the correct part number for your vehicle

Parts Information

Model year	Part Number	Description	Qty
2011-2013 Chevrolet Volt	23281030	Drive Motor Battery Charger Receptacle	1
2014 Chevrolet Volt	23281029	Drive Motor Battery Charger Receptacle	1
2014 Cadillac ELR	23281029	Drive Motor Battery Charger Receptacle	1

Warranty Information

For vehicles repaired under the EV coverage, use the following labor operation. Reference the Applicable Warranties section of Investigate Vehicle History (IVH) for coverage information.

Labor Operation	Description	Labor Time
5040050	Drive Motor Battery Charger Receptacle Replacement	Use Published Labor Operation Time

Please follow this diagnostic or repair process thoroughly and complete each step. If the condition exhibited is resolved without completing every step, the remaining steps do not need to be performed.

