

Technical Service Bulletin

UPDATES TO 2017 LANCER &
LANCER SPORTBACK GENERAL INFORMATION
- SERVICE MANUAL REVISION

No: TSB-19-00-0 DATE: April 2019 MODEL: 2017 Lancer 8	TSB-19-00-001
DATE:	April 2019
MODEL:	2017 Lancer & Lancer Sportback

CIRCULATE TO:	[] GENERAL MANAGER	[X] PARTS MANAGER	[X] TECHNICIAN
[X] SERVICE ADVISOR	[X] SERVICE MANAGER	[X] WARRANTY PROCESSOR	[] SALES MANAGER

PURPOSE

This TSB updates the General section of the affected Service Manual, to add new model codes to vehicle information.

AFFECTED VEHICLES

- 2017 Lancer
- 2017 Lancer Sportback (Canada)

AFFECTED SERVICE MANUAL

• 2017 Lancer & Lancer Sportback Service Manual, Group 00-General



Please add the following information to the 2017 Lancer & Lancer Sportback Service Manual, Group 00-General -> Vehicle Identification.

GENERAL VEHICLE IDENTIFICATION

VEHICLE IDENTIFICATION NUMBER LIST VEHICLES FOR USA

(FOR FEDERAL EMISSION REGULATION)

VIN (Except serial number)	Price class	Model code		Engine model	Transaxle model	Fuel system
JA32U2FU_HU	ES	CY4AS	TFPL2M	4B11 [1,998 cm ³ (121.9 cu in) DOHC MIVEC gasoline engine] <low co<sub="">2 specification></low>	F1CJC (FWD, INVECS-III CVT)	MFI

VEHICLES FOR CANADA


VIN (Except serial number)	Price class	Model code		Engine model	Transaxle model	Fuel system
JA32U2FU_HU	ES	CY4AS	TFPL3M	4B11 [1,998 cm ³ (121.9 cu in) DOHC MIVEC gasoline engine] <low co<sub="">2 specification></low>	F1CJC (FWD, INVECS-III CVT)	MFI


Please add the following information to the 2017 Lancer & Lancer Sportback Service Manual, Group 00-General -> General Data and Specifications.

GENERAL GENERAL DATA AND SPECIFICATIONS

GENERAL DATA AND SPECIFICATIONS

M1001000910407







ACF03951AC

Item		<u> </u>	ES		
				CY4AS	
				TFPL2M	TFPL3M
Vehicle di-	Overall width			1,760 (69.4)	1,760 (69.4)
mension mm	Tread-front			1,530 (60.2)	1,530 (60.2)
(in)	Overall length			4,625 (182.1)	4,625 (182.1)
	Overhang-front			1,010 (39.8)	1,010 (39.8)
	Wheelbase			2,635 (103.7)	2,635 (103.7)
	Overhang-rear			980 (38.7)	980 (38.7)
	Ground clearance			140 (5.5)	140 (5.5)
	Overall height (unladen)		8	1,480 (58.3)	1,480 (58.3)
	Tread-rear		9	1,530 (60.2)	1,530 (60.2)
Vehicle	Curb weight	Without full optional parts		1,330 (2,932)	1,340 (2,954)
weight kg (lb)		With full optional parts		1,352 (2,981)	1,352 (2,981)
	Gross vehicle weight rating			1,800 (3,969)	1,800 (3,969)
	Gross axle weight rating-front			1,010 (2,227)	1,010 (2,227)
	Gross axle	weight rating-rear		910 (2,007)	910 (2,007)
Seating capacity				5	5
Engine	Model No.			4B11	4B11
	Туре			DOHC MIVEC <low co<sub="">2 specification></low>	DOHC MIVEC <low co<sub="">2 specification></low>
	Piston disp	lacement cm3 (cu in)		1,998 (121.9)	1,998 (121.9)
	Maximum output kW/r/min (HP/r/min) Maximum torque N-m/r/min (ft-lb/r/min)			110/6,000 (148/6,000)	110/6,000 (148/6,000)
				197/4,200 (145/4,200)	197/4,200 (145/4,200)
Fuel system	tem Fuel supply system			MFI	MFI
Transaxle	Model No.	Q 868		F1CJC	F1CJC
	Туре			FWD, INVECS-III CVT	FWD, INVECS-III CVT
Turning radius	m (ft)			5.0 (16.4)	5.0 (16.4)