



Technical Service Bulletin

46 Brakes creak at almost standstill

46 19 09 2054385/1 March 21, 2019.

Model(s)	Year	VIN Range	Vehicle-Specific Equipment
All	2007 - 2020	All	Not Applicable

Condition

Customer states:

- Creaking noises when braking at almost standstill (crawling when pulling away or briefly before standstill).
- Please review the audio/video example: <https://audi-external.kzoplatform.com:443/#/player/medium/1376799528052593748?autoplay=on&embed=true>.



Figure 1. QR Code for supporting video.

Technical Background

Brakes creak through the stick-slip effect:

The stick-slip effect describes an undesired, jerky, and pulsating slip (transition from static to dynamic friction) of two objects moving against each other.

The stick-slip effect occurs if the static friction is clearly bigger than the dynamic friction. Example: when driving very slowly and slightly operating the brakes.

This effect occurs particularly often when lightly braking on vehicles with automatic gearbox at almost standstill.

The resulting vibrations are transmitted as vibrations via the suspension to the body where they are converted to sound waves, such as creaking noises.



Technical Service Bulletin

 **Note:**

The stick-slip effect is more noticeable in vehicles with high-performance brakes, for example: SQ5, S4, S5, S6, S7, or the e-tron, but it can be present in all vehicles.

Figure 2 graphically shows the stick-slip effect.




Figure 2. The stick-slip effect.

Production Solution

Not applicable.

Service

 **Note:**

The information below is a simplified explanation for Customers:

This creaking noise is a physical phenomenon (stick-slip effect), which in various intensity can also be reproduced on other vehicles (normal condition) and does not reduce the braking performance.



Technical Service Bulletin

Warranty

This TSB is informational only and not applicable to any Audi Warranty.

Additional Information

All parts and service references provided in this TSB (2054385) are subject to change and/or removal. Always check with your Parts Department and/or ETKA for the latest information and parts bulletins. Please check the Repair Manual for fasteners, bolts, nuts, and screws that require replacement during the repair.

©2019 Audi of America, Inc. All rights reserved. The information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Audi of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites without the prior expressed written permission of the publisher.