



Jetta (A6) - 2012 FLUID CAPACITY CHART 2 May 2011

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield and Headlight Fluid
Jetta FWD-Manual (1623S1) (1624S1) (1625S1) (1626S1) Jetta FWD – Auto (1623S3) (1624S3) (1625S3) (1626S3)	2.5L 170 hp (CBTA/CBUA) 6.0L (6.3 qt) <u>VW Oil Spec:</u> VW 502 00** Use synthetic oil SAE 5W-40, SAE 5W-30	5-Spd (0A4) 1.9L (2.0 qt) G 052 512 A2*	N/A 6-Spd (09G) Gen. 1 <u>New Fill:</u> 7.0L (7.4 qt) <u>Oil PN</u> G 055 025 A2* <u>Gen. 2</u> <u>New Fill:</u> 6.1L (6.4 qt) <u>Oil PN</u> G 055 540 A2*	N/A Capacity included with transmission.	9.0L (9.5 qt)***	1.0L (1.1 qt.) <u>Fluid P/N</u> G 002 000* Or G 004 000*	1.2 L (1.3qt) (approximately) <u>VW Brake Fluid</u> <u>Specification:</u> Use new fluid only. VW 501 14 or FMVSS 116 DOT 4 <u>Fluid PN</u> B 000 750*	Refrigerant Use only R134a Refrig. Capacity 525 ± 25 grams (18.5 ± 0.9 oz.) Refrigerant Oil Use a PAG oil with R134a Oil PN & Capacity Sanden Cmpr: G 052 200 A2* 110 cc ± 10 cc (3.7 ± 0.3 fl. oz.)	5.0L (5.3qt) Windshield Only 3.0L (3.2qt) <u>Fluid PN</u> G 052 164*

© 2011 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.





Jetta (A6) - 2012 FLUID CAPACITY CHART 10 June 2019

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Rear Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield and Headlight Fluid
Jetta FWD-Manual (1621J1) (1622J1) (162SJ1)	2.0L MPI 115 hp (CBPA) 3.6L (3.8 qt) <u>VW Oil Spec:</u> VW 502 00** Use synthetic oil SAE 5W-40,	5-Spd (0AF) 2.0L (2.1 qt) <u>Oil PN</u> G 070 726 A2*	N/A	N/A	5.0L (5.3 qt)***	1.0L (1.1 qt.) Fluid P/N G 002 000* Or G 004 000*	1.2 L (1.3qt) (approximately) <u>VW Brake Fluid</u> <u>Specification:</u> Use new fluid only.	Refrigerant Use only R134a Refrig. Capacity 525 ± 25 grams Refrigerant Oil Use a PAG oil	5.0L (5.3qt) Windshield Only 3.0L (3.2qt) Fluid PN
Jetta FWD – Auto (1621J3) (1622J3) (162SJ3)	SAE 5W-30	N/A	6-Spd (09G) <u>Gen. 1</u> <u>New Fill:</u> 7.0L (7.4 qt) <u>Oil PN</u> G 055 025 A2* <u>Gen. 2</u> <u>New Fill:</u> 6.1L (6.4 qt) Oil PN	Capacity included with transmission.			VW 501 14 or FMVSS 116 DOT 4 <u>Fluid PN</u> B 000 750*	with R134a <u>Oil PN & Capacity</u> <u>Sanden Cmpr:</u> G 052 200 A2* 110 cc ± 10 cc	G 052 164*
* Oil and flui **Refer to Tee	luid level and filling in d part numbers are fo <i>chnical Bulletin 20128</i> nt Additive Specificat	r reference only. A 855 for engine oils t	lways check with y hat meet this VW oi	our Parts Departme I specification.	ent for the latest par) s (TL-VW 774 F) PN- (6 012 A8F.	

© 2019 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.





Jetta (A6) - 2012 FLUID CAPACITY CHART 2 May 2011

					System				Fluid
Jetta TDI	2.0T 140 hp Diesel (CJAA)	6-Spd (02Q)	N/A	N/A	8.0L (8.5 qt)***	Electro- Mechanical	1.2 L (1.3qt) (approximately)	Refrigerant Use only R134a	5.0L (5.3qt)
(16259L) (16269L) (16279L)	4.3L (4.5 qt) <u>VW Oil Spec:</u> VW 507 00** Use synthetic oil SAE 5W-30	2.3L (2.4 qt) <u>Oil PN</u> G 052 171 A2*					<u>VW Brake Fluid</u> <u>Specification:</u> Use new fluid only. VW 501 14 or FMVSS 116 DOT 4	Refrig. Capacity 600 ± 25 grams (19.2 ± 0.8 oz.) Oil PN & Capacity Sanden Cmpr: G 052 200 A2*	Windshield Only 3.0L (3.2qt) <u>Fluid PN</u> G 052 164*
Jetta TDI (16269L) (16269M) (16279M)		N/A	6-Spd DSG (02E) <u>New Fill:</u> 7.2L (7.6 qt) <u>Change:</u> 5.2L (5.5 qt)	Capacity included with transmission. <u>Oil PN</u> G 052 182 A2*			<u>Fluid PN</u> B 000 750*	110 cc ± 10 cc (3.7 ± 0.3 fl. oz.)	

© 2011 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.