

WORK DESCRIPTION FOR FIELD MEASURE

Code: 1803P58A40

Version: 2.0

Attach information label to the control units for mobile phone

Model 222 with code 808 and 897 or 898 or 899

i The codes correspond to:

- Code 808 corresponds to YoM 17/1.
- The code 897 corresponds to WIRELESS PHONE CHARGING IN THE FRONT.
- The code 898 corresponds to WIRELESS PHONE CHARGING IN THE REAR.
- The code 899 corresponds to WIRELESS PHONE CHARGING IN THE FRONT AND ANTENNA.
- The code 224 corresponds to DESIGN INDIVIDUAL REAR SEAT SYSTEM.

i The work procedure is to be carried out in accordance with the corresponding equipment code!

Work procedure 1

for vehicles with code 897 or 899

page 2/6

Attach radio approval information label on the control unit for the mobile phone cradle in the front.

Work procedure 2

for vehicles with code 898 without code 224

page 2/6

Attach radio approval information label on the control unit for the mobile phone cradle in the rear.

Work procedure 3

for vehicles with code 898 with code 224

page 3/6

Attach radio approval information label on the control unit for the mobile phone cradle in the rear.

Work procedure 4

for vehicles with code 897 or 899 and code 898 without code 224

page 4/6

Attach radio approval information label on the control units for the mobile phone cradle in the front and in the rear

Work procedure 5

for vehicles with code 897 or 899 and code 898 with code 224

page 5/6

Attach radio approval information label on the control units for the mobile phone cradle in the front and in the rear.

Parts, operation text and labor time

page

6/6

Work procedure 1**i Vehicles with code 897 or 899.**

1. Open center console.
2. Remove rubber mounting (A) (figure 1).
3. Attach radio approval label on the control unit for the mobile phone cradle in the front (B) (Figure 2).




Figure 1



Figure 2

Work procedure 2**i Vehicles with code 898 without code 224.**

1. Create access to the control unit for the mobile phone cradle in the rear.
 - i For basic data, see AR82.70-P-0012LFM.
 - i Do not disconnect the electrical connector!
 - i Do not unclip the control unit!
2. Attach the radio approval label on the control unit for the mobile phone cradle in the rear.
3. Assemble in reverse order.

Work procedure 3**i Vehicles with code 898 with code 224.**

1. Remove the rubber mounting (C) in the rear (figure 3).
2. Attach the radio approval label on the control unit for the mobile phone cradle (D) in the rear (figure 4).

**Figure 3****Figure 4**

3. Assemble in reverse order.

Work procedure 4

i Vehicles with code 897 or 899 and code 898 without code 224.

1. Open center console.
2. Remove rubber mounting (A) (figure 5).
3. Attach radio approval label on the control unit for the mobile phone cradle in the front (B) (Figure 6).




Figure 5




Figure 6

4. Create access to the control unit for the mobile phone cradle in the rear.
 - i** For basic data, see AR82.70-P-0012LFM.
 - i** Do not disconnect the electrical connector!
 - i** Do not unclip the control unit!
5. Attach the radio approval label on the control unit for the mobile phone cradle in the rear.
6. Assemble in reverse order.

Work procedure 5

i Vehicles with code 897 or 899 and code 898 with code 224.

1. Open center console.
2. Remove rubber mounting (A) (figure 7).
3. Attach radio approval label on the control unit for the mobile phone cradle in the front (B) (Figure 8).

**Figure 7****Figure 8**

4. Remove the rubber mounting (C) in the rear (figure 9).
5. Attach the radio approval label on the control unit for the mobile phone cradle (D) in the rear (figure 10).

**Figure 9****Figure 10**

6. Assemble in reverse order.

Parts

Quantity	Designation	Part no.
As required (1)	Front label	A 000 817 52 02
As required (1)	Rear label	A 000 817 75 02

Operation text and flat rate

Operation no.	Operation text	Flat rate	Accounting no./ damage code
02-2357*,**	Attach information label on the control unit for mobile phone in the front	0.1 h	58 917 31
02-2358*,**	Attach information label to the control unit for mobile phone in the rear for vehicles without code 224	0.3 h	58 917 31
02-2359*,**	Attach information label to the control unit for mobile phone in the rear for vehicles with code 224	0.1 h	58 917 31
02-2327*,**	Attach information label to the control units for mobile phone in the front and in the rear for vehicles without code 224	0.4 h	58 917 31
02-2329*,**	Attach information label to the control units for mobile phone in the front and in the rear for vehicles with code 224	0.2 h	58 917 31

* Operation item is to be selected in accordance with the corresponding equipment code!

** Only one operation item can be invoiced for each workshop order!

Mercedes-Benz
Global Service & Parts